

SUAVECITO 5% MINOXIDIL SOLUTION- minoxidil liquid
SUAVECITO, INC.

SUAVECITO 5% Minoxidil Solution

Drug Facts

Active Ingredient

Minoxidil 5% w/v

Purpose

Hair Regrowth Treatment For Men

Use

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

Warnings

For external use only. For use by men only

Flammable:Keep away from fire or flame

Do not use if

- you are a women
- your amount of hair loss is different than that shown on the side of this carton
- your hair loss is on the front of the scalp. Minoxidil Topical Solution 5% is not intended for frontal baldness or receding hairline
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use

if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.

For some men you may need to use this product for at least 4 months before you see results

- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when

pregnant or breast-feeding,

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **apply one mL with dropper 2 times a day** directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

- **Store at Controlled Room Temperature 20° to 25°C (68° to 77°F)**
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information
- hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% Minoxidil Topical Solution for men
- in clinical studies of mostly white men aged 18-49 years with moderate degrees of hair loss, 5% Minoxidil Topical Solution for men provided more hair regrowth than 2% Minoxidil Topical Solution

Inactive Ingredients

Alcohol, Propylene Glycol, Purified Water

Questions or comments?

call toll-free phone number (714) 388-6920 or reach us online at website
www.suavecto.com

Package Labeling:3 COUNT





SUAVECITO 5% MINOXIDIL SOLUTION

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74866-414
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74866-414-01	1 in 1 BOX	07/31/2023	

1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:74866-414-03	3 in 1 BOX	07/31/2023	
2		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	07/31/2023	

Labeler - SUAVECITO, INC. (078681797)