

## **Q TUSSIN DM- dextromethorphan hbr and guaifenesin syrup**

**Rebel Distributors Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Q-Tussin DM 0855**

#### ***Active ingredients (in each 5 mL = 1 tsp)***

Dextromethorphan HBr, USP 10 mg

Guaifenesin, USP 100 mg

#### ***Purpose***

Cough suppressant

Expectorant

#### ***Uses***

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

#### ***Warnings***

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### **Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

#### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### ***Directions***

- do not take more than 6 doses in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age (yr)	dose (tsp)
----------	------------

adults and children 12 years and over	2 teaspoons every 4 hours
children under 12 years	do not use

### Other information

- store at 15° to 30°C (59° to 86°F)
- dosage cup provided

You may report serious side effects to: 130 Vintage Drive, Huntsville, AL 35811.

### Inactive ingredients

citric acid, FD&C red #40, flavors, glycerin, high fructose corn syrup, liquid glucose, purified water, saccharin sodium, sodium benzoate

Made in the **USA**  
for Qualitest Pharmaceuticals  
Huntsville, AL 35811

Rev. 7/09 R4  
8281171 0855

Repackaged by:

Rebel Distributors Corp

Thousand Oaks, CA 91320

### PRINCIPAL DISPLAY PANEL



### Q TUSSIN DM

dextromethorphan hbr and guaifenesin syrup

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21695-737(NDC:0603-0855)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
CITRIC ACID (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
GLUCOSE OXIDASE (UNII: 0T8392U5N1)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

**Product Characteristics**

<b>Color</b>	RED (clear, red)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21695-737-04	118 mL in 1 BOTTLE, PLASTIC		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/01/1995	

**Labeler** - Rebel Distributors Corp (118802834)**Establishment**

Name	Address	ID/FEI	Business Operations
Rebel Distributors Corp		118802834	RELABEL, REPACK

