

**SUPHEDRINE PE- phenylephrine hydrochloride tablet, coated**  
**DISCOUNT DRUG MART**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**1131-DDM-2021-1126**

**Drug Facts**

**Active ingredient (in each tablet)**

Phenylephrine HCl 10 mg

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies, and nasal congestion associated with sinusitis
- temporarily relieves sinus congestion and pressure

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

- **do not use more than directed**

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 12 years of age and over: take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours
- children under 12 years of age: ask a doctor

### **Other information**

- store at 15°-25°C (59°-77°F) in a dry place
- retain carton for complete product information

### **Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C red #40, FD&C yellow #6, hypromellose, lactose anhydrous, magnesium stearate, polyethylene glycol, stearic acid, titanium dioxide

### **PRINCIPAL DISPLAY PANEL**

DISCOUNT drug mart FOOD FAIR

†Compare to the Active Ingredient in Sudafed PE® Congestion

maximum strength

CONGESTION

SUPHEDRINE PE

Nasal Decongestant

Relieves:

- PHENYLEPHRINE HCl

Sinus Pressure & Congestion

NON-DROWSY

36 TABLETS

10 mg each

NC

NC

NC

**Drug Facts**

**Active ingredient (in each tablet)**  
Phenylephrine HCl 10 mg.....Nasal decongestant

**Purpose**  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ adults and children 12 years of age and over: take 1 tablet every 4 hours; do not take more than 6 tablets in 24 hours  
■ children under 12 years of age: ask a doctor

**Other information**  
■ store at 15°-25°C (59°-77°F) in a dry place  
■ retain carton for complete product information

**Inactive ingredients**  
colloidal silicon dioxide, croscarmellose sodium, D&C red #27, FD&C red #40, FD&C yellow #6, hypromellose, lactose anhydrous, magnesium stearate, polyethylene glycol, stearic acid, titanium dioxide

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
Ask a doctor before use if you have  
■ heart disease  
■ high blood pressure  
■ thyroid disease  
■ diabetes  
■ trouble urinating due to an enlarged prostate gland

**When using this product** ■ do not use more than directed

**Stop use and ask a doctor if**  
■ you get nervous, dizzy, or sleepless  
■ symptoms do not improve within 7 days or are accompanied by fever



maximum strength  
**CONGESTION**

# SUPHEDRINE<sup>PE</sup>

NON - DROWSY

Nasal Decongestant



†Compare to the Active Ingredient  
in Sudafed PE® Congestion

maximum strength  
**CONGESTION**

# SUPHEDRINE<sup>PE</sup>

Nasal Decongestant

Relieves:

- PHENYLEPHRINE HCL
- Sinus Pressure & Congestion



**36 TABLETS**  
10 mg each

NON - DROWSY



maximum strength  
**CONGESTION**

# SUPHEDRINE<sup>PE</sup>

NON - DROWSY

Nasal Decongestant

F113103DDM\_R0

Distributed by:  
Drug Mart - Food Fair  
211 Commerce Drive  
Medina, OH 44256

SATISFACTION GUARANTEED  
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGING TO STORE  
WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON  
FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:  
DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Sudafed PE® Congestion.

**DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN**



0 93351 00815 3

# SUPHEDRINE PE

phenylephrine hydrochloride tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-131
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	A;131
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-131-02	1 in 1 CARTON	12/06/2011	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:53943-131-03	2 in 1 CARTON	12/06/2011	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/06/2011	

**Labeler** - DISCOUNT DRUG MART (047741335)

Revised: 11/2021

DISCOUNT DRUG MART