

FATHER JOHNS MEDICINE- dextromethorphan hbr liquid
Humco Holding Group, Inc

Private Label Father John's Medicine

Shake well before using. Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over | 2 teaspoons every 4 hours

Children 6 years to under 12 years of age | 1 teaspoon every 4 hours

Children under 6 years of age | ask a doctor

Do not use:

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (Certain drugs for depression, psychiatric or emotional conditions, or parkinsons disease), or for 2 weeks after stopping the maoi drug. if you are uncertain whether your prescription contains a MAOI, consult a health professional before taking this product.

Carmael Color

Citric Acid

Cod liver oil

Flavors

Glycerin

Gum Arabic

Licorice

Purified Water

Sodium Benzoate

Sodium Citrate

Sugar

Dextrinetgirogab HBr..... 10 mg per teaspoon

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

Cough Suppresant

Keep out of reach of children. In case of overdose get medical help or contact a poison control center right away.

Registered in U.S. Pat. Office



FATHER JOHN'S MEDICINE

Cough Suppressant

For
COUGHS
AND
COLDS

Shake well before using.
Store in a cool place.
Keep out of reach of children.

Distributed by
DANKHOFST COMPANY
12901 WALKER, ST. LOUIS, MO
www.fatherjohns.com

8 FL. OZ.

237 mL

Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.

**DO NOT USE
IF BOTTLE SAFETY SEAL
IS BROKEN OR MISSING**

**Questions? Comments?
Call Toll Free: 1-800-831-1135**

Father John's Medicine

8 FL. OZ.

237 mL



FATHER JOHN'S MEDICINE

Cough Suppressant

For
COUGHS
AND
COLDS

Contains NO ALCOHOL OR
HARMFUL FORMING INGREDIENTS

8 FL. OZ.

237 mL



Drug Facts

Active Ingredients
Dextromethorphan HBr 10 mg per teaspoon

Purpose
Cough suppressant

Use - Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

WARNINGS

Do not use - if you are taking a prescription medication because it may interact (MAOI), tricyclic antidepressants (TCAs), or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

Ask a doctor before use if you have - a persistent or chronic cough such as occurs with smoking, asthma, emphysema, or a cough accompanied by excessive phlegm (sneezing).

Stop use and ask a doctor if - cough persists for more than one week; cough turns to rust; cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.

DIRECTIONS - Shake well before using. Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over	2 teaspoons every 4 hours
Children 6 years to under 12 years of age	1 teaspoon every 4 hours
Children under 6 years of age	ask a doctor

Other information - store in a cool place • alcohol free • **Flammable liquid** - do not use if bottle safety seal is broken or missing

Inactive ingredients - organic colorants and dyes, cellulose gel, flavors, glycerin, gum arabic, locust, purified water, sodium benzoate, sodium citrate, sugar.

Registered in U.S. Pat. Office



FATHER JOHN'S MEDICINE

Cough Suppressant

For
COUGHS
Due to
COLDS

Shake well before using.
Store in a cool place.
Keep out of reach of children.

Distributed by
DRUGS & COMPANY
MIDDLETOWN, NY 11769
www.fatherjohns.com

4 FL. OZ.

118 mL

Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.

**DO NOT USE
IF BOTTLE SAFETY SEAL
IS BROKEN OR MISSING**



Questions? Comments?
Call Toll Free: 1-800-831-1135

Father John's Medicine

4 FL. OZ.

118 mL



FATHER JOHN'S MEDICINE

Cough Suppressant

For
COUGHS
Due to
COLDS

Contains NO ALCOHOL or
HABIT FORMING INGREDIENTS

4 FL. OZ.

118 mL



Drug Facts

Active ingredients	Purpose
Dextromethorphan HBr 10 mg per teaspoon	Cough suppressant

Use Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

WARNINGS

Do not use - if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

Ask a doctor before use if you have - a persistent or chronic cough such as occurs with smoking, asthma, emphysema - a cough accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if - cough persists for more than one week - cough tends to recur - cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding - ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.


DIRECTIONS: - Shake well before using.
- Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over	2 teaspoons every 4 hours
Children 6 years to under 12 years of age	1 teaspoon every 4 hours
Children under 6 years of age	ask a doctor

Other information - store in a cool place - alcohol free - **Tartrate salt:** - do not use if bottle safety seal is broken or missing.

Inactive ingredients: caramel color, dextrose, cod liver oil, flavors, glycerin, gum arabic, lactose, purified water, sodium benzoate, sodium citrate, sugar.

Registered in U.S. Pat. Office



FATHER JOHN'S MEDICINE
Cough Suppressant


For
COUGHS
due to
COLDS

Shake well before using.
Store in a cool place.
Keep out of reach of children.

Distributed by:
OAKHURST COMPANY
LEVITTOWN, NY 11756
www.oakhurstco.com

4 FL. OZ. 118 mL.

Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.



FATHER JOHN'S MEDICINE
Cough Suppressant

For
COUGHS
due to
COLDS

DO NOT USE
IF BOTTLE SAFETY SEAL
IS BROKEN OR MISSING

Contains NO ALCOHOL or
HABIT FORMING INGREDIENTS

4 FL. OZ. 118 mL.

Drug Facts

Active ingredients	Purpose
Dextromethorphan HBr 10 mg per teaspoon.....	Cough suppressant

Use Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

WARNINGS

Do not use - if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

Ask a doctor before use if you have - a persistent or chronic cough such as occurs with smoking, asthma, emphysema - a cough accompanied by excessive phlegm (mucus).

Stop use and ask a doctor if - cough persists for more than one week - cough tends to recur - cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.

DIRECTIONS: - Shake well before using
- Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over	2 teaspoonfuls every 4 hours
Children 6 years to under 12 years of age	1 teaspoonful every 4 hours
Children under 6 years of age	ask a doctor

Other information - store in a cool place - alcohol free - **Tamper evident** - do not use if bottle safety seal is broken or missing

Inactive ingredients - caramel color, citric acid, cod liver oil, flavors, glycerin, gum arabic, licorice, purified water, sodium benzoate, sodium citrate, sugar.

FATHER JOHNS MEDICINE

dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-9126
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
LICORICE (UNII: 61ZBX54883)	
CLOVE OIL (UNII: 578389D6D0)	
SUCROSE (UNII: C151H8M554)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
NUTMEG OIL (UNII: Z1CLM48948)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
CARMEL (UNII: T9D99G2B1R)	
GLYCERIN (UNII: PDC6A3C0OX)	

COD LIVER OIL (UNII: BBL281NWFG)	
ACACIA (UNII: 5C5403N26O)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-9126-94	1 in 1 CARTON	06/17/2019	
1		118 mL in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:0395-9126-98	1 in 1 CARTON	06/17/2019	
2		237 mL in 1 CARTON; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/17/2019	

Labeler - Humco Holding Group, Inc (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-9126) , label(0395-9126) , analysis(0395-9126) , pack(0395-9126)

Revised: 12/2023

Humco Holding Group, Inc