KAISASA TATTOO NUMBING- lidocaine cream Shenzhen Langmi Technology Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient(s)

Lidocaine 5%

Purpose

For temporary relief of local discomfort, itching, pain, soreness or burning related to the tattooprocess.

Use

For temporary relief of local discomfort, itching, pain, soreness or burning related to the tattoo process.

Warnings

For external use only.

Do not use

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Stop use and get to a doctor if allergy occurs such as redness, irritation, swelling, pain or other symptoms become severe or does not subside completely within 7 days.

Keep out of reach of children.

Directions

- 1. Clean the specific area, thendry.
- 2.Apply cream to the area to betattooed with a thick coat (near 2mm). Wrap the applied area tightly with plasticwrap and waitfor $45\sim65$ minutes.
- 3. Tear off the plastic wrap, wipeoff cream, wait for 25 minutesmore to start your tattoo work.

Storage and handling

• Store between 15-30°C(59-86F). Avoid freezing and excessive heat above 40°C(104F).

Inactive ingredients

WATER, PROPYLENE GLYCOL, GLYCERIN, CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE, EDETATE DISODIUM ANHYDROUS, HYDROXYACETOPHENONE, 1,2-HEXANEDIOL, Tocopherol, MENTHAARVENSIS LEAF, CHRYSANTHELLUM INDICUM TOP, PURSLANE, POLYOXYL40 HYDROGENATED CASTOR OIL

Package Label - Principal Display Panel



26*26*124mm



35mm 35mm

lidocaine cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83603-002

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9)	
CHRYSANTHELLUM INDICUM TOP (UNII: STJ856D1Z0)	
PURSLANE (UNII: M6S840WXG5)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:83603-002- 03	1 in 1 PACKAGE	08/07/2023		
1	L	37 g in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	M017	08/07/2023		

Labeler - Shenzhen Langmi Technology Co., Ltd. (636993410)

Establishment			
Name	Address	ID/FEI	Business Operations

Revised: 8/2023

Shenzhen Langmi Technology Co., Ltd.