

GERI-LANTA ANTACID ANTIGAS- aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Geri-Care Pharmaceuticals, Corp

Geri-lanta original 629

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)

Magnesium hydroxide 200 mg

Simethicone 20mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package Label

*Compare to the active ingredients of
Regular Strength MYLANTA**

GERI CARE®
NDC 57896-629-12

Geri-Lanta

REGULAR STRENGTH
ANTACID & ANTIGAS

FAST RELIEF

HEARTBURN

SOUR STOMACH

ACID INDIGESTION

PRESSURE AND BLOATING

Alumina, Magnesia and
Simethicone Oral Suspension

Alcohol: 0.15%



**ORIGINAL
FLAVOR**

12 FL OZ (355) mL

210-05112-1 R1222

Drug Facts

TAMPER EVIDENT: Do not use if breakaway band on bottle cap is missing or broken.

Active ingredients (in each 5 mL teaspoonful)

Purposes

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)Antacid
Magnesium hydroxide 200 mgAntacid
Simethicone 20 mg.....Antigas

Uses relieves • heartburn • sour stomach • acid indigestion • the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

• kidney disease • a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions • shake well before use

- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: ask a doctor

Other information

- each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
- store at room temperature • protect from freezing
- keep tightly closed

Inactive ingredients benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark MYLANTA®.

Distributed by
Geri-Care Pharmaceuticals
1295 Towbin Ave.
Lakewood, NJ 08701

910-05112-3 REV1222



GERI-LANTA ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-629
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -	ALUMINUM	200 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON (citrus mint)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-629-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2014	
2	NDC:57896-629-06	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/01/2000	

Labeler - Geri-Care Pharmaceuticals, Corp (611196254)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(57896-629)

