

OXYGEN- oxygen gas
Wilson Products Compressed Gas Co.

OXYGEN COMPRESSED LABEL

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2 (R-K14) 115676

CAS 7782-44-7

Wilson Products Compressed Gas Co.

3411 Northwood Avenue

Easton, PA 18045

610-253-9608

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER, CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible material. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52° C (125° F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL**

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications. **Rx only.** Uninterrupted use of high concentrations of oxygen over a long duration without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law required that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act.

PRODUCED BY AIR LIQUEFACTION.

Size	Contents	Size	Contents
__ M6	170 Liters	__ E	682 Liters
__ C	248 Liters	__ H	6910 Liters
__ D	415 Liters	__ Other	_____ Liters

**OXYGEN,
COMPRESSED
USP
UN 1072**



C.A.S. NO. 7782-44-7

**Wilson Products
Compressed Gas Co.**

3411 Northwood Avenue
Easton, PA 18045

610-253-9608



△ DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

△ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	_____ Liters

OXYGEN REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073

OXYGEN 2 (R-K14) XXXXXX

Wilson Products Compressed Gas Co.

3411 Northwood Avenue

Easton, PA 18045

610-253-9608

! ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.!

DO NOT CHANGE OR FORCE FIT CONNECTINS.

WARNING:USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the *Federal Food, Drug, and Cosmetic Act*.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

CAS: 7782-44-7

**Oxygen,
Refrigerated
Liquid, USP**
UN 1073
Wilson Products
Compressed Gas Co.



3411 Northwood Avenue
Easton, PA 18045
610-253-9608

WARNING:
USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, the only recommended use of high concentrations of oxygen over a long duration, without monitoring its effect on patients who have received hypoxic gases used in conjunction with resuscitative equipment. **Produced by Air Liquides.**



FIRST AID: IF ON SKIN: These frosted parts with aluminum water. Do not rub affected area. Get immediate medical advice/attention.
DO NOT REMOVE THIS PRODUCT LABEL.
DAL 7702-48-7



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:51105-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51105-001-01	169 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
2	NDC:51105-001-02	339 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
3	NDC:51105-001-03	622 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
4	NDC:51105-001-04	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
5	NDC:51105-001-05	2265 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
6	NDC:51105-001-06	3454 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
7	NDC:51105-001-07	7843 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
8	NDC:51105-001-08	9344 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1976	
9	NDC:51105-001-09	127425 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	

10	NDC:51105-001-10	168768 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1976	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
NDA	NDA205767		01/01/1976	

Labeler - Wilson Products Compressed Gas Co. (014052468)

Registrant - Wilson Products Compressed Gas Co. (014052468)

Establishment			
Name	Address	ID/FEI	Business Operations
Wilson Products Compressed Gas Co.		014052468	manufacture(51105-001)

Revised: 11/2023

Wilson Products Compressed Gas Co.