

**ALLANTOIN- advanced derma spray aerosol, spray**  
**Kroger Co.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Advanced Derma Spray**

***Active ingredient***

Allantoin 0.5%

***Purpose***

Skin Protectant

***Uses***

Temporarily protects and helps relieve chapped or cracked skin

***Warnings***

**For external use only.**

Contents under pressure. Do not puncture or incinerate. Do not store above 120 °F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Do not use**

- on deep or puncture wounds
- on animal bites
- on serious burns

**When using this product**

- avoid spraying in eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before using
- apply as needed
- spray product onto affected area(s) and massage into skin in a circular motion
- for scars on face or near eyes spray product into palm of hand and apply with fingertips

***Other information***

store at room temperature

### ***Inactive ingredients***

Water, Dimethyl Ether, Isostearyl Isostearate, Isopropyl Isostearate, PPG-3 Benzyl Ether Myristate, Pentaerythrityl Tetracaprylate/Caprates, Methylsilanol Hydroxyproline Aspartate, Glycerin, Butylene Glycol, Allium Cepa (Onion) Bulb Extract, Sucrose Palmitate, Glyceryl Stearate, Glyceryl Stearate Citrate, Sucrose, Mannan, Xanthan Gum, Cetyl Hydroxyethylcellulose, Rutin, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Phaseolus Lunatus (Green Bean) Seed Extract, Phenoxyethanol, Fragrance, Potassium Sorbate, Salicylic Acid

### **Questions?**

**Call 1-866-964-0939**

### **Principal Display Panel**

**Kroger**

### ***Advanced Derma Spray***

Dermatologist Tested

Allantoin 0.5% - Skin Protectant

- Improves overall appearance of SCARS\*
- Improves the appearance of texture & smoothness on STRETCH MARKS\*
- Paraben Free

Shake well before use.

**Net WT 3 OZ (85 g)**

COMPARE TO the active ingredient of **MEDERMA®**  
ADVANCED SCAR GEL \*See back of can



ADVANCED

# Derma Spray

Allantoin 0.5% - Skin Protectant

- Dermatologist Tested
- Improves the overall appearance of scars†

Shake Well Before Use

NET WT 3 OZ (85 g)

QUALITY GUARANTEE  
www.kroger.com  
\*Improves the appearance of texture and smoothness on stretch marks  
• Paraben Free  
\*MEDERMA IS A REGISTERED TRADEMARK OF MERZ PHARMACEUTICALS, LLC, RALEIGH, NC 27615.  
MERZ PHARMACEUTICALS, LLC IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

Advanced Derma Spray should be applied once a day for 8 weeks on new scars.  
Apply as soon as the wound has closed.

## Drug Facts

Active Ingredient	Purpose
Allantoin 0.5%	Skin protectant

**Uses** Temporarily protects and helps relieve chapped or cracked skin

## Warnings

**For external use only.**

Contents under pressure. Do not puncture or incinerate. Do not store above 120° F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Do not use on** ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ avoid spraying in eyes

**Stop use and ask a doctor if** ■ condition worsens

■ symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ shake well before using ■ apply as needed

■ spray product onto affected area(s) and massage into skin in a circular motion  
■ for scars on face or near eyes spray product into palm of hand and apply with fingertips

**Other information** store at room temperature

**Inactive ingredients** Water, Dimethyl Ether, Isostearyl Isostearate, Isopropyl Isostearate, PPG-3 Benzyl Ether Myristate, Pentaerythrityl Tetracaprylate/Caprate, Methylsilanol Hydroxyproline Aspartate, Glycerin, Butylene Glycol, Allium Cepa (Onion) Bulb Extract, Sucrose Palmitate, Glyceryl Stearate, Glyceryl Stearate Citrate, Sucrose, Mannan, Xanthan Gum, Cetyl Hydroxyethylcellulose, Rutin, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Phaseolus Lunatus (Green Bean) Seed Extract, Phenoxyethanol, Fragrance, Potassium Sorbate, Salicylic Acid

**Questions?** 1-800-632-6900

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

†Based on an 8-week, daily use consumer panel study

50-126KR



COMPARE TO the active ingredient of **MEDERMA®**  
ADVANCED SCAR GEL \*See back of can



ADVANCED

# Derma Spray

Allantoin 0.5% - Skin Protectant

- Dermatologist Tested
- Improves the overall appearance of scars†

Shake Well Before Use

NET WT 3 OZ (85 g)

QUALITY GUARANTEE  
www.kroger.com

• Improves the appearance of texture and smoothness on stretch marks

• Paraben Free

\*MEDERMA IS A REGISTERED TRADEMARK OF MERZ PHARMACEUTICALS, LLC, RALEIGH, NC 27615.  
MERZ PHARMACEUTICALS, LLC IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

Advanced Derma Spray should be applied once a day for 8 weeks on new scars.  
Apply as soon as the wound has closed.

## Drug Facts

Active Ingredient	Purpose
Allantoin 0.5%	Skin protectant

**Uses** Temporarily protects and helps relieve chapped or cracked skin

## Warnings

**For external use only.**

Contents under pressure. Do not puncture or incinerate. Do not store above 120° F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Do not use on** ■ deep or puncture wounds ■ animal bites ■ serious burns

**When using this product** ■ avoid spraying in eyes

**Stop use and ask a doctor if** ■ condition worsens

■ symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ shake well before using ■ apply as needed

■ spray product onto affected area(s) and massage into skin in a circular motion  
■ for scars on face or near eyes spray product into palm of hand and apply with fingertips

**Other information** store at room temperature

**Inactive ingredients** Water, Dimethyl Ether, Isostearyl Isostearate, Isopropyl Isostearate, PPG-3 Benzyl Ether Myristate, Pentaerythrityl Tetracaprylate/Caprate, Methylsilanol Hydroxyproline Aspartate, Glycerin, Butylene Glycol, Allium Cepa (Onion) Bulb Extract, Sucrose Palmitate, Glyceryl Stearate, Glyceryl Stearate Citrate, Sucrose, Mannan, Xanthan Gum, Cetyl Hydroxyethylcellulose, Rutin, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Phaseolus Lunatus (Green Bean) Seed Extract, Phenoxyethanol, Fragrance, Potassium Sorbate, Salicylic Acid

**Questions?** 1-800-632-6900

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

†Based on an 8-week, daily use consumer panel study

50-126KR



COMPARE TO the active ingredient of MEDERMA®  
ADVANCED SCAR GEL \*See back of can



**ADVANCED**  
**Derma Spray**

Allantoin 0.5% - Skin Protectant

- Dermatologist Tested
- Improves the overall appearance of scars†

Shake Well Before Use

NET WT 3 OZ (85 g)

**QUALITY GUARANTEE**  
www.kroger.com

Improves the appearance of texture and smoothness on stretch marks  
\* Paraben Free  
\* MEDERMA IS A REGISTERED TRADEMARK OF MERZ PHARMACEUTICALS, LLC, RALEIGH, NC 27615.  
MERZ PHARMACEUTICALS, LLC IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.

Advanced Derma Spray should be applied once a day for 8 weeks on new scars.  
Apply as soon as the wound has closed.

**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
Allantoin 0.5%	Skin protectant

**Uses** Temporarily protects and helps relieve chapped or cracked skin

**Warnings**  
For external use only.

Contents under pressure. Do not puncture or incinerate. Do not store above 120° F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

Do not use on ■ deep or puncture wounds ■ animal bites ■ serious burns

When using this product ■ avoid spraying in eyes

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ shake well before using ■ apply as needed  
■ spray product onto affected area(s) and massage into skin in a circular motion  
■ for scars on face or near eyes spray product into palm of hand and apply with fingertips

**Other information** store at room temperature

**Inactive ingredients** Water, Dimethyl Ether, Isostearyl Isostearate, Isopropyl Isostearate, PPG-3 Benzyl Ether Myristate, Pentaerythrityl Tetracaprylate/Caprate, Methylsorbol Hydroxypropyl Aspartate, Glycerin, Butylene Glycol, Allium Cepa (Onion) Bulb Extract, Sucrose Palmitate, Glycerol Stearate, Glycerol Stearate Citrate, Sucrose, Mannan, Xanthan Gum, Cetyl Hydroxyethylcellulose, Rutin, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Phaseolus Lunatus (Green Bean) Seed Extract, Phenoxyethanol, Fragrance, Potassium Sorbate, Salicylic Acid

**Questions?** 1-800-632-6900

DISTRIBUTED BY THE KROGER CO. CINCINNATI, OHIO 45202

†Based on an 8-week, daily use consumer panel study 50-126KR



## ALLANTOIN

advanced derma spray aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30 142-195
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	0.425 g in 85 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHYL ETHER (UNII: AM13FS69BX)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	
PPG-3 BENZYL ETHER MYRISTATE (UNII: 8075L58MKO)	
PENTAERYTHRITYL TETRACAPRYLATE/TETRACAPRATE (UNII: 832C4KF14X)	
GLYCERIN (UNII: PDC6A3C0OX)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ONION (UNII: 492225Q21H)
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)
SUCROSE (UNII: C151H8M554)
YEAST MANNAN (UNII: 91R887N59P)
XANTHAN GUM (UNII: TTV12P4NEE)
CETYL HYDROXYETHYLCELLULOSE (350000 MW) (UNII: T7SWE4S2TT)
RUTIN (UNII: 5G06TVY3R7)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
LIMA BEAN (UNII: 112YH1ZMX2)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
SALICYLIC ACID (UNII: O414PZ4LPZ)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-195-85	85 g in 1 CAN; Type 0: Not a Combination Product	02/12/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	02/12/2018	

**Labeler** - Kroger Co. (006999528)