

**ANTIBACTERIAL WIPES- antibacterial wipes cloth**  
**Hefei Wenqi Industrial & Trade Co., Ltd**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Antibacterial Wipes**

**Active Ingredient(s)**

Benzalkonium chloride 0.13%

**Purpose**

Antiseptic

**Use**

Antiseptic.

For handwashing to decrease bacteria on the skin

Apply topically to the skin to help prevent cross-contamination

Recommended for repeated use.

Dries in seconds

Not to be used on therapeutic devices and hospital.

**Warnings**

For external use only

Do not use in or contact the eyes

Discontinue use if irritation and redness develop. if condition persists for more than 72 hours consult a physician.

keep out of reach of children unless under adult supervision.

If swallowed. get medical help or contact a Poison Control Center immediately.

**Do not use**

Do not use in or contact the eyes

Discontinue use if irritation and redness develop. if condition persists for more than 72 hours consult a physician.

Pull through about one inch. Replace cover Pull out wipes as needed and snap off at a 90° angle. Keep cap closed to prevent evaporation

Wipe hands, fingers, interdigital areas and wrists thoroughly with towelette. Be sure to utilize the entire wipe surface, Allow to dry

If hands are visibly soiled or contaminated use first wipe to clean hands then discard wipe Sanitize with a second wipe discard after single use.

/

keep out of reach of children unless under adult supervision.

If swallowed. get medical help or contact a Poison Control Center immediately.

**Directions**

To start feed: Remove cover and discard seal from container. From center of toweled roll, pull up wipe corner, tear off first wipe for use. Twist next wipe into a point and thread through the hole in the container cover.


**Other information**

Lot No. and Expiration Date can be found on canister.

**Inactive ingredients**

- Bronco
- Ethylhexylglycerin
- Didecylidimonium Chloride
- Propylene Glycol
- Glycerin
- water


<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Drug Facts</th> </tr> <tr> <td style="width: 50%; padding: 5px;">Active ingredient</td> <td style="width: 50%; padding: 5px;">Purpose</td> </tr> <tr> <td style="padding: 5px;">Benzalkonium Chloride 0.13%.....Antiseptic</td> <td style="padding: 5px;"></td> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Uses</th> </tr> <tr> <td colspan="2" style="padding: 5px;"> <ul style="list-style-type: none"> <li>■Antiseptic.</li> <li>■For handwashing to decrease bacteria on the skin;</li> <li>■Apply topically to the skin to help prevent cross-contamination.</li> <li>■Recommended for repeated use.</li> <li>■Dries in seconds.</li> <li>■Not to be used on therapeutic devices and hospital.</li> </ul> </td> </tr> </table>	Drug Facts		Active ingredient	Purpose	Benzalkonium Chloride 0.13%.....Antiseptic		Uses		<ul style="list-style-type: none"> <li>■Antiseptic.</li> <li>■For handwashing to decrease bacteria on the skin;</li> <li>■Apply topically to the skin to help prevent cross-contamination.</li> <li>■Recommended for repeated use.</li> <li>■Dries in seconds.</li> <li>■Not to be used on therapeutic devices and hospital.</li> </ul>		<p style="margin-top: 0;"><b>Warnings</b></p> <ul style="list-style-type: none"> <li>■For external use only.</li> <li>■Do not use in or contact the eyes.</li> <li>■Discontinue use if irritation and redness develop. if condition persists for more than 72 hours consult a physician.</li> <li>■Keep out of reach of children unless under adult supervision.</li> <li>■If swallowed, get medical help or contact a Poison Control Center immediately.</li> </ul>
Drug Facts											
Active ingredient	Purpose										
Benzalkonium Chloride 0.13%.....Antiseptic											
Uses											
<ul style="list-style-type: none"> <li>■Antiseptic.</li> <li>■For handwashing to decrease bacteria on the skin;</li> <li>■Apply topically to the skin to help prevent cross-contamination.</li> <li>■Recommended for repeated use.</li> <li>■Dries in seconds.</li> <li>■Not to be used on therapeutic devices and hospital.</li> </ul>											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Drug Facts(continued)</th> </tr> <tr> <td colspan="2" style="padding: 5px;"><b>Other information</b></td> </tr> <tr> <td colspan="2" style="padding: 5px;">Lot No. and Expiration Date can be found on canister.</td> </tr> <tr> <th colspan="2" style="text-align: left; padding: 5px;">Inactive ingredients</th> </tr> <tr> <td colspan="2" style="padding: 5px;">           Bronopol            Ethylhexylglycerin            Didecylidimonium Chloride            Propylene Glycol            Glycerin            Water         </td> </tr> </table>	Drug Facts(continued)		<b>Other information</b>		Lot No. and Expiration Date can be found on canister.		Inactive ingredients		Bronopol Ethylhexylglycerin Didecylidimonium Chloride Propylene Glycol Glycerin Water		<p style="margin-top: 0;"><b>Directions</b></p> <ul style="list-style-type: none"> <li>■To start feed: Remove cover and discard seal from container. From center of toweled roll, pull up wipe corner; tear off first wipe for use. Twist next wipe into a point and thread through the hole in the container cover. Pull through about one inch. Replace cover. Pull out wipes as needed and snap off at a 90° angle. Keep cap closed to prevent evaporation.</li> <li>■Wipe hands, fingers, interdigital areas and wrists thoroughly with towelette. Be sure to utilize the entire wipe surface. Allow to dry.</li> <li>■If hands are visibly soiled or contaminated, use first wipe to clean hands, then discard wipe. Sanitize with a second wipe.</li> <li>■Discard after single use.</li> </ul>
Drug Facts(continued)											
<b>Other information</b>											
Lot No. and Expiration Date can be found on canister.											
Inactive ingredients											
Bronopol Ethylhexylglycerin Didecylidimonium Chloride Propylene Glycol Glycerin Water											



**Renew**

**SUPPLIES**

- 800 SOFT WIPES
- 8" X 6" IN SIZE
- NO FRAGRANCES
- NO PARABENS



made in china  
97.40 Floz/2880 ml

CONVENIENT, EASY TEAR, ANTIBACTERIAL, DEODORIZING WIPES  
IDEAL FOR SANITIZING AND CLEANING SURFACES  
PROVIDES PEACE OF MIND WHEN USING SHARED EQUIPMENT OR PUBLIC SPACES.

**ANTIBACTERIAL WIPES**

antibacterial wipes cloth

---

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76991-007	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)		BENZALKONIUM CHLORIDE	0.13 g in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
DIDECYLDIMONIUM CHLORIDE (UNII: JXN40O9Y9B)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0K00R)				
STEPRONIN (UNII: 0NOY894QRB)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76991-007-01	2880 mL in 1 BAG; Type 0: Not a Combination Product	05/15/2020	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph not final	part333A	03/30/2020		

**Labeler** - Hefei Wenqi Industrial & Trade Co., Ltd (530739868)

### Establishment

Name	Address	ID/FEI	Business Operations
Hefei Wenqi Industrial & Trade Co., Ltd		530739868	manufacture(76991-007)

Revised: 6/2020

Hefei Wenqi Industrial & Trade Co., Ltd