

RENDREVIE SUN SCREEN SPF35 PA - octinoxate, titanium dioxide, octisalate cream
Cellinbio Co Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rendrevie Sun Screen SPF35 PA++

Drug Facts

Active ingredient

Octinoxate 7.50%
Titanium Dioxide 5.19%
Octisalate 3.00%

Purpose

Sunscreen

Keep out of Reach of Children

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Indication & Usage

Directions

Apply liberally 15 minutes before sun exposure
Use a water resistant sunscreen if swimming or sweating
Reapply at least every 2 hours
Children under 6 months: Ask a doctor

Warnings

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Dosage & Administration

Helps prevent sunburn

Inactive Ingredient

Water, Cyclopentasiloxane, Glycerin, Dipropylene Glycol, Peg-10 Dimethicone, Hexyl Laurate, Talc, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Disteardimonium Hectorite, Magnesium Sulfate, Aluminum Hydroxide, Aluminum Stearate, Fragrance, Imidazolidinyl Urea, Methylparaben, Propylparaben, Aloe Barbadensis Leaf Juice, Chamomilla Recutita(Matricaria) Flower Extract, Lavandula Angustifolia(Lavender) Extract, Panax Ginseng Root Extract, Squalane, Iron Oxides(CI

77492, CI 77491, CI 77499), Butylparaben, Methicone

Rendrevie Sun Screen SPF35 PA++

NRC Rendrevie sun sunscreen SPF35 PA++

Net WT. 2.54FL OZ(75ml)

RENDRÉVIE
SUN SCREEN

사용 전 "사용법 및 사용상의 주의 사항"을 반드시 숙지한 후 사용하시기 바랍니다.

RENDRÉVIE SUN SCREEN

HIGH
PROTECTIVE
SUN CARE

THE UV
FILTERING
SYSTEM
PA++
SPF 35

It offers advanced
sun protection
with the natural
filter and nourishing
ingredients for the
perfect skin



전성분

정제수, 사이클로펜타실록산, 에틸헥실메톡시신나메이트, 글리세린, 디프로필렌글라이콜, 티타늄디옥사이드, 피이제-10디메치온, 에틸헥실살리실레이트, 핵살라우레이트, 알루미늄하이드록사이드, 디스테아디모늄헥토라이트, 디메치론, 바닐리디메치론, 스킨솔리더, 디메치론, 알루미노스테아레이트, 마크로솔비올, 스퀴알란, 인삼추출물, 라벤더추출물, 아드리카리아추출물, 알로에베라겔, 메치론, 아미노산, 알코올, 향료, 이미다졸리디닐우레아, 메칠파라벤, 프로필파라벤, 부틸파라벤

사용상의 주의사항

1. 화장품의 사용여부 다음과 같은 이상이 있는 경우에는 사용을 중지하여야 하며, 계속 사용하면 증상을 악화시키므로 피부과 전문의 등에게 상담할 것. 1) 사용 중 붉은 반점, 부어오름, 가려움증, 자국 등의 이상이 있는 경우. 2) 적용부위가 직사광선에 의하여 위와 같은 이상이 있는 경우.
2. 상처가 있는 부위, 습진 및 피부염 등의 이상이 있는 부위에는 사용을 하지 말 것.
3. 보관 및 취급상의 주의사항 1) 사용 후에는 반드시 마개를 닫아둘 것. 2) 우 손이의 손에 닿지 아니하는 곳에 보관할 것. 3) 고온 내지 저온의 장소 및 직사광선이 닿는 곳에는 보관하지 말 것.
4. 이 제품의 지위선 차단지수 및 지위선 A차단 등급은 식품의약품안전청(과)서 지위선차단료 측정방법 및 기준에 따라 측정하였음.



Drug Facts

Active ingredient	Purpose
Titanium Dioxide 6.39%	Sunscreen
Ethylhexyl Methoxycinnamate 3.00%	Sunscreen
Zinc Oxide 1.92%	Sunscreen

Uses ■ Helps prevent sunburn ■ Foundation Effect
■ Moisturizing ■ Skin Smoothing

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin. If sun irritation develops or increases.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation develops and lasts.

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- After finishing your basic skincare, apply an appropriate amount of this cream all around the face
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours (when used as sunscreen)
- Children under 6 months: Ask a doctor

Other information

■ Protect this product from excessive heat and direct sun

Inactive ingredients

Water, Cyclopentasiloxane, Glycerin, Cyclomethicone, Dipropylene Glycol, Peg-10 Dimethicone, Talc, Arbutin, Hexyldecyl Myristyl Methylethylamino propionate, Isopropyl Isostearate, Dipentaerythryl Hexahydroxyesterate/Hexastearate/Hexaroxinate, Distearidimonium Hectorite, Magnesium Sulfate, Iron Oxides(CI 77492), Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, C12-14 Pareth-3, Potuliscus Oleracea Extract, Silica, Dimethicone/Vinyl Dimethicone crosspolymer, Phenoxylethanol, Methicone, Iron Oxides(CI 77499), Palmitic Acid, Iron Oxides(CI 77491), Aluminum Hydroxide, Dimethicone, Aluminum Stearate, Ethylhexylglycerin, Fragrance, Tocopherol/Acetate, Sodium Hyaluronate, Humulus Lupulus Conditioned Media Extract, Adenosine, Madecassoside, Niacinamide

Questions or comments? 213-325-2780

Shelf Life 3years
Net WT 1.35 FL OZ (40 ml)
[Distributed by] NRC USA INC.
3700 WILSHIRE BLVD SUITE 300 LOS ANGELES, CA 90010 USA
www.nrc-usa.com [Call] 213-325-2780
[R&D Center] CELLINBIO INC
[Manufacturer] KOLMAR KOREA CO., LTD.
170-7, Sejong-Ri, Chonui-Myun, Yongi-Gun,
Chungcheongnam-Do, KOREA
Made in Korea

RENDREVIE SUN SCREEN SPF35 PA

octinoxate, titanium dioxide, octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76 173-100 1
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5.625 mL in 75 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.89 mL in 75 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 mL in 75 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
ALGELDRATE (UNII: 03J11K103C)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
IMIDUREA (UNII: M629807ATL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CHAMOMILE (UNII: FGL3685T2X)	
LAVANDULA ANGUSTIFOLIA FLOWER (UNII: 19AH1RAF4M)	
ASIAN GINSENG (UNII: CUQ3A77YXI)	
SQUALANE (UNII: GW89575KF9)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
BUTYLPARABEN (UNII: 3QP1IU3FV8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	white (black, red and silver)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76 173-100 1-2	1 in 1 BOX		
1	NDC:76 173-100 1-1	75 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/20/2011	

Labeler - Cellinbio Co Ltd (557803737)**Registrant** - Cellinbio Co Ltd (557803737)**Establishment**

Name	Address	ID/FEI	Business Operations
Cellinbio Co Ltd		557803737	relabel

Establishment

Name	Address	ID/FEI	Business Operations
KOLMAR KOREA CO LTD		687846360	manufacture

Revised: 7/2011

Cellinbio Co Ltd