4X MEDICATED TOOTHACHE AND GUM CREAM- benzocaine cream Kroger

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

5820612 4x Med Cream Kroger

Benzalkonium chloride 0.13% . . . Oral antisepto

Benzocaine 20% . . . Oral pain reliever

Menthol 0.26% . . . Oral pain reliever

Zinc chloride 0.15% . . . Oral astringent

Use * for the temporary relief of pain due to toothaches * to help prevent against infection of minor oral irritation

Methemoglobinmia warning: use of this product may cause methemoglobinemia, a serious condition which must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: * pale, gray, or blue colored skin (cyanosis) * headache * rapid heart rate * shortness of breath * dizziness or lightheadedness * fatigue or lack of energy

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anethetics

Do not use * more than directed * for more than 7 days unless told to do so by a dentist or doctor * for teething * in children under 2 years of age

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

cut open tip of tube on score mark * adults and children 2 years of age and older: apply a small amount of product to the cavity and around the gum surrounding the teeth. Use up to 4 times daily or as directed by a dentist or doctor * children under 12 years of age should be supervised in the use of this product * children under 2 years of age: do not use

Other information * do not use if tip is cut prior to opening * this preparatation is intended for use in cases of toothache, only as a temporary expedient until a dentist can be consulted * do not use continuously * this formula will stay in place for extended duration of relief * avoid using toothpaste or drinking soft drinks or fruit juices for at least one hour after applying

ammonium glycyrrhizate, flavor, PEG-8, PEG-75, sodium saccharin, sorbic acid, titanium dioxide



4X MEDICATED TOOTHACHE AND GUM CREAM

benzocaine cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-212
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZ ALKONIUM CHLORIDE	0.13 g in 100 g	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.25 g in 100 g	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g	
ZINC CHLORIDE (UNII: 86Q357L16B) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	0.15 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

Product Characteristics			
Color	white (Cloudy White)	Score	
Shape		Size	
Flavor	WINTERGREEN	Imprint Code	
Contains			

I	Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:30142-212- 29	1 in 1 CARTON	06/23/2020		
	L	9.4 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	06/23/2020	

Labeler - Kroger (006999528)

Registrant - Lornamead (080046418)

Establishment				
Name	Address	ID/FEI	Business Operations	
Lornamead		080046418	manufacture(30142-212)	

Revised: 1/2023 Kroger