

**BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 30-
avobenzone,homosalate,octisalate,octocrylene lotion
Edgewell Personal Care Brands LLC**

Active Ingredients

Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

May stain some fabrics

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice

Other information

- protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-SafeSun, Mon-Fri

Primary Display Panel

BANANA
BOAT®
SPORT™
ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 30
30
CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)
1 FL. OZ. (29mL)



SPORT
ultra

SUNSCREEN LOTION
BROAD SPECTRUM SPF 30



**CLINICALLY
PROVEN**

UVA/UVB PROTECTION

**SUPERIOR ENDURANCE
VS. SWEAT & WATER**



Water Resistant
(80 Minutes)

1 FL. OZ. (29mL)

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 6.0%,
Octisalate 4.5%, Octocrylene 4.5% Sunscreen

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484
www.bananaboat.com

© 2022 Edgewell.



BANANA
BOAT®
SPORT™
ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 30

30
 CLINICALLY
 PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 3 FL. OZ. (88mL)

BANANA BOAT®
SPORT™
 ultra
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30

30

CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER

FREE FROM
 Oxybenzone
 Octinoxate

Water Resistant
 (80 Minutes)

3 FL. OZ. (88 mL)

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
 May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxyethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadosensis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

www.bananaboat.com
 Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 © 2022 Edgewell. 93038416

Recommended as an effective broad spectrum sunscreen.

RECOMMENDED
 SKIN CANCER FOUNDATION
ACTIVE

0 79656 04512 3

BANANA
 BOAT®
 SPORT™
 ultra
 SUNSCREEN LOTION
 BROAD SPECTRUM SPF 30
 30
 CLINICALLY

PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 8 FL. OZ. (236mL)



SPORT
ultra

SUN SCREEN LOTION
BROAD SPECTRUM SPF 30



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER



Water Resistant
(80 Minutes)

8 FL. OZ. (236mL)

SUN SAFETY DIRECTIONS

Apply 1 oz. Liberally
 Wait 15 min.
 2 HR. Reapply
 Cover Up!

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 4.5%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorophanesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri

Recommended as an effective broad spectrum sunscreen.
 Distributed by:
 EDGEWELL
 PERSONAL CARE
 BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2022 Edgewell

93038577

Edgewell

0 79656 04971 8

BONUS
 25% MORE
 10 OZ

VS
8 OZ
BANANA
BOAT®
SPORT™
ultra
SUNSCREEN LOTION
BROAD SPECTRUM SPF 30
30
CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)
10 FL. OZ. (295mL)

BONUS
25% MORE
10 OZ
VS
8 OZ



SPORT
ultra

SUNSCREEN LOTION
BROAD SPECTRUM SPF 30



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER



Water Resistant
(80 Minutes)

10 FL. OZ. (295mL)

BONUS
25% MORE
10 OZ
VS
8 OZ



Drug Facts

Active Ingredients Avobenzone 2.7%, Homosalate 6.0%, Octisalate 4.5%, Octocrylene 4.5% Sunscreen
Purpose

Uses ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions ■ apply liberally 15 minutes before sun exposure ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Water, Glyceryl Stearate, PEG-100 Stearate, Cetyl Alcohol, Cetyl Dimethicone, Propylene Glycol, Phenoxethanol, Caprylyl Glycol, VP/Eicosene Copolymer, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Behenyl Alcohol, Sodium Polyacrylate, Chlorphenesin, Xanthan Gum, Disodium EDTA, Fragrance, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice.

Other Information ■ protect this product from excessive heat and direct sun

Questions or Comments?
Call 1-800-SafeSun, Mon-Fri



Distributed by
EDGEWELL PERSONAL CARE
BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com



© 2022 Edgewell
Recommended as an effective broad spectrum sunscreen.



BANANA BOAT ULTRA SPORT SUNSCREEN BROAD SPECTRUM SPF 30

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-470
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	4.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)

HOMOSALATE

6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CETYL DIMETHICONE 150 (UNII: 5L694Y0T22)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DOCOSANOL (UNII: 9G1OE216XY)	
PEG-100 STEARATE (UNII: YD01N1999R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-470-16	227 g in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	
2	NDC:63354-470-17	284 g in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	
3	NDC:63354-470-21	28.3 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2020	
4	NDC:63354-470-22	85 g in 1 TUBE; Type 0: Not a Combination Product	06/26/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/26/2020	

Labeler - Edgewell Personal Care Brands LLC (151179769)