

DR. BARRIER INTENSIVE HAND SANITIZER GEL- alcohol gel
SISKINKOREA CO.,LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dr. Barrier Intensive Hand Sanitizer Gel | 500 mL | 74514-3001-1



Dr.Barrier⁺

Intensive Hand
Sanitizer Gel

99.9% KILLS GERMS	<i>Intensive Hand Sanitizer Gel</i>
Alcohol 70%	<input checked="" type="checkbox"/> Non-Sterile Solution <input checked="" type="checkbox"/> Alcohol Antiseptic 70% <input checked="" type="checkbox"/> For all day use
16.9 fl.oz 500ml	

Dr.Barrier⁺

Intensive Hand
Sanitizer Gel

99.9% KILLS GERMS	<i>Intensive Hand Sanitizer Gel</i>
Alcohol 70%	<input checked="" type="checkbox"/> Non-Sterile Solution <input checked="" type="checkbox"/> Alcohol Antiseptic 70% <input checked="" type="checkbox"/> For all day use
16.9 fl.oz 500ml	

Dr.Barrier⁺
Intensive Hand Sanitizer Gel
+ ANTISEPTIC

70% Alcohol with tocopheryl acetate and hyaluronic acid to keep your hands fresh and clean.

Drug Facts	
Active ingredient	Antiseptic
<p>Uses: For a routine to reduce bacteria that causes odors, but does not kill all germs and viruses.</p> <p>Warnings: For external use only. Flammable. Keep away from heat or flames.</p> <p>Do not use: • If you are pregnant, breastfeeding, or taking medicine.</p> <p>When using this product: Keep out of eyes, ears, nostrils, & mouth of contact with eyes, nose, mouth, throat, & mouth.</p> <p>Stop use and ask a doctor: Irritation or rash occurs. There may be signs of an allergic reaction.</p> <p>Keep out of reach of children: Avoid contact with children or contact in a confined space.</p> <p>Directions: • Rub enough product on hands to cover all surfaces. Rub hands together until dry. • Supervise children under 6 years of age when using this product to avoid swallowing. • Avoid direct application of vapors during use. Inhalation, ingestion and contact with mucous membranes may cause skin irritation. • To prevent contact from drying out or contamination from reusing, close the cap after use. • Keep product in its original container or store the product in anything other than the original container may void its manufacturer's warranty of the product's efficacy. • For all use see handling, storage, disposal and safety instructions.</p> <p>Other information: • Store between 15-30 °C (59-86 °F) • Avoid freezing and excessive heat above 40 °C (104 °F)</p> <p>Active Ingredients: Water, Carbomer, Glycerin, Tocopherylacetate, Ethylhexylglycerin, Sodium Benzoate, Fragrance, Alcohol.</p> <p>MANUFACTURED BY SISKINKOREA CO.,LTD., 60, Buk-ro 80beon-gil, Bucheon-si, Gyeonggi-do, 34665 KOREA</p> <p>(LOT/EXP. DATE) MARKED SEPARATELY (BEST BEFORE) 36 MONTHS FROM THE DATE OF MANUFACTURE</p> <p>MADE IN KOREA </p>	

DR. BARRIER INTENSIVE HAND SANITIZER GEL			
alcohol gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:74514-3001
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958 V90M) (ALCOHOL - UNII:3K9958 V90M)	ALCOHOL	350 mL in 500 mL	
Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)			

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

EDETOL (UNII: Q4R969U9FR)

WATER (UNII: 059QF0KO0R)

HYALURONATE SODIUM (UNII: YSE9PPT4TH)

CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:74514-3001-1	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	06/26/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/26/2020	

Labeler - SISKINKOREA CO.,LTD. (695625974)

Establishment

Name	Address	ID/FEI	Business Operations
SISKINKOREA CO.,LTD.		695625974	manufacture(74514-3001)

Revised: 6/2020

SISKINKOREA CO.,LTD.