

ACETAMINOPHEN- acetaminophen tablet
NuCare Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Major Pharmaceuticals Acetaminophen Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if the user has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if the user

- has liver disease
- is a child with pain of arthritis

Ask a doctor or pharmacist before use if the user is

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days (for adults) or 5 days (for children)
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 tablets every 4 to 6 hours while symptoms last• do not take more than 10 tablets in 24 hours• do not use for more than 10 days unless directed by a doctor
children 6-11 years	<ul style="list-style-type: none">• take 1 tablet every 4 to 6 hours while symptoms last• do not take more than 5 tablets in 24 hours• do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

Inactive ingredients

croscarmellose sodium*, povidone, pregelatinized starch, stearic acid

*may contain this ingredient

Questions or comments?

1-800-616-2471

Principal Display Panel

NuCare Pharmaceuticals, Inc.

NDC: 68071-2201-3
Acetaminophen 325mg
#30 Tablets

Each tablet contains: Acetaminophen,325mg Pain reliever/fever reducer
Warnings: Liver Warning: This product contains Acetaminophen. Severe liver damage may occur if, adult takes more than 4,000mg of Acetaminophen in 24 hours, child takes more than 5 doses in 24 hours, taken with other drugs containing Acetaminophen, adult has 3 or more alcoholic drinks every day while using this product. Do not use, with any other drug containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains Acetaminophen, ask a doctor or pharmacist. If the user has ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if the user, has liver disease, is a child with pain of arthritis. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Stop use and ask a doctor if, pain gets worse or lasts more than 10 days (for adults) or 5 days (for children), fever gets worse or lasts more than 3 days, new symptoms occur, redness or swelling is present. These could be signs of a serious condition. Round White Scored Tablet Debossed: "325mg" on the scored side "L403" on the other side

Product #: P0003030

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 68-77°F.

Acetaminophen 325mg
 Lot: 000000 NDC: 68071-2201-03
 MFR NDC: 0904-6719-60 Exp.: 00-00
 Serial# 0000000002

Acetaminophen 325mg
 Lot: 000000 NDC: 68071-2201-03
 MFR NDC: 0904-6719-60 Exp.: 00-00
 Serial# 0000000002

GTIN 00368071220131
 Serial# 00000000002
 Exp. Date 00-00
 LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

ACETAMINOPHEN			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-2201(NDC:0904-6719)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
Inactive Ingredients			
Ingredient Name			Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
POVIDONE (UNII: FZ989GH94E)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
Product Characteristics			
Color	white	Score	no score

Shape	ROUND (beveled edge)	Size	10mm
Flavor		Imprint Code	325MG;L403
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-2201-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	06/26/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/18/2018	

Labeler - NuCare Pharmaceuticals, Inc. (010632300)

Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-2201)

Revised: 2/2022

NuCare Pharmaceuticals, Inc.