

**ANTI-ITCH- hydrocortisone cream**  
**Welly Health PCB**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

Hydrocortisone 1.0%

**Purpose**

Anti-itch

**Uses**

For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should be only under the advice and supervision of a doctor.

**Warnings**

**External use only**

**Do not use**

- in eyes
- for treatment of diaper rash
- for feminine itching

**Stop use, ask a doctor**

- if conditions worsen or lasts more than 7 days, or clears up and occurs again within a few days
- with use of other hydrocortisone products

**Keep out of reach of children.**

If ingested, contact a Poison Control Center right away

**Directions**

- apply to affected area not more than 3 to 4 times daily
- children under 2: ask a doctor

**Inactive ingredients**

emulsifying wax, ethanol, methylparaben, mineral oil, paraffin, petrolatum, propylparaben, purified water, white wax

Welly Health PBC, Minn., MN 55402

1-833-BE-WELLY

**Principal Display Panel - Welly Health Hydrocortisone Cream Pouch Label**

Welly™

1% Hydrocortisone  
Cream

0.9g/ 1/32 OZ

HYDROCORTISONE

HYDROCORTISONE



<b>Drug Facts</b>
<b>Active ingredient Purpose</b> Hydrocortisone 1.0%... Anti-itch
<b>Uses</b> For temporary relief of itching associated with minor skin irritations, inflammation, or rashes. Other uses of product should be only under the advice and supervision of a doctor.
<b>Warnings</b> For external use only
<b>Do not use</b> • in eyes • for treatment of diaper rash • for feminine itching ▶



<b>Drug Facts (continued)</b>
<b>Warnings (continued)</b> <b>Stop use, ask a doctor</b> • if condition worsens or lasts more than 7 days, or clears up and occurs again within a few days • with use of other hydrocortisone products
<b>Keep out of reach of children.</b> If ingested, contact a Poison Control Center right away
<b>Directions</b> • apply to affected area not more than 3 to 4 times daily • children under 2: ask a doctor
<b>Inactive ingredients</b> emulsifying wax, ethanol, methylparaben, mineral oil, paraffin, petrolatum, propylparaben, purified water, white wax

Welly Health PBC, Minn., MN 55402  
1-833-BE-WELLY

## ANTI-ITCH

hydrocortisone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72663-580
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
hydrocortisone (UNII: WI4X0X7BPJ) (hydrocortisone - UNII:WI4X0X7BPJ)	hydrocortisone	1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methylparaben</b> (UNII: A2I8C7HI9T)	
<b>mineral oil</b> (UNII: T5L8T28FGP)	
<b>paraffin</b> (UNII: I9O0E3H2ZE)	
<b>petrolatum</b> (UNII: 4T6HI2BN9U)	
<b>propylparaben</b> (UNII: Z8IX2SC1OH)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>white wax</b> (UNII: 7G1J5DA97F)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72663-580-02	0.9 mL in 1 POUCH; Type 0: Not a Combination Product	02/25/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/25/2019	

**Labeler - Welly Health PCB (116766884)**