

ACETANILIDUM- acetanilide liquid
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS

ACETANILIDE

USES

To relieve the symptoms of fainting.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

ACETANILIDE Fainting

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, consult your practitioner.

DIRECTIONS

Adults: 4 drops into a tsp. of water 3 times a day. Children: 1/2 dose. Repeat at greater intervals as condition subsides. Or as directed by a lic. practitioner.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL

The OTC potency range of ACETANILIDE is 2x-30x, 1c-30c, 200c, 1m, 10m, 50m, and CM.

Availability is subject to change.



Homeopathic Medicine

Contents: 30 ml 20% Alcohol HPUS†

Acetanilidum 30C *Fainting**

Directions: Adults/Children 12 yrs & older: 4 drops in tsp of water 3 times a day. Repeat at greater intervals as condition subsides, or as directed by a licensed practitioner. **Warning:** If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, or under 12 yrs old, consult a licensed practitioner. Keep out of reach of children. Do not use if seal is broken.

Washington Homeopathic Products Lot 23575
260 JR Hawvermale Way, Berkeley Springs, WV 25411
800-336-1695 • homeopathyworks.com • Est No. 3006489197

*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

†Product is monographed in the Homeopathic Pharmacopoeia of the United States.

All WHP single remedies are made to order; thus, the labels are printed on the same label stock, as the orders are filled.

‘Bottle Size,’ ‘Potency,’ and ‘Alcohol Percentage’ vary on the label depending on customer choice.

Standard bottle sizes for dilution-form remedies are 15ml, 30ml, 50ml, and 100ml.

ACETANILIDUM

acetanilide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71919-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETANILIDE (UNII: SP86R356CC) (ACETANILIDE - UNII:SP86R356CC)	ACETANILIDE	30 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-005-07	15 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/31/2012	
2	NDC:71919-005-08	30 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/31/2012	
3	NDC:71919-005-09	50 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/31/2012	
4	NDC:71919-005-10	100 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/31/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/31/2012	

Labeler - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(71919-005)