

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment
Ezricare Llc

EZRI CARE™ Triple Antibiotic Ointment

Drug Facts

Active ingredients

Bacitracin Zinc (400 units in each gram)
Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin per gram)
Polymyxin B Sulfate (5000 units per gram)

Purpose

First Aid Antibiotic

Uses

First aid to help prevent infection in minor cuts, scrapes, and burns

Warnings

For external use only

Do not use • in the eyes or apply over large areas of the body • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if • the condition persists or get's worse, or if a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

• Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull

tab to remove foil seal • Store at room temperature

• Preserve in well-closed containers • See crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredient

White Petrolatum

Questions or comments?

718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

Distributed by:

EzriCare, LLC

Lakewood, NJ

www.EzriCare.com

Made in India

Packaging

OUTER PACKAGE LABEL





Distributed by:
EzriCare, LLC
 Lakewood, NJ
 www.EzriCare.com


Mfg. Lic. No.: KD/503
 Made in India

Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.
Inactive ingredient White Petrolatum
Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal. ■ Preserve in well-closed containers. ■ See crimp of tube or carton for Lot Number and Expiry Date.
Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Stop use and ask a doctor if ■ the condition persists or gets worse, or if a rash or other allergic reaction develops.
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.
Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor.
Warnings For external use only
Uses First aid to help prevent infection in minor cuts, scrapes, and burns
Active ingredients Bacitracin Zinc (400 units in each gram) Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin per gram) Polymyxin B Sulfate (5000 units per gram)
Purpose First Aid Antibiotic First Aid Antibiotic First Aid Antibiotic

First Aid Antibiotic



Triple Antibiotic
Ointment



INNER PACKAGE LABEL

NDC 79503-0108-30

Triple Antibiotic

Ointment

First Aid Antibiotic

1.05 oz (30g)

<p>Drug Facts</p> <p>Active ingredients</p> <p>Bacitracin Zinc (400 units in each gram)..... Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin per gram)..... Polymyxin B Sulfate (5000 units per gram).....</p> <p>Uses ■ First aid to help prevent infection in minor cuts, scrapes, and burns</p> <p>Warnings For external use only</p> <p>Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor</p> <p>Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns</p> <p>Stop use and ask a doctor if ■ the condition persists or get worse, or if a rash or other allergic reaction develops</p>	<p>Drug Facts (Continued)</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.</p> <p>Other information ■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal. ■ Store at room temperature. ■ Preserve in well-closed containers. ■ See crimp of tube or carton for Lot Number and Expiry Date</p> <p>Inactive ingredient White Petrolatum</p> <p>Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.</p>	<p>Mfg. Lic. No.: KD/503 Made in India</p> <p>Distributed by: EzriCare, LLC Lakewood, NJ www.EzriCare.com</p>
---	---	---

DRUG FACTS LABEL

Drug Facts	
Active ingredients	Purpose
Bacitracin Zinc (400 units in each gram)	First Aid Antibiotic
Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin per gram)	First Aid Antibiotic
Polymyxin B Sulfate (5000 units per gram)	First Aid Antibiotic
Uses	
First aid to help prevent infection in minor cuts, scrapes, and burns	
Warnings	
For external use only	
Do not use ■ in the eyes or apply over large areas of the body ■ if you are allergic to any of the ingredients ■ longer than 1 week unless directed by a doctor	
Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns	

Stop use and ask a doctor if ■ the condition persists or get's worse, or if a rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other information

■ Do not use if seal on the tube is damaged or is not visible. To open, unscrew cap, pull tab to remove foil seal ■ Store at room temperature ■ Preserve in well-closed containers ■ See crimp of tube or carton for Lot Number and Expiry Date

Inactive ingredient

White Petrolatum

Questions or comments? 718-502-6610 between 9 am to 4 pm EST, Monday-Friday.

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79503-108
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79503-108-30	1 in 1 CARTON	09/01/2021	07/01/2025
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	09/01/2021	07/01/2025

