

## **ACETAMINOPHEN FOR CHILDREN- acetaminophen suppository A-S Medication Solutions**

-----  
**Perrigo Acetaminophen Suppositories USP, 120 mg Drug Facts**

### **Active ingredient (in each rectal suppository)**

Acetaminophen 120 mg

### **Purposes**

Pain reliever/fever reducer

### **Uses**

temporarily

- reduces fever
- relieves minor aches, pains, and headache

### **Warnings**

#### **Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### **For rectal use only**

#### **Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### **Ask a doctor before use if**

- your child has liver disease
- your child is taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- fever lasts more than 3 days (72 hours), or recurs.
- pain lasts more than 5 days or gets worse.
- new symptoms occur.
- redness or swelling is present in the painful area. These may be signs of a serious condition.

**Keep out of reach of children.**

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or warnings for adult use**
- **do not use more than directed**
- remove wrapper
- carefully insert suppository well up into the rectum

<b>Dosing Chart</b>	
<b>Age</b>	<b>Dose</b>
under 3 years	Do not use unless directed by a doctor
3 to 6 years	Use 1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)

**Other information**

- store at 20-25°C (68-77°F) or in a cool place
- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.

**Inactive ingredient**

hydrogenated vegetable oil

**Questions or comments?**

**1-800-719-9260**

**Acetaminophen For Children**

NDC 50090-0001-0  
A-S Medication Solutions, LLC  
Product No. 0003-0  
LOT  
FOR CHILDREN ACETAMINOPHEN  
SUPPOSITORIES USP,  
120 MG  
AGES 3 - 6 YEARS

ACTIVE INGREDIENT  
(IN EACH RECTAL SUPPOSITORY)  
ACETAMINOPHEN 120 MG  
PURPOSES: PAIN RELIEVER/FEVER REDUCER

STORE AT 68 TO 77 DEGREES F  
OR IN A COOL PLACE  
12 RECTAL SUPPOSITORIES,  
120 MG EACH

GTIN: 00350090000108  
LOT:  
EXP:  
S/N:

DISTRIBUTED BY:  
A-S Medication Solutions  
Libertyville, IL 60048

SOURCE NDC: 45802-732-30



## ACETAMINOPHEN FOR CHILDREN

acetaminophen suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50090-0001(NDC:45802-732)
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	120 mg

### Inactive Ingredients

Ingredient Name	Strength
COTTONSEED OIL (UNII: H3E878020N)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-0001-0	12 in 1 CARTON	11/28/2014	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA070607	12/14/2010	

**Labeler** - A-S Medication Solutions (830016429)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
A-S Medication Solutions		830016429	RELABEL(50090-0001)

Revised: 12/2023

A-S Medication Solutions