

OXYGEN - oxygen gas
Wesco gas & Welding Supply Inc

Oxygen

Oxygen
Compressed

USP

Un1072

Label part # 81

Rev date 08/09

Warning: For emergency use only when administered by properly trained personnel for Oxygen deficiency and resuscitation. For all other medical application, Rx only.

Uninterrupted use of high concentrations of Oxygen over duration without monitoring its effect on Oxygen content of arterial blood, may be harmful. Use only on pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by air liquefaction. Warning: High Pressure Oxidizing Gas.

Vigorously Accelerates Combustion. Keep oil and grease away. Open valve slowly. Store and used with adequate ventilation. Use only with equipment cleaned for Oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C

(125 F). Use in accordance with the Material Safety Data Sheet (MSDA). Keep out of reach of children.

CAS: 7782-44-7 Do not remove this product label.

Wesco Gas and Welding Supply Inc.

Prichard,Al (251) 457-8681 : Pensacola, Fl (850)478-1510 : Moss Point,Ms (228)475-1955 :

Theodore,Al (252)443-9984 :Brewto,Al, (251)867-5155 : Harvey La,

(504) 829-7908: Thomasville Al,(334)636-0124: Calvert Al, (251) 829-9099



REFRIGERATED LIQUID

Oxygen

Refrigerated

Liquid

USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE FIT CONNECTION.

WARNING: For emergency use only when administered by properly trained

Personnel for Oxygen deficiency and resuscitation. For all other Medical applications, Rx ONLY.

Uninterrupted use of high concentration of Oxygen over a long Duration, without monitoring its effect on Oxygen content of Arterial blood, may be harmful. Use only with pressure reducing Equipment and apparatus designed for oxygen. Do not attempt to Use on patients who have stopped breathing, unless used in Conjunction with resuscitative equipment.

LOT----- Exp. Date-----

Content-----

Produced by Air Liquefaction.

WARNING: Extremely cold, Oxidizing liquid and gas under pressure\
Vigorously accelerates combustion.

COMBUSTIBLES IN CONTACT WITH LIQUID Oxygen may
Explode on ignition or impact.

Can cause severe frostbite.

Keep oil, grease, and combustibles away.

Use only with equipment clean for Oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothes.

For liquid withdraw, wear face shield and gloves.

Do not drop. Use suitable hand trucks for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52C (125F).

Close valve after each use or when empty.

Use a back flow preventive device in the piping.

USE IN ACCORDANCE WITH THE Material Safety Data Sheet
(MSDS).

FIRST AID: In case of frostbite, obtain medical treatment immediately.

Keep out of reach of children. CAS: 7782-44-7

Do not remove this product label.

For medical use only

Wesco Gas and Welding Supply Inc.

Prichard,Al (251)457-8681: Pensacola,Fl (850)478-1510

Moss Point,Ms(228)475-1955: Theodore,Al(251)443-9984

Brewton,Al (251)867-5155: Harvey,La (504)368-7908

Thomasville,Al(334)636-0124: Calvert,Al (251)829-9099

Part # 12

(rev 08/09)

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID
USP**



UN1073

1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Lot No. _____ Exp. Date _____

Contents

Produced by Air Liquetraction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52 C (125 F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. **Keep out of reach of children. CAS: 7782-44-7**

JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC 2009 2010 2011
DO NOT REMOVE THIS PRODUCT LABEL.

FOR MEDICAL USE ONLY.

WESCO GAS & WELDING SUPPLY, INC.

PRICHARD, AL (251) 457-8681 • PENSACOLA, FL (850) 478-1510
MOSS POINT, MS (228) 475-1955 • THEODORE, AL (251) 443-9984
BREWTON, AL (251) 867-5155 • HARVEY, LA (504) 368-7908
THOMASVILLE, AL (334) 636-0124 • CALVERT, AL (251) 829-9099
PART #12 41335 (REV 08/09)

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | PRESCRIPTION ANIMAL DRUG | Item Code (Source) | NDC:52279-011 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------|
| Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065) | Oxygen | 992 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----|------------------|------------------------|----------------------|--------------------|
| 1 | NDC:52279-011-01 | 34.7 L in 1 CYLINDER | | |
| 2 | NDC:52279-011-02 | 97.0 L in 1 CYLINDER | | |
| 3 | NDC:52279-011-03 | 141.4 L in 1 CYLINDER | | |
| 4 | NDC:52279-011-04 | 161.4 L in 1 CYLINDER | | |
| 5 | NDC:52279-011-05 | 197.7 L in 1 CYLINDER | | |
| 6 | NDC:52279-011-06 | 234.1 L in 1 CYLINDER | | |
| 7 | NDC:52279-011-07 | 390.9 L in 1 CYLINDER | | |
| 8 | NDC:52279-011-08 | 554.5 L in 1 CYLINDER | | |
| 9 | NDC:52279-011-09 | 643.2 L in 1 CYLINDER | | |
| 10 | NDC:52279-011-10 | 1633.4 L in 1 CYLINDER | | |
| 11 | NDC:52279-011-11 | 3271.8 L in 1 CYLINDER | | |
| 12 | NDC:52279-011-12 | 7114.0 L in 1 CYLINDER | | |

| | | | | |
|----|------------------|------------------------|--|--|
| 13 | NDC:52279-011-13 | 199.9 L in 1 CYLINDER | | |
| 14 | NDC:52279-011-14 | 399.8 L in 1 CYLINDER | | |
| 15 | NDC:52279-011-15 | 652.0 L in 1 CYLINDER | | |
| 16 | NDC:52279-011-16 | 2537.6 L in 1 CYLINDER | | |
| 17 | NDC:52279-011-17 | 3416.9 L in 1 CYLINDER | | |
| 18 | NDC:52279-011-18 | 6632.7 L in 1 CYLINDER | | |
| 19 | NDC:52279-011-19 | 9069.6 L in 1 CYLINDER | | |
| 20 | NDC:52279-011-20 | 171959 L in 1 DEWAR | | |
| 21 | NDC:52279-011-21 | 127580 L in 1 DEWAR | | |
| 22 | NDC:52279-011-22 | 139334 L in 1 DEWAR | | |
| 23 | NDC:52279-011-23 | 38062 L in 1 DEWAR | | |
| 24 | NDC:52279-011-24 | 33984 L in 1 DEWAR | | |
| 25 | NDC:52279-011-25 | 10195 L in 1 DEWAR | | |
| 26 | NDC:52279-011-26 | 6796 L in 1 DEWAR | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NADA | NADA141365 | 10/01/2002 | |

Labeler - Wesco gas & Welding Supply Inc (034091702)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------------|---------|-----------|---------------------|
| Wesco Gas & Welding Supply Inc | | 034091702 | manufacture |

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------------|---------|-----------|---------------------|
| Wesco-Welding Supply Inc | | 079449357 | manufacture |

Revised: 7/2014

Wesco gas & Welding Supply Inc