

**MEIJER ULTRA LUBRICANT EYE- polyethylene glycol 400, and propylene glycol solution/  
drops**

**Meijer, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

Active ingredients	Purpose
Polyethylene glycol 400 0.4%.....	Lubricant
Propylene glycol 0.3%.....	Lubricant

Uses

- For the temporary relief of burning and irritation due to eye dryness

Uses

- For the temporary relief of burning and irritation due to eye dryness

Warnings

For external use only

Do not use

- if solution changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

When using this product

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye(s) gets worse, persists or lasts more than 72 hours

Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well before use
- Instill 1 or 2 drops in the affected eye(s) as needed

Other information

- Store at room temperature

Inactive ingredients

boric acid, calcium chloride, 20% chlorhexidine gluconate, hydrochloric acid, hypromellose 2910, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide, zinc chloride

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544



## MEIJER ULTRA LUBRICANT EYE

polyethylene glycol 400, and propylene glycol solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-617
<b>Route of Administration</b>	OPHTHALMIC		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ)	POLYETHYLENE GLYCOL 400	4 mg in 1 mL
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	3 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>CALCIUM CHLORIDE</b> (UNII: M4I0D6VV5M)	
<b>CHLORHEXIDINE GLUCONATE</b> (UNII: MOR84MUD8E)	
<b>HYDROCHLORIC ACID</b> (UNII: QTT17582CB)	
<b>HYPROMELLOSE 2910 (15 MPA.S)</b> (UNII: 36SFW2JZ0W)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>ZINC CHLORIDE</b> (UNII: 86Q357L16B)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-617-15	1 in 1 CARTON		
1		15 mL in 1 BOTTLE, DROPPER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/29/2014	

**Labeler** - Meijer, Inc. (006959555)

Revised: 12/2014

Meijer, Inc.