

NITROGEN - nitrogen gas
Northern Welding Supply

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Liquid Nitrogen Label

NITROGEN

REFRIGERATED LIQUID NF

UN1977

REFRIGERATED LIQUID

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx ONLY.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Cylinder temperature should not exceed 52C (125F).

Close valve after each use and when empty.

Use a back flow Preventive device in the piping.

Use in accordance with the MATERIAL SAFETY DATA SHEET (MSDS).

FIRST AID:

IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

DO NOT REMOVE THIS PRODUCT LABEL.

AMERICAN WELDING AND GAS

5600 PACKER DRIVE

REFRIGERATED LIQUID

**NITROGEN,
REFRIGERATED
LIQUID
NF
UN1977**



↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

RX ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE SEVERE FROSTBITE.**

Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Cylinder temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use a back flow Preventive device in the piping.
Use in accordance with the **MATERIAL SAFETY DATA SHEET (MSDS)**.

FIRST AID: IF INHALED: remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE: obtain medical treatment immediately.
CAS: 7727-37-9

LTRS:
CU FT:

CONTENTS: _____

DO NOT REMOVE THIS PRODUCT LABEL.

AMERICAN WELDING AND GAS
5600 PACKER DRIVE
WAUSAU, WI 54401

4079
06/00

NITROGEN

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10825-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrogen (UNII: N762921K75) (Nitrogen - UNII:N762921K75)	Nitrogen	90 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10825-003-01	146 L in 1 DEWAR		
2	NDC:10825-003-02	148 L in 1 DEWAR		
3	NDC:10825-003-03	150 L in 1 DEWAR		
4	NDC:10825-003-04	167 L in 1 DEWAR		
5	NDC:10825-003-05	185 L in 1 DEWAR		
6	NDC:10825-003-06	230 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		07/01/2008	

Labeler - Northern Welding Supply (806534954)

Establishment

Name	Address	ID/FEI	Business Operations
Northern Welding Supply		806534954	manufacture

Revised: 10/2010

Northern Welding Supply