

**TRIPROLIDINE HYDROCHLORIDE- triprolidine hydrochloride syrup**  
**Westminster Pharmaceuticals, LLC**

-----  
**Triprolidine HCl**

***Drug Facts***

**Active ingredient (in each 1 mL dropperful)**

Triprolidine HCl 0.938 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

**Warnings**

**Do not exceed recommended dosage.**

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor before use if you are taking sedatives or tranquilizers**

**When using this product**

- excitability may occur, especially in children
- may cause drowsiness
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- new symptoms occur

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

- **do not exceed recommended dosage.**
- use only the enclosed dropper
- do not use enclosed dropper for any other drug product.

<b>AGE</b>	<b>DOSE</b>
Adults & Children 12 years of age or older:	2.67 mL (2.5 milligrams) every 4 to 6 hours, not to exceed 10.67 mL (10 milligrams) in 24 hours, or as directed by a doctor.
Children 6 to under 12 years of age:	1.33 mL (1.25 milligrams) every 4 to 6 hours, not to exceed 5.33 mL (5 milligrams) in 24 hours, or as directed by a doctor.
Children under 6 years of age:	consult a doctor.

### Other Information

- This packaging is child-resistant.
- Store at room temperature 15°-30° C (59°-86° F).
- Tamper evident by foil seal under cap. Do not use if foil seal is missing or broken.

### Inactive ingredients

bubble gum flavor, citric acid, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

### Questions? Comments?

**Call 1-844-221-7294.**

### PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

NDC 69367-253-30

Triprolidine HCl

Antihistamine

Each dropperful (1 mL) contains:

Triprolidine HCl 0.938 mg

Sugar-Free • Dye Free • Alcohol Free

Tamper evident by foil seal under cap.  
Do no use if foil seal is broken or missing.

Bubble Gum Flavor  
1 fl oz (30 mL)

Westminster  
Pharmaceuticals

NDC 69367-253-30

# Triprolidine HCl

**Antihistamine**

**Each dropperful (1 mL) contains:**  
Triprolidine HCl.....0.938 mg

Sugar-Free • Dye Free • Alcohol Free

Tamper evident by foil seal under cap.  
Do not use if foil seal is broken or missing.

Bubble Gum Flavor  
1 fl oz (30 mL)



Do not use if foil seal is missing or broken.

**Usual Dosage:**

See attached booklet for complete product information. Store at 15°-30° C (59°-86° F).

**KEEP OUT OF REACH OF CHILDREN**

**Manufactured for:**

Westminster Pharmaceuticals, LLC  
Nashville, TN 37217

Rev: 04/23

Lift Here for Drug Facts



N 3 6936725330 7

## Drug Facts

### Active ingredient Purpose (in each 1 mL dropperful)

Triprolidine HCl 0.938 mg .....  
..... Antihistamine

### Uses

temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

### Warnings

Do not exceed recommended dosage.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor before use if you are taking sedatives or tranquilizers

When using this product

- excitability may occur, especially in children
- may cause drowsiness
- alcohol, sedatives and tranquilizers

## Drug Facts (continued)

### Other Information

- This packaging is child-resistant.
- Store at room temperature 15°-30° C (59°-86° F).
- Tamper evident by foil seal under cap. Do not use if foil seal is missing or broken.

### Inactive ingredients

bubble gum flavor, citric acid, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

### Questions? Comments?

Call 1-844-221-7294.

Manufactured for:

Westminster Pharmaceuticals, LLC.  
Nashville, TN 37217



Rev. 04/23

- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- new symptoms occur

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not exceed recommended dosage.
- use only the enclosed dropper
- do not use enclosed dropper for any other drug product.

AGE	DOSE
Adults & Children 12 years of age or older:	2.67 mL (2.5 milligrams) every 4 to 6 hours, not to exceed 10.67 mL (10 milligrams) in 24 hours, or as directed by a doctor.
Children 6 to under 12 years of age:	1.33 mL (1.25 milligrams) every 4 to 6 hours, not to exceed 5.33 mL (5 milligrams) in 24 hours, or as directed by a doctor.
Children under 6 years of age:	consult a doctor.

**WP** Westminster  
Pharmaceuticals

Bubble Gum Flavor  
1 fl oz (30 mL)

Each dropperful (1 mL) contains:  
Triprolidine HCl.....0.938 mg  
Sugar-Free • Dye Free • Alcohol Free  
Tamper evident by foil seal under cap.  
Do not use if foil seal is broken or missing.

**Triprolidine HCl**  
**Antihistamine**

NDC 69367-253-30

Do not use if foil seal is missing or broken.

**Usual Dosage:**

See attached booklet for complete product information. Store at 15°-30° C (59°-86° F).

**KEEP OUT OF REACH OF CHILDREN**

**Manufactured for:**

Westminster Pharmaceuticals, LLC  
Nashville, TN 37217

Rev: 04/23



Lift Here for  
Drug Facts

**TRIPROLIDINE HYDROCHLORIDE**

triprolidine hydrochloride syrup

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69367-253
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TRIPROLIDINE HYDROCHLORIDE</b> (UNII: YAN7R5L890) (TRIPROLIDINE - UNII:2L8T9S52QM)	TRIPROLIDINE HYDROCHLORIDE	0.938 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69367-253-30	1 in 1 CARTON	03/09/2020	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH DRUG	M012	03/09/2020	

**Labeler** - Westminster Pharmaceuticals, LLC (079516651)

