

SENNA- sennosides syrup
SENNA UD- sennosides syrup
Patrin Pharma, Inc.

Senna Syrup

Drug Facts

Active ingredient (in each 5 mL = 1 teaspoonful)

Sennosides 8.8 mg

Purpose

Laxative

Uses

- Relieves occasional constipation (irregularity)
- Generally causes bowel movement in 6 to 12 hours

Warnings

Do not use laxative products for longer than one week unless directed by a doctor.

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- notice a change in bowel habits that last over two weeks
- **are pregnant or breast feeding**

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

Shake well before using. Do not exceed maximum dose.

Take at bedtime or as directed by a doctor.

AGE	USUAL DOSE	MAXIMUM DOSAGE
Adults and children 12 years and older	2-3 teaspoons (10 to 15 mL) once a day	3 teaspoons (15 mL) twice a day
	1 to 1 1/2 teaspoons (5	1 1/2 teaspoons (7.5 mL) twice

6 to 12 years	1 to 1 1/2 teaspoons (5 to 7.5 mL) once a day	1 1/2 teaspoons (7.5 mL) twice a day
2 to 6 years	1/2 to 3/4 teaspoons (2.5 to 3.75 mL) once a day	3/4 teaspoon (3.75 mL) once a day
under 2 years of age	Consult a doctor	

Other Information

Store at controlled room temperature 20-25°C (68-77°F).

Excursions permitted 15-30°C (59-86°F).

Tamper-Evident: Do not use if foil seal over cup is torn or broken.

Inactive Ingredients

Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose

Questions Or Comments?

Call (800) 936 3088. You may also report serious side effects to this phone number.

How Supplied

- A chocolate flavored syrup supplied in the following oral dosage cup:

NDC 39328-120-05: 5 mL unit dose cup
NDC 39328-120-50: Case contains 50 unit dose cups of 5 mL

NDC 39328-220-15: 15 mL unit dose cup
NDC 39328-220-50: Case contains 50 unit dose cups of 15 mL

Patrin Pharma

Skokie, IL 60076

www.patrinpharma.com

Rev 01.0122

PRINCIPAL DISPLAY PANEL - 237 mL Bottle Label

NDC 39328-020-08

Senna Syrup


Natural Vegetable
Laxative

8.8mg/5 mL

Alcohol Free • Dye Free

8 fl. oz (237 mL)

PATRIN
PHARMA

NDC 39328-020-08	Drug Facts	Drug Facts (continued)		
	Active Ingredient (per 5 mL teaspoon) Sennosides 8.8 mg.....Laxatives Purpose Laxatives	Directions Shake well before using. Do not exceed maximum dose. Take at bedtime or as directed by a doctor.		
Senna Syrup Natural Vegetable Laxative 8.8mg/5 mL <hr/> Alcohol Free • Dye Free <hr/> 8 fl. oz (237 mL) 	Uses - Relieves occasional constipation (irregularity) - Generally causes bowel movement in 6 to 12 hours	Age	Usual Dose	Maximum Dose
	Warnings Do not use laxative products for longer than one week unless directed by a doctor. Ask a doctor before use if you - have stomach pain, nausea or vomiting - notice a change in bowel habits that last over two weeks - are pregnant or breastfeeding. Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.	Adults and children 12 years and older 6 to 12 years 2 to 6 years Under 2 years	2-3 teaspoons once a day 1 to 1 1/2 teaspoons once a day 1/2 to 3/4 teaspoon once a day Consult a doctor	3 teaspoons twice a day 1 1/2 teaspoons twice a day 3/4 teaspoon once a day
		Other Information Store at controlled room temperature 20-25°C (68-77°F). Excursions permitted 15-30° (59-86°F). Tamper-Evident: Do not use if foil seal over bottle opening is torn, broken or missing.		
		Inactive Ingredients Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose		

Rev 01,0421
Patrin Pharma, Skokie, IL 60076 Call (800) 936 3088
Lot/Exp Date
3 39328 02008 118

PRINCIPAL DISPLAY PANEL - 5 mL Cup Label

Delivers 5 mL

NDC 39328-120-05

Senna Syrup

8.8 mg/5 mL

Shake Well

For Institutional Use Only

See Insert

Lot# xxxxxx

Exp: yyyy/mm/dd

Patrin Pharma

Skokie, IL 60076

Rev 03.0124

Delivers 5 mL
NDC 39328-120-05
Senna Syrup
8.8 mg/5 mL
Shake Well

For Institutional Use Only

See Insert



Lot# xxxxxx

Exp: yyyy/mm/dd

Patrin Pharma
Skokie, IL 60076
Rev 03.0124

Senna Syrup

Alcohol Free • Dye Free
For Institutional Use Only

Drug Facts

Active ingredient (in each 5 mL = 1 teaspoonful)	Purpose
Sennosides 8.8 mg	Laxative

Uses

- Relieves occasional constipation (irregularity)
- Generally causes bowel movement in 6 to 12 hours

Warnings

Do not use laxative products for longer than one week unless directed by a doctor.

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- notice a change in bowel habits that last over two weeks
- **are pregnant or breast feeding**

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

Shake well before using. Do not exceed maximum dose.
Take at bedtime or as directed by a doctor.

AGE	USUAL DOSE	MAXIMUM DOSAGE
Adults and children 12 years and older	2-3 teaspoons (10 to 15 mL) once a day	3 teaspoons (15 mL) twice a day
6 to 12 years	1 to 1 1/2 teaspoons (5 to 7.5 mL) once a day	1 1/2 teaspoons (7.5 mL) twice a day
2 to 6 years	1/2 to 3/4 teaspoons (2.5 to 3.75 mL) once a day	3/4 teaspoon (3.75 mL) once a day

under 2 years of age

Consult a doctor

Drug Facts (continued)

Other Information

Store at controlled room temperature 20-25°C (68-77°F).

Excursions permitted 15-30°C (59-86°F).

Tamper-Evident: Do not use if foil seal over cup is torn or broken.

Inactive Ingredients

Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose

Questions Or Comments?

Call (800) 936 3088. You may also report serious side effects to this phone number.

How Supplied

• A chocolate flavored syrup supplied in the following oral dosage cup:

NDC 39328-120-05: 5 mL unit dose cup

NDC 39328-120-50: Case contains 50 unit dose cups of 5 mL

NDC 39328-220-15: 15 mL unit dose cup

NDC 39328-220-50: Case contains 50 unit dose cups of 15 mL

Patrin Pharma
Skokie, IL 60076
www.patrinpharma.com



Rev 01.0122

PRINCIPAL DISPLAY PANEL - 15 mL Cup Label

Delivers 15 mL

NDC 39328-220-15

Senna Syrup

26.4 mg/15 mL

Shake Well

For Institutional Use Only

See Insert

Lot# xxxxxx

Exp: mm/dd/yyyy

Patrin Pharma

Skokie, IL 60076

Rev 02.0823

Delivers 15 mL
NDC 39328-220-15
Senna Syrup

26.4 mg/15 mL

Shake Well

For Institutional Use Only

See Insert



Lot# xxxxxx

Exp: mm/dd/yyyy

Patrin Pharma

Skokie, IL 60076

Rev 02.0823

Senna Syrup

Alcohol Free • Dye Free
For Institutional Use Only

Drug Facts

Active ingredient (in each 5 mL = 1 teaspoonful)	Purpose
Sennosides 8.8 mg	Laxative

Uses

- Relieves occasional constipation (irregularity)
- Generally causes bowel movement in 6 to 12 hours

Warnings

Do not use laxative products for longer than one week unless directed by a doctor.

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- notice a change in bowel habits that last over two weeks
- **are pregnant or breast feeding**

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

Shake well before using. Do not exceed maximum dose.
Take at bedtime or as directed by a doctor.

AGE	USUAL DOSE	MAXIMUM DOSAGE
Adults and children 12 years and older	2-3 teaspoons (10 to 15 mL) once a day	3 teaspoons (15 mL) twice a day
6 to 12 years	1 to 1 1/2 teaspoons (5 to 7.5 mL) once a day	1 1/2 teaspoons (7.5 mL) twice a day
2 to 5 years	1/2 to 3/4 teaspoons (2.5 to	3/4 teaspoon (3.75 mL) once

2 to 5 years	3.75 mL) once a day	a day
under 2 years of age	Consult a doctor	

Drug Facts (continued)

Other Information

Store at controlled room temperature 20-25°C (68-77°F).
Excursions permitted 15-30°C (59-86°F).

Tamper-Evident: Do not use if foil seal over cup is torn or broken.

Inactive Ingredients

Chocolate flavor, methylparaben, propylene glycol, propylparaben, purified water and sucrose

Questions Or Comments?

Call (800) 936 3088. You may also report serious side effects to this phone number.

How Supplied

- A chocolate flavored syrup supplied in the following oral dosage cup:

NDC 39328-120-05: 5 mL unit dose cup

NDC 39328-120-50: Case contains 50 unit dose cups of 5 mL

NDC 39328-220-15: 15 mL unit dose cup

NDC 39328-220-50: Case contains 50 unit dose cups of 15 mL

Patrin Pharma
Skokie, IL 60076
www.patrinpharma.com



Rev 01.0122

SENNA

sennosides syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39328-020
---------------------	----------------	---------------------------	---------------

Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Sennosides (UNII: 3FYP5M0IJX) (Sennosides - UNII:3FYP5M0IJX)	Sennosides	8.8 mg in 5 mL		
Inactive Ingredients				
Ingredient Name	Strength			
methylparaben (UNII: A2I8C7HI9T)				
propylene glycol (UNII: 6DC9Q167V3)				
propylparaben (UNII: Z8IX2SC1OH)				
water (UNII: 059QF0KO0R)				
sucrose (UNII: C151H8M554)				
Product Characteristics				
Color	BROWN	Score		
Shape		Size		
Flavor	CHOCOLATE	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39328-020-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/01/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph drug	M007	10/01/2023		

SENN A UD			
sennosides syrup			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39328-120
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	

Sennosides (UNII: 3FYP5M0IJX) (Sennosides - UNII:3FYP5M0IJX)	Sennosides	8.8 mg in 5 mL
---	------------	----------------

Inactive Ingredients

Ingredient Name	Strength
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
sucrose (UNII: C151H8M554)	

Product Characteristics

Color	BROWN	Score	
Shape		Size	
Flavor	CHOCOLATE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39328-120-50	5 in 1 CASE	10/01/2023	
1		10 in 1 TRAY		
1	NDC:39328-120-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:39328-120-99	10 in 1 CASE	06/03/2024	
2		10 in 1 TRAY		
2	NDC:39328-120-05	5 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M007	10/01/2023	

SENN A UD

sennosides syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39328-220
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sennosides (UNII: 3FYP5M0IJX) (Sennosides - UNII:3FYP5M0IJX)	Sennosides	26.4 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
methylparaben (UNII: A2I8C7HI9T)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
sucrose (UNII: C151H8M554)	

Product Characteristics

Color	BROWN	Score	
Shape		Size	
Flavor	CHOCOLATE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39328-220-50	5 in 1 CASE	10/01/2023	
1		10 in 1 TRAY		
1	NDC:39328-220-15	15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M007	10/01/2023	

Labeler - Patrin Pharma, Inc. (806841677)

Revised: 5/2024

Patrin Pharma, Inc.