

LAMISIL AT- terbinafine hydrochloride cream
GlaxoSmithKline Consumer Healthcare Holdings (US) LLC

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
 - **on the bottom or sides of the foot:** apply twice a day



(morning and night) for **2 weeks** or as directed by a doctor

- **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor
 - wash hands after each use
-
- children under 12 years: ask a doctor

Other information

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions or comments?

call **1-800-330-9876**

Distributed by: **GSK Consumer Healthcare**, Warren, NJ 07059

PRINCIPAL DISPLAY PANEL

NDC 0067-8100-30

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

gsk

LAMISIL^{AT}® CREAM

Relieves Itching, Burning, Cracking and Scaling

NET WT 30 g (1 oz)

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL^{AT}®

CREAM



Cures most athlete's foot

Full prescription strength

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL^{AT}®

CREAM

LPK-6951-3
0117-3
15

T175
B762
ENG19.54

NDC 0067-3-010-30

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

LAMISIL^{AT}®

CREAM



Relieves Itching, Burning, Cracking and Scaling NET WT 30 g (1 oz)

LAMISIL^{AT}®
CREAM



Drug Facts (continued)
Inactive ingredients
 benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polyorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol
Questions or comments? call 1-800-330-9876
 1-800-330-9876
 Terbinafine is owned by or licensed to the U.S. group of companies.
 Distributed by: GSK Consumer Products, Merck, NJ 07093
 ©2017 GSK or its licensor. 12889
 Made in Canada

Drug Facts
Active ingredient
 Terbinafine hydrochloride 1%
Purpose
 Antifungal
Uses
 • cures most athlete's foot (tinea pedis) • cures most jock itch (tinea cruris) and ringworm (tinea corporis)
 • relieves itching, burning, cracking and scaling which accompany these conditions
Warnings
 For external use only
 Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections
 When using this product do not get it in your eyes. If eye contact occurs, rinse thoroughly with water.
 Stop use and ask a doctor if too much irritation occurs or gets worse
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions
 • adults and children 12 years and over
 • use the tip of the cap to break the seal and open the tube
 • wash the affected skin with soap and water and dry completely before applying
 • for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
 • between the toes only apply twice a day (morning and night) for 1 week or as directed by a doctor
 • on the bottom or sides of the foot apply twice a day (morning and night) for 2 weeks or as directed by a doctor
 • for jock itch and ringworm apply once a day (morning or night) for 1 week or as directed by a doctor
 • wash hands after each use
 • children under 12 years: ask a doctor
Other information
 • do not use if seal on tube is broken or is not visible
 • store at controlled room temperature 20°-25°C (68°-77°F)



LAMISIL AT

terbinafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0067-8100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Terbinafine Hydrochloride (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetyl alcohol (UNII: 936JST6JCN)	
cetyl palmitate (UNII: 5ZA2S6B08X)	
isopropyl myristate (UNII: 0RE8K4LNJS)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
sodium hydroxide (UNII: 55X04QC32I)	
sorbitan monostearate (UNII: NVZ4I0H58X)	
stearyl alcohol (UNII: 2KR89I4HIY)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0067-8100-12	1 in 1 CARTON	07/02/2007	
1		12 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0067-8100-30	1 in 1 CARTON	07/02/2007	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0067-8100-15	1 in 1 CARTON	04/24/2017	
3		15 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

Labeler - GlaxoSmithKline Consumer Healthcare Holdings (US) LLC (079944263)

Revised: 12/2020

GlaxoSmithKline Consumer Healthcare Holdings (US) LLC