

**LAMISIL AT- terbinafine hydrochloride cream**  
**GlaxoSmithKline Consumer Healthcare Holdings (US) LLC**

-----  
**Lamisil AT®**

***Drug Facts***

**Active ingredient**

Terbinafine hydrochloride 1%

**Purpose**

Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**

**For external use only**

**Do not use**

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

**When using this product** do not get into eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if** too much irritation occurs or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 12 years and over:
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
    - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
    - **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
  - **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor
  - wash hands after each use

- children under 12 years: ask a doctor

**Other information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

**Questions or comments?**

call **1-800-330-9876**

Distributed by: **GSK Consumer Healthcare**, Warren, NJ 07059

**PRINCIPAL DISPLAY PANEL - 30 g Tube Carton**

**NDC 0067-8100-30**

***TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL***

gsk

***LAMISIL<sup>AT</sup>® CREAM***

***Relieves Itching, Burning, Cracking and Scaling***

**NET WT 30 g (1 oz)**

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

# LAMISIL<sup>AT</sup>®

## CREAM



Cures most athlete's foot

Full prescription strength

LPK-6951-3  
0117-3  
15

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

# LAMISIL<sup>AT</sup>®

## CREAM

T175  
B76.2  
ENG19.54

NDC 0067-8100-30

TERBINAFINE HYDROCHLORIDE CREAM 1% - ANTIFUNGAL

# LAMISIL<sup>AT</sup>®

## CREAM



Relieves Itching, Burning, Cracking and Scaling NET WT 30 g (1 oz)

LAMISIL<sup>AT</sup>®  
CREAM



1-800-330-9876. Trademarks are owned by or licensed to the GSK group of companies.  
Distributed by: GSK Consumer Healthcare, Warren, NJ 07039  
©2017 GSK or its licensees. 12888  
Made in Canada

**Drug Facts (continued)**  
**Inactive ingredients**  
benzyl alcohol, cetyl palmitate, isopropyl myristate, polyorbate 60, purified water, sodium hydroxide, sorbitan monoesterate, stearyl alcohol  
**Questions or comments?** call 1-800-330-9876

**Drug Facts**  
**Active ingredient**  
Terbinafine hydrochloride 1%  
Antifungal

**Uses**  
• cures most athlete's foot (tinea pedis) • cures most jock itch (tinea cruris) and ringworm (tinea corporis)  
• relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**  
For external use only  
Do not use • on nails or scalp • in or near the mouth or eyes • for vaginal yeast infections  
**When using this product** do not get in eyes. If eye contact occurs, rinse thoroughly with water.  
**Stop use and ask a doctor** if too much irritation occurs or gets worse  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
• adults and children 12 years and over:  
• use the tip of the cap to break the seal and open the tube  
• wash the affected skin with soap and water and dry completely before applying  
• for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.  
• between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor  
• on the bottom or sides of the foot apply twice a day (morning and night) for 2 weeks or as directed by a doctor  
• for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor  
• wash hands after each use  
• children under 12 years: ask a doctor

**Other information**  
• do not use if seal on tube is broken or is not visible  
• store at controlled room temperature 20°-25°C (68°-77°F)

**Illustrations:**  
1 week between the toes (diagram of foot with arrows pointing to toes)  
2 weeks on the bottom or sides of the foot (diagram of foot with arrows pointing to bottom and sides)

# LAMISIL AT

terbinafine hydrochloride cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0067-8100
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Terbinafine Hydrochloride</b> (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>benzyl alcohol</b> (UNII: LKG8494WBH)	
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>cetyl palmitate</b> (UNII: 5ZA2S6B08X)	
<b>isopropyl myristate</b> (UNII: 0RE8K4LNJS)	
<b>polysorbate 60</b> (UNII: CAL22UVI4M)	
<b>water</b> (UNII: 059QF0K00R)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	
<b>sorbitan monostearate</b> (UNII: NVZ4I0H58X)	
<b>stearyl alcohol</b> (UNII: 2KR89I4HIY)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0067-8100-12	1 in 1 CARTON	07/02/2007	
1		12 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0067-8100-30	1 in 1 CARTON	07/02/2007	
2		30 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0067-8100-15	1 in 1 CARTON	04/24/2017	
3		15 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA077511	07/02/2007	

---

**Labeler** - GlaxoSmithKline Consumer Healthcare Holdings (US) LLC (079944263)

Revised: 5/2017

GlaxoSmithKline Consumer Healthcare Holdings (US) LLC