# WALGREENS BROAD SPECTRUM SPF 70 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene, oxybenzone stick WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### WALGREENS BROAD SPECTRUM SPF 70 DRY TOUCH SUNSCREEN STICK

# **Active ingredients**

Avobenzone 3%,

Homosalate 15%,

Octisalate 5%,

Octocrylene 10%,

Oxybenzone 3%

# **Purpose**

Sunscreen

#### Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

# Warnings

For external use only

#### Do not use

on damaged or broken skin.

# When using this product

• keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor if

• rash occurs.

# Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply liberally 15 minutes before sun exposure reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

**Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses


### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

# Inactive ingredients

adipic adic/diglycol crosspolymer, beeswax, BHT, butyloctyl salicylate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate, neopentyl glycol diisostearate, octydodecyl neopentanoate, ozokerite, paraffin, polyethylene, silica





1-800-925-4733

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD, DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2018 Walgreen Co.

ORG-1018

## Drug Facts (continued)

Uses · helps prevent sunburn · if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use . on damaged or broken skin.

When using this product . keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children, If swallowed. get medical help or contact a Poison Control Center right away.

#### Directions

- · apply liberally 15 minutes before sun exposure
- · reapply:
  - after 80 minutes of swimming or sweating
  - · immediately after towel drying
  - · at least every 2 hours

# Drug Facts (continued)

- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - · limit time in the sun, especially from 10 a.m. - 2 p.m.
  - · wear long-sleeve shirts, pants, hats, and sunglasses

#### Other information

- protect this product from excessive heat and direct sun.
- · may stain or damage some fabrics, materials or surfaces

#### Inactive ingredients

adipic adic/ diglycol crosspolymer, beeswax, BHT, butyloctyl salicylate, C12-15 alkyl benzoate, caprylyl glycol, dimethicone, fragrance, neopentyl glycol diethylhexanoate, neopentyl glycol disostearate, octyldodecyl neopentanoate, ozokerite, paraffin, polyethylene, silica

# WALGREENS BROAD SPECTRUM SPF 70 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene, oxybenzone stick

#### **Product Information Product Type** HUMAN OTC DRUG Item Code (Source) NDC:0363-0936 **Route of Administration TOPICAL**

| Active Ingredient/Active Moiety                                |                          |               |  |  |
|--|--------------------------|---------------|--|--|
| Ingredient Name  | <b>Basis of Strength</b> | Strength      |  |  |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE               | 30 mg in 1 g  |  |  |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)   | HOMOSALATE               | 150 mg in 1 g |  |  |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE               | 50 mg in 1 g  |  |  |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE              | 100 mg in 1 g |  |  |
| OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)   | OXYBENZONE               | 30 mg in 1 g  |  |  |

| Inactive Ingredients   |          |  |
|--|----------|--|
| Ingredient Name  | Strength |  |
| HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)                       |          |  |
| CERESIN (UNII: Q1LS2UJO3A)   |          |  |
| ADIPIC ACID/DIGLYCOL CROSSPOLYMER (20000 MPA.S) (UNII: R9TPS68K19) |          |  |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)                           |          |  |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)                         |          |  |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U)                                 |          |  |
| DIMETHICONE (UNII: 92RU3N3Y1O)                                     |          |  |
| NEOPENTYL GLYCOL DIETHYLHEXANOATE (UNII: U68ZV6W62C)               |          |  |
| NEOPENTYL GLYCOL DIISOSTEARATE (UNII: 4M6OQ34JVW)                  |          |  |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)                      |          |  |
| PARAFFIN (UNII: 1900E3H2ZE)  |          |  |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4)                                 |          |  |
| WHITE WAX (UNII: 7G1J5DA97F)                                       |          |  |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)                        |          |  |

| Packaging |           |  |                         |                       |
|-----------|-----------|--|-------------------------|-----------------------|
| #         | Item Code | Package Description                                    | Marketing Start<br>Date | Marketing End<br>Date |
| 1         |           | 42 g in 1 CONTAINER; Type 0: Not a Combination Product | 03/08/2019              |                       |

| Marketing Information   |   |                         |                       |
|-------------------------|---|-------------------------|-----------------------|
| Marketing<br>Category   | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC monograph not final | part352                                     | 03/08/2019              |                       |
|                         |   |                         |                       |

# Labeler - WALGREEN COMPANY (008965063)

Revised: 7/2021 WALGREEN COMPANY