

GAS RELIEF ULTRA STRENGTH- simethicone capsule, liquid filled Walgreens

Drug Facts

Active ingredient (in each softgel)

Simethicone 180 mg

Purpose

Antiflatulent (Antigas)

Uses

- relieves bloating, pressure, or fullness commonly referred to as gas

Warnings

Stop use and ask a doctor if

condition persists.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- swallow one or two softgels as needed after meals
- do not exceed two softgels per day except under the advice and supervision of a physician

Other information

- store between 15-30°C (59-86°F)
- protect from heat and moisture

Inactive ingredients

FD&C red #40*, FD&C yellow #6, gelatin, glycerin, purified water, white printing ink*

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Phazyme® Ultra Strength active ingredient††

Gas Relief

SIMETHICONE 180 mg / ANTI-GAS

ULTRA STRENGTH

SOFTGELS

- Relieves bloating, gas, pressure & discomfort

SOFTGELS

EASY-TO-SWALLOW SOFTGELS

††This product is not manufactured or distributed by C.B. Fleet Company Inc., distributor of Phazyme® Ultra Strength

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

Product Label

Walgreens

Compare to Gas-X® Ultra Strength active ingredient!†

NDC 0363-0932-20

Gas Relief

SIMETHICONE 180 mg / ANTI-GAS

ULTRA STRENGTH

SOFTGELS

- For fast relief of pressure, bloating & fullness

20
EASY-TO-SWALLOW
SOFTGELS



ACTUAL SIZE

Lot No.:
Exp. Date:

Drug Facts

Active ingredient (in each softgel) **Purpose**
Simethicone 180 mg.....Antigas

Uses
For the relief of pressure and bloating commonly referred to as gas.

Warnings
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions
■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
■ do not exceed 2 softgels in 24 hours except under the advice and supervision of a physician

Other information
■ store between 15-30°C (59-86°F)
■ protect from heat and moisture

Inactive ingredients FD&C red #40*, FD&C yellow #6, gelatin, glycerin, purified water, white printing ink*
*contains one or more of these ingredients

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
† This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Ultra Strength.
PLD-A85E
FC006663

ORG0220-F



DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2019 Walgreen Co.

ITEM 634729 W10024-0220-L



WALGREENS Gas Relief

GAS RELIEF ULTRA STRENGTH

simethicone capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-0932 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 180 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| | |
|---|--|
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| WATER (UNII: 059QF0KO0R) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|----------|
| Color | orange | Score | no score |
| Shape | CAPSULE | Size | 12mm |
| Flavor | | Imprint Code | S180;05A |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-0932-60 | 1 in 1 BOX | 12/31/2018 | |
| 1 | | 60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | |
| 2 | NDC:0363-0932-20 | 20 in 1 CARTON | 12/31/2018 | |
| 2 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M002 | 12/31/2018 | |

Labeler - Walgreens (008965063)