

MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet
Pioneer Life Sciences, LLC

Active Ingredient

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever, Diuretic, Antihistamine

Uses:

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

Warnings:

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

- Acetaminophen may cause severe skin or severe allergy reactions. Symptoms may include:
 - skin reddening
 - blister
 - rash
 - hives
 - facial swelling
 - asthma (wheezing)
 - shock

if a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen

ask a doctor or pharmacist

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask Doctor:

Ask a doctor before use if you have -

- liver disease
- glaucoma
- difficulty in urine due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

ASK DOCTOR/PHARMACIST:

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this Product

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and Ask Doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

PREGNANCY

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

Overdose Warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- do not take more than the recommended dose. adults and children 12 years of age or older
- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

OTHER INFORMATION

store at room temperature


INACTIVE INGREDIENTS

Colloidal Silicon Dioxide, Hypromellose, Magnesium Stearate, Microcrystalline Cellulose, Polyethylene Glycol, Pregelatinized Starch, Polyvinyl Pyrrolidone, Stearic Acid Powder, Titanium Dioxide, Talc

QUESTIONS OR COMMENTS?

Call 1-732-698-5070 Monday through Friday 9AM-5PM EST or www.pioneerlifesciences.com

PRINCIPAL DISPLAY PANEL



Size: 5.5"x1.75" • Date: Wed, Jan 27, 2021 • Peel Off Label



MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72090-026 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------|----------|
| CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E) | CAFFEINE | 60 mg |
| PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 15 mg |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| POVIDONE (UNII: FZ989GH94E) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TALC (UNII: 7SEV7J4R1U) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|----------|
| Color | white | Score | no score |
| Shape | CAPSULE | Size | 27mm |
| Flavor | | Imprint Code | CH |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:72090-026-02 | 40 in 1 BOTTLE; Type 0: Not a Combination Product | 07/17/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 07/17/2020 | |

Labeler - Pioneer Life Sciences, LLC (014092742)

