ALLERGY RELIEF D12- cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release Walgreen Company

Walgreen Co. Allergy Relief D12 Drug Facts

Active ingredients (in each extended release tablet)

Cetirizine HCl 5 mg

Pseudoephedrine HCl 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease

- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- · do not use more than directed
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- · you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if blister unit is broken or torn
- see side panel for lot number and expiration date
- meets USP Dissolution Test 2

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, low-substituted hydroxypropyl cellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

ORIGINAL PRESCRIPTION STRENGTH

Compare to the active ingredients in Zyrtec-D®

WALGREENS PHARMACIST RECOMMENDED

Allergy Relief D12

ALLERGY & CONGESTION

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE

EXTENDED-RELEASE TABLETS 5 mg / 120 mg / ANTIHISTAMINE / NASAL DECONGESTANT

- 12 Hour Extended-Release Tablets Indoor & Outdoor Allergies
- Relief of sneezing; itchy, watery eyes; sinus pressure; runny nose; itchy throat or nose & nasal congestion

24 EXTENDED-RELEASE TABLETS

ACTUAL SIZE

DISTRIBUTED BY:
WALGREEN CO.
200 WILMOT RD.,
DEERFIELD, IL 60015

29

Ş

8

1221-

walgreens.com ©2021 Walgreen Co.

rmaro ar ystelline cellulo se, polyethyle ne glycol, polyvinyl alcohol, tal c, titanium do xide moro hydrate, low-substituted hydrox ypropyl c ellulose, magresium stearate, Ina ctive in gre dients colloidal silicon doxide, hypromellose, lactose

StæTnoit besi0 92U stæm ■ etab nobsiqee bns redmuntol of bnaq ebiseæ ■

Drug Facts(continued)

need adifferent dose.

- live r or kidney disease. Your doctor should determine if you a trouble distant begind ne of eub gant annuel du of

 - heartdisease Myrod disease diabetes glaucoma highblo of pressure Ask a doctor before use if you have

betone takingthis product.

prescription drug contains an MAM, a skeadoc tor or pharm acist after stopping the MAOI drug Ifyou donot know if your em otional conditions, or Parkinson's dise as e), or for 2 we eks inhibitor (MAM) (certaindrugs for de pression, psychiatric, or

- if you are now taking apresoription monoamine oxidase of its ingredients or to a nartifict amin econtaining hydroxyzin e. milyouhave ever had an allergic reaction to this productor any
 - eau ton of Marnings
 - ae on art figu orff gairtheart breathing through the nose
 - temporarily relieves sinus conges forn and pressure s egs sæd lesen io gnill ews a souber ■
 - itchingot file rose or throat ■næalconges fon ■ runny nose ■ snæzing ■ itchy, watery eyes other upper respiratory allergies:
 - no nevely relieves these sym ptoms due to hay fe veror

(təld at əs sələr bəbnət xə də sə n i) Purpose Active ingredients

State Pacts

■storebetween 20° to 25°C (68° to 77°F)

noi 16 mitorm at ion

or contact a Pcison Control Center right away. (1-802-222-1222) Kee pout of reach of childre ruln case of overdose, get medical help ■if pregnant: aska healthprofessional before use. ■ u preast-te eding; not recomme nded

■symptoms don ot improve within 7 days or a reaccompanied ■y ou get nerv ous, dizzy, or s lee ples s

■an alergicreaction tothis product occurs. Seek medical help Stop use and ask a doctor if

Decaretulwhendrivings motor vehicle or operating machinery ■ drowsiness may occur ■ avoid alcoholic drinks

tranquilizers or sedatives.

Drug Facts (continued)

m do n ot use if bli ster u nit is broken ortorn

Gluten Free

or distributed by UCB Biopharma SRL, owner of the registered trademark Zyrtec-D⁸.

This product is not manufactured

ebnerd lenoiten of erequip Our pharmacists recommend the Walgreens brand. We invite you to

1 droubs ks	consumers with liver or kichey disease
sek sabatar	children under 12)vearsofage
askadoctor	adults 65 years and over
take 1 tabletevery 12 hours; do not take more than 2 tablets in 24 hours.	adults and children 12 years and o ver
ו פשר מו ביומא וכיומה לישמוח או ניודום ביומות	DUCCACHO MODIO

Directions ■ don ot break or chaw tablet, swalow tablet whole

ign ibæ itt sead no tnanger q il

■a loohd, se dative s, and tranquilizers may incre ase drowsiness betce nibring from each on ob ■ toub on qe infrance hear

Ask a doctor or pharmacist before use if you are taking

Walgreens 😭

ORIGINAL PRESCRIPTION STRENGTH

NDC 0363-4923-62

Walgreens in incredients

in Zyrtec-D*

Allergy Relief D12

LERGY & CONGESTION

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED-RELEASE TABLETS 5 mg / 120 mg / ANTIHISTAMINE / NASAL DECONGESTANT

12 Hour Extended-Release Tablets 📜 Indoor & Outdoor Allergies 🗋

itchy throat or nose & nasal congestion



ALLERGY RELIEF D12

cetirizine hydrochloride, pseudoephedrine hydrochloride tablet, film coated, extended release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4923	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg	
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg	

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
LOW-SUBSTITUTED HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 2165RE0K14)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
TALC (UNII: 7SEV7J4R1U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics					
Color	WHITE	Score	no score		
Shape	ROUND	Size	10mm		
Flavor		Imprint Code	L147		
Contains					

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:0363-4923- 53	12 in 1 CARTON	10/20/2021	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-4923- 62	24 in 1 CARTON	10/20/2021	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210719	10/20/2021	

Labeler - Walgreen Company (008965063)

Revised: 10/2021 Walgreen Company