

**MEIJER MAXIMUM STRENGTH ANTI-ITCH CREAM ULTRA MOISTURIZING FORMULA 1OZ- hydrocortisone cream  
MEIJER, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Meijer Max. Strength Anti-itch Cream Ultra Moisturizing Formula 1oz ZDP**

**Active Ingredient.....Purpose**

Hydrocortisone 1%.....Anti-itch

**Uses**

temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:

- eczema
- psoriasis
- jewelry
- insect bites
- soaps
- cosmetics
- detergents
- seborrheic dermatitis
- poison ivy, oak sumac

temporarily relieves external anal and genital itching

other uses of this product should only be under the advice and supervision of a doctor

**Warnings**

**For external use only**

**Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.
- more than directed unless directed by a doctor

**When using this product**

- avoid contact with eyes
- do not put directly into the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

for itching of skin irritation, inflammation, and rashes:

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

for external anal and genital itching, adults:

- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

### **Other Information**

- store at room temperature 20-25°C (68-77°F)

**Inactive Ingredients** .alpha.-tocopherol acetate, aloe vera leaf, aluminium sulfate octadecahydrate, calcium acetate monohydrate, cetostearyl alcohol, cetyl alcohol, corn oil, dextrin, glycerin, isopropyl palmitate, light mineral oil, maltodextrin, methylparaben, petrolatum, propylene glycol, propylparaben, purified water, sodium cetostearyl sulfate, sodium lauryl sulfate, vitamin a palmitate, white wax

**MAXIMUM STRENGTH**  
**anti-itch cream**  
 Hydrocortisone 1% (Anti-itch)

**Ultra Moisturizing Formula with Antioxidants A & E**

**DRY, ITCHY SKIN | IRRITATION | RASHES | INSECT BITES**

Relieves itch from insect bites, minor skin irritations,  
 and rashes from poison ivy, poison oak, and poison sumac.

Relief with enhanced moisture.



**MAXIMUM STRENGTH**  
**anti-itch cream**  
 Hydrocortisone 1% (Anti-itch)

**Ultra Moisturizing Formula with Antioxidants A & E**

**NET WT 1 OZ (28 g)**

**DRY, ITCHY SKIN | IRRITATION | RASHES | INSECT BITES**

Compare to Cortizone-10®  
 Ultra Moisturizing  
 Anti-Itch Cream Plus  
 active ingredients\*

**MAXIMUM STRENGTH**  
**anti-itch cream**  
 Hydrocortisone 1%  
 (Anti-itch)



\*This product is not manufactured or distributed by Chatterm, Inc., owner of the registered trademark Cortizone-10®.



**DIST. BY MEIJER DISTRIBUTION, INC.**  
 GRAND RAPIDS, MI 49544  
 www.meijer.com

Made in China

94034-ZDP-BX-R1  
 0M-MD-ZDP122-R1

LOT & EXP.

|   |  |
|---|--|
| <p><b>Drug Facts</b></p> <p><b>Active ingredient</b><br/>         Hydrocortisone 1% (Anti-itch)</p> <p><b>Purpose</b><br/>         Anti-itch</p> <p><b>Uses</b><br/>         temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:<br/>         ■ temporarily relieves external anal and genital itching<br/>         ■ dermatitis ■ seborrheic dermatitis ■ insect bites ■ jewelry ■ piercings ■ soaps ■ cosmetics<br/>         ■ eczema ■ psoriasis ■ poison ivy, oak, sumac</p> <p><b>Warnings</b><br/>         ■ other uses of this product should only be under the advice and supervision of a doctor<br/>         ■ temporarily relieves external anal and genital itching<br/>         ■ temporarily relieves external anal and genital itching<br/>         ■ temporarily relieves external anal and genital itching<br/>         ■ temporarily relieves external anal and genital itching</p> <p><b>Do not use</b><br/>         ■ in the genital area if you have a vaginal discharge. Consult a doctor.<br/>         ■ for the treatment of diaper rash. Consult a doctor.<br/>         ■ more than directed unless directed by a doctor.</p> <p><b>When using this product</b><br/>         ■ avoid contact with eyes<br/>         ■ do not put directly into the rectum by using fingers or any mechanical device or applicator</p> <p><b>Stop use and ask a doctor if</b><br/>         ■ condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor.<br/>         ■ rectal bleeding occurs</p> |  |
| <p><b>Directions</b><br/>         ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily<br/>         ■ children under 2 years of age: ask a doctor<br/>         ■ for external anal and genital itching, adults:<br/>         ■ when practical, clean the affected area with mild soap and warm water and rinse thoroughly<br/>         ■ gently dry by patting or blotting with toilet tissue or a soft cloth before applying<br/>         ■ apply to affected area not more than 3 to 4 times daily<br/>         ■ children under 12 years of age: ask a doctor</p>   | <p><b>Other information</b><br/>         ■ store at room temperature 20-25°C (68-77°F)</p> |
| <p><b>Inactive ingredients</b><br/>         alpha-tocopherol acetate, aloe vera leaf, aluminum sulfate octadecylhydrate, calcium acetate monohydrate, cetostearyl alcohol, cetyl alcohol, com oil, dextrans, glycerin, isopropyl palmitate, light mineral oil, maledextrin, methylparaben, petrolatum, propylene glycol, propylparaben, purified water, purified water, sodium cetearyl sulfate, sodium lauryl sulfate, vitamin a palmitate, white wax</p>  | <p><b>Questions or comments?</b><br/>         Call 1-800-814-9028</p>                      |

TAMPER EVIDENT CAP IS BROKEN OR MISSING.  
 OR FOL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE  
 WARNINGS AND PRODUCT INFORMATION.

**MEIJER MAXIMUM STRENGTH ANTI-ITCH CREAM ULTRA MOISTURIZING FORMULA 1OZ**

hydrocortisone cream

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:41250-584 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength     |
|---|-------------------|--------------|
| <b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ) | HYDROCORTISONE    | 10 mg in 1 g |

**Inactive Ingredients**

| Ingredient Name  | Strength |
|--|----------|
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                      |          |
| <b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)         |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                              |          |
| <b>WHITE WAX</b> (UNII: 7G1J5DA97F)                          |          |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                     |          |
| <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)                      |          |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)         |          |
| <b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)                |          |
| <b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)                  |          |
| <b>ALUMINIUM SULFATE OCTADECALHYDRATE</b> (UNII: TCS9L00G8F) |          |
| <b>CALCIUM ACETATE MONOHYDRATE</b> (UNII: 7ZA48GIM5H)        |          |
| <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)                |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                           |          |
| <b>CORN OIL</b> (UNII: 8470G57WFM)                           |          |
| <b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)                |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                   |          |
| <b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)              |          |
| <b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)                       |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                      |          |
| <b>PETROLATUM</b> (UNII: 4T6H12BN9U)                         |          |

**Packaging**

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:41250-584-28 | 1 in 1 CARTON                                     | 07/13/2020           |                    |
| 1 |                  | 28 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348                                  | 07/13/2020           |                    |

**Labeler** - MEIJER, INC. (006959555)

