

**MAC LIGHTFUL CPLUS CORAL GRASS TINTED WITH RADIANCE BOOSTER
BROAD SPECTRUM SPF030- octinoxate, octisalate, oxybenzone, and titanium
dioxide cream
MAKEUP ART COSMETICS**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**MAC LIGHTFUL C+ CORAL GRASS TINTED CREAM WITH RADIANCE BOOSTER
BROAD SPECTRUM SPF030**

Drug Facts

| <i>Active Ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| Octinoxate 7.50% | Sunscreen |
| Octisalate 4.00% | Sunscreen |
| Oxybenzone 2.50% | Sunscreen |
| Titanium Dioxide 1.10% | Sunscreen |

Use

helps prevent sunburn

Smooth evenly all over the face or to the desired areas after moisturizer with finger tips, sponge, or brush.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

inactive ingredients

water\aquaeau, dimethicone, butylene glycol, propanediol, glyceryl stearate, phenyl trimethicone, behenyl alcohol, trioctyldodecyl citrate, polymethylsilsesquioxane, ascorbyl glucoside, peg-40 stearate, polyglyceryl-10 pentastearate, octyldodecyl stearyl stearate, tocopheryl acetate, tocopheryl linoleate/oleate, sodium hyaluronate, lecithin, squalane, cucumis sativus (cucumber) fruit extract, gentiana lutea (gentian) root extract, glycyrrhiza glabra (licorice) root extract, hordeum vulgare (barley) extract\extrait d'orge, hydrolyzed rice bran extract, laminaria saccharina extract, pyrus malus (apple) fruit extract, salicornia herbacea extract, scutellaria baicalensis root extract, triticum vulgare (wheat) germ extract, caffeine, glycerin, ergothioneine, octyldodecyl neopentanoate, polyglyceryl-6 polyricinoleate, cholesterol, sodium pca, oryzanol, trehalose, acetyl hexapeptide-8, bisabolol, dimethoxytolyl propylresorcinol, aluminum hydroxide, silica, urea, polyquaternium-51, sucrose, xanthan gum, ammonium acryloyldimethyltaurate/vp copolymer, sodium ethyltaurate/vp copolymer, sodium stearyl lactylate, glycyrrhetic acid, linoleic acid, stearic acid, isopropyl titanium triisostearate, disodium edta, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, tetrahexyldecyl ascorbate, sodium dehydroacetate, phenoxyethanol, chlorphenesin [+/- mica, titanium dioxide (ci 77891), iron oxides (ci 77491), iron oxides (ci 77492), iron oxides (ci 77499), zinc oxide (ci 77947)] <iln44257>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 40 ML Bottle Carton

M•A•C

LIGHTFUL

C

C + CORAL GRASS

TINTED CREAM

SPF 30

WITH RADIANCE BOOSTER

BROAD SPECTRUM

SPF 30

40 ML/1.4 FL OZ e

Back
▲ 2 ▼
MAC

Drug Facts

Active Ingredients Purpose

| | |
|------------------------|-----------|
| Octinoxate 7.50% | Sunscreen |
| Octisalate 4.00% | Sunscreen |
| Oxybenzone 2.50% | Sunscreen |
| Titanium Dioxide 1.10% | Sunscreen |

Use helps prevent sunburn

Smooth evenly all over the face or to the desired areas after moisturizer with finger tips, sponge, or brush.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: ask a doctor

inactive ingredients water/aqua/EAU, dimethicone, butylene glycol, propanediol, glyceryl stearate, phenyl trimethicone, behenyl alcohol, triethylhexylcitrate, polymethylsiloxane, ascorbyl glucoside, peg-40 stearate, polyglyceryl-10 pentastearate, octyldodecyl stearoyl stearate, tocopheryl acetate, tocopheryl linoleate/oleate, sodium hyaluronate, lecithin, squalane, cucumis sativus (cucumber) fruit extract, gentiana lutea (gentian) root extract, glycyrrhiza glabra (licorice) root extract, hordeum vulgare (barley) extract/extrait d'orge, hydrolyzed rice bran extract, laminaria saccharina extract, pyrus malus (apple) fruit extract, salicornia herbacea extract, scutellaria baicalensis root extract, triticum vulgare (wheat) germ extract, caffeine, glycerin, ergothioneine, octyldodecyl neopentanoate, polyglyceryl-6 polyricinoleate, cholesterol, sodium pca, oryzanol, trehalose, acetyl hexapeptide-8, bisabolol, dimethoxytolyl propylresorcinol, aluminum hydroxide, silica, urea, polyquaternium-51, sucrose, xanthan gum, ammonium acryloyldimethylsulfate/vp copolymer, sodium ethylsulfate/vp copolymer, sodium stearyl lactylate, ▶

Drug Facts (continued)

glycyrrhetic acid, linoleic acid, stearic acid, isopropyl titanium triisostearate, disodium edta, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, tetrahexyldecyl ascorbate, sodium dehydroacetate, phenoxethanol, chlorophenesin [+/- mica, titanium dioxide (ci 77891), iron oxides (ci 77491), iron oxides (ci 77492), iron oxides (ci 77499), zinc oxide (ci 77947)] <ln44257>


Other information

protect the product in this container from excessive heat and direct sun



**C + CORAL GRASS
TINTED CREAM
SPF 30
WITH RADIANCE BOOSTER
BROAD SPECTRUM
SPF 30**

40 ML / 1.4 FL OZ e



MAC LIGHTFUL C PLUS CORAL GRASS TINTED WITH RADIANCE BOOSTER BROAD SPECTRUM SPF30

octinoxate, octisalate, oxybenzone, and titanium dioxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:40046-0077 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 81.75 mg in 1 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 43.6 mg in 1 mL |
| OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y) | OXYBENZONE | 27.25 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 11.99 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0K00R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| DOCOSANOL (UNII: 9G1OE216XY) | |
| TRIOCTYLDODECYL CITRATE (UNII: 35X8CT063R) | |
| POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69) | |
| ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW) | |
| PEG-40 STEARATE (UNII: ECU18C66Q7) | |
| POLYGLYCERYL-10 PENTASTEARATE (UNII: PMX5872701) | |
| OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| SQUALANE (UNII: GW89575KF9) | |
| CUCUMBER (UNII: YY7C30VXJT) | |

| |
|---|
| GENTIANA LUTEA ROOT (UNII: 572O3284MS) |
| GLYCYRRHIZA GLABRA (UNII: 2788Z9758H) |
| HORDEUM VULGARE WHOLE (UNII: 8JBE478M5Q) |
| SACCHARINA LATISSIMA (UNII: 68CMP2MB55) |
| APPLE (UNII: B423VGH5S9) |
| SALICORNIA EUROPAEA WHOLE (UNII: 6ADL50JAKW) |
| SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S) |
| WHEAT GERM (UNII: YR3G369F5A) |
| CAFFEINE (UNII: 3G6A5W338E) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| ERGOTHIONEINE (UNII: BDZ3DQM98W) |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2) |
| ORYZANOL (UNII: SST9XCL51M) |
| TREHALOSE (UNII: B8WCK70T7I) |
| ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL) |
| LEVOMENOL (UNII: 24WE03BX2T) |
| DIMETHOXYTOLYL PROPYLRESORCINOL (UNII: 4OD5GIH1UK) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| UREA (UNII: 8W8T17847W) |
| SUCROSE (UNII: C151H8M554) |
| XANTHAN GUM (UNII: TTV12P4NEE) |
| AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG) |
| SODIUM STEAROYL LACTYLATE (UNII: IN99IT31LN) |
| ENOXOLONE (UNII: P540XA09DR) |
| LINOLEIC ACID (UNII: 9KJL21T0QJ) |
| STEARIC ACID (UNII: 4ELV7Z65AP) |
| ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS) |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| MICA (UNII: V8A1AW0880) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| ZINC OXIDE (UNII: SOI2LOH54Z) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:40046-0077-1 | 1 in 1 CARTON | 11/01/2017 | |
| 1 | | 40 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | M020 | 11/01/2017 | |

Labeler - MAKEUP ART COSMETICS (010597206)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|-------------------------|
| The Estee Lauder Inc | | 802599436 | manufacture(40046-0077) |

Revised: 8/2023

MAKEUP ART COSMETICS