

PHYSICIANS CARE ASPIRIN- aspirin tablet, coated
PHYSICIANS CARE ASPIRIN- aspirin tablet, film coated
Acme United Corporation

Physicians Care Aspirin

Drug Facts

Active ingredient (in each tablet)

Aspirin (NSAID*) 325 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

Temporarily relieves:

- headache
- minor arthritis pain
- pain & fever of colds
- backache
- menstrual cramps
- toothache
- muscle aches

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcohol drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or to any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have asthma
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

- taking prescription drugs for gout, diabetes or arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- if ringing in the ears or loss of hearing occurs
- redness or swelling is present in the painful area
- any new symptoms appear
- an allergic reaction occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose

Adults and children 12 years and over:

take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in

24 hours

Children under 12 years:

consult a doctor

Other information

- read all product information before using
- store at room temperature
- avoid excessive heat and humidity
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, polyethylene glycol, propylene glycol

Questions or comments? 1-800-835-2263

Physicians Care Aspirin Label

90014

Physicians Care®

Aspirin

Pain Reliever and fever Reducer (NSAID)

Pull To Open

This Package for Households without Young Children.

Coated Tablets

Tamper-Evident Packets of 2 Tablets

Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg

100 Tablets (50 Packets, 2 tablets each)

Aspirin (NSAID) 325 mg

100 Tablets (50 Packets, 2 tablets each)

PHYSICIANS CARE ASPIRIN

aspirin tablet, coated

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0924-0106 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) | ASPIRIN | 325 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POVIDONE (UNII: FZ989GH94E) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | FR21 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0924-0106-01 | 50 in 1 BOX | 04/01/2021 | 05/31/2023 |
| 1 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 2 | NDC:0924-0106-00 | 2 in 1 PACKET; Type 0: Not a Combination Product | 04/01/2021 | 05/31/2023 |
| 3 | NDC:0924-0106-02 | 125 in 1 BOX | 04/01/2021 | 05/31/2023 |
| 3 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 4 | NDC:0924-0106-03 | 10 in 1 BOX | 04/01/2021 | 05/31/2023 |
| 4 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 5 | NDC:0924-0106-07 | 25 in 1 BOX | 04/01/2021 | 05/31/2023 |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | Aspirin;44;157 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0924-0105-01 | 50 in 1 BOX | 07/20/2020 | |
| 1 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 2 | NDC:0924-0105-00 | 2 in 1 PACKET; Type 0: Not a Combination Product | 07/20/2020 | |
| 3 | NDC:0924-0105-02 | 125 in 1 BOX | 07/20/2020 | |
| 3 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 4 | NDC:0924-0105-03 | 10 in 1 BOX | 07/20/2020 | |
| 4 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |
| 5 | NDC:0924-0105-07 | 25 in 1 BOX | 07/20/2020 | |
| 5 | | 2 in 1 PACKET; Type 0: Not a Combination Product | | |

Also Available from PhysiciansCare® in individual dose packets:

- PhysiciansCare® Non-Aspirin (Acetaminophen)
- PhysiciansCare® Ibuprofen
- PhysiciansCare® Cold & Cough
- PhysiciansCare® Allergy
- PhysiciansCare® Sinus
- PhysiciansCare® Antacid



ASPIRIN
Pain Reliever and Fever Reducer (NSAID)

COATED CAPLET

Individually packaged for workplace use

Tamper-Evident Packets of 2 Tablets
Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg
100 Tablets (50 Packets, 2 tablets each)

90014

Drug Facts

Active ingredient (in each tablet) Purpose
Aspirin (ASA) 325 mg — Pain reliever / fever reducer
Nonsteroidal anti-inflammatory drug

Use
Temporarily relieves:
• Headache • minor arthritis pain • pain & fever of colds
• cramps with pain • toothache • other aches and pains

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: aspirin may cause a severe allergic reaction which may include:
• hives • facial swelling • shock • asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:
• are age 60 or older
• have had stomach ulcers or bleeding problems
• take a blood thinning medication or blood drug
• take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
• have 3 or more alcohol drinks every day while using this product
• take more or for a longer time than directed

Do not use:
• if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if:
• stomach bleeding warning applies to you
• you have asthma
• you have a history of stomach problems such as heartburn
• you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
• you are taking a diuretic

Ask a doctor or pharmacist before use if you are taking a prescription drug for: • acid • diabetes • arthritis


Other information
• Read all product information before using.
• Store at room temperature.
• Avoid excessive heat and humidity.
• Tamper evident sealed packets.
• Do not use any opened or torn packets.

Inactive ingredients
corn starch, hydroxyethylcellulose, polyethylene glycol, croscarmellose gum

Questions? 1-800-835-2263

Contact Us 1-800-835-2263 www.FirstAidOnly.com

90014




ASPIRIN
Pain Reliever and Fever Reducer (NSAID)

COATED CAPLET

Individually packaged for workplace use

Tamper-Evident Packets of 2 Tablets
Do not use if packet is open or torn.

Aspirin (NSAID) 325 mg
100 Tablets (50 Packets, 2 tablets each)



0 73577 90014 1

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| | | | |

OTC Monograph Drug M013

07/20/2020

Labeler - Acme United Corporation (001180207)

Registrant - Unifirst First Aid Corporation (832947092)

Revised: 12/2023

Acme United Corporation