

LIDOCAINE CREME- lidocaine hcl and menthol cream
Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pure-aid Lidocaine Creme

SOUNDBODY

LIDOCAINE

PAIN RELIEVING CREAM

Drug Facts

Active Ingredients

Lidocaine HCl 4%

Purposes

Topical anesthetic

Uses

Temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- Use only as directed. Read and follow all directions and warnings on this label
- rare cases of serious burns have been reported with products of this type
- do not bandage tightly or apply local heat (such as heating pads) to the area of use or use with a medicated patch
- avoid contact with eyes and mucous membranes
- a transient burning sensation may occur upon application but generally disappears in several days

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

children 12 years or younger: ask a doctor

Inactive ingredients

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, aminomethyl propanol, cetearyl alcohol(and)dicetyl phosphate(and)ceteth-10 phosphate, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, SD alcohol 40 (15%), steareth-21, water

PRINCIPAL DISPLAY PANEL

MAXIMUM STRENGTH

Compare to Aspercreme®
Lidocaine Pain Relieving Cream
active ingredient†

Targeted Immediate Pain Relief

Penetrates to Desensitize Aggravated Nerves
• No Irritation • No Burning • Non-Greasy



Back, Neck & Shoulder



Hand & Wrist



Foot, Ankle & Leg



Knee & Elbow

Pure-Aid™

Odor Free

LIDOCAINE CREAM

4% LIDOCAINE

Pain relieving cream

NET WT 1.75 OZ (49.6 g)

Pure-Aid™
MAXIMUM STRENGTH
LIDOCAINE CREAM
4% LIDOCAINE

LOT&EXP.

Odor Free

LIDOCAINE CREAM

4% LIDOCAINE



MADE IN CHINA

Keep carton as it contains important information.
Close cap tightly between uses.
Child-resistant packing.

†The product is not manufactured or distributed by Chatham, Inc.
owner of the registered trademark Aspercreme®.
Exclusively distributed by: Karaway Product Inc.
2550 S. Dominguez Hills Dr. Compton, CA 90220

Drug Facts

Active ingredient
Lidocaine HCl 4%
Topical anesthetic

Purpose
Use temporarily relieves minor pain

Warnings
For external use only
Do not use
■ on large areas of the body or on cut, irritated or swollen skin ■ on puncture wounds
■ for more than one week without consulting a doctor
When using this product
■ use only as directed. Read and follow all directions and warnings on this carton. ■ do not allow contact with the eyes
■ do not bandage or apply local heat (such as heating pads) to the area of use
Stop use and ask a doctor if
■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children over 12 years:
■ apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
children 12 years and younger: ask a doctor

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, also barbadensis leaf juice, aminomethylpropane, cetearyl alcohol (and) polyethylene glycol, dimethylsiloxane, dimethylsiloxane crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, SD alcohol 40 (15%), steareth-21, water

LIDOCAINE CREME

lidocaine hcl and menthol cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0679
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOHEXADECANE (UNII: 918X10UF1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ALCOHOL (UNII: 3K9958V90M)	
STEARETH-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0679-1	1 in 1 CARTON	07/13/2020	
1		49.6 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/13/2020	

Labeler - Kareway Product, Inc. (121840057)

