

BACITRACIN- bacitracin ointment
RUGBY LABORATORIES

Bacitracin Ointment

Drug Facts

Active ingredients (in each gram)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- on large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- Store at 20° - 25°C (68° - 77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions & Comments?

1-800-645-2158

Package Labeling:



Distributed by:
RUGBY® LABORATORIES
 Livonia, MI 48152
 www.rugbylaboratories.com
 Made in China



Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)	Purpose	Stop use and ask a doctor if	
Bacitracin 500 units.....	First aid antibiotic	<ul style="list-style-type: none"> ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops 	
Uses		Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.	
first aid to help prevent infection in: <ul style="list-style-type: none"> ■ minor cuts ■ scrapes ■ burns 		Directions	
Warnings For external use only.		<ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage 	
Do not use <ul style="list-style-type: none"> ■ in the eyes ■ on large areas of the body ■ if you are allergic to any of the ingredients 		Other information	
Ask a doctor before use if you have <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 		<ul style="list-style-type: none"> ■ Store at 20° - 25°C (68° - 77°F) 	
		Inactive ingredients light mineral oil, white petrolatum	
		Questions or comments? 1-800-645-2158	



NDC 0536-1256-28

Bacitracin Ointment

Bacitracin, USP

Helps prevent infection in minor cuts, scrapes, and burns

NET WT 1.06 OZ (30 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients (in each gram)
 Bacitracin 500 units**Purpose**
 First aid antibiotic

Uses ■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns **Warnings** For external use only. **Do not use** ■ in the eyes ■ over large areas of the body ■ if you are allergic to any of the ingredients **Ask a doctor before use if you have** ■ deep or puncture wounds ■ animal bites ■ serious burns **Stop use and ask a doctor if** ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away. **Directions** ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. **Other information** store at 20° to 25°C (68° to 77°F). **Inactive ingredients** light mineral oil, white petrolatum

Questions or comments?
 1-800-645-2158

Distributed by:
RUGBY® LABORATORIES
 Livonia, MI 48152
 www.rugbylaboratories.com
 Made in China



Rev. 07/21 R-157
 Re-order No. 370804

BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1256
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1256-28	30 g in 1 BOX; Type 0: Not a Combination Product	04/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	04/30/2020	

Labeler - RUGBY LABORATORIES (079246066)

Revised: 10/2023

RUGBY LABORATORIES