

BACITRACIN- bacitracin ointment
RUGBY LABORATORIES

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Ointment

Drug Facts

Active ingredients (in each gram)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- on large areas of the body
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- Store at 20° - 25°C (68° - 77°F)

Inactive ingredients

light mineral oil, white petrolatum

Questions & Comments?

1-800-645-2158

Package Labeling:



Bacitracin, USP

Helps prevent infection in minor cuts, scrapes, and burns

NET WT 1.06 OZ (30 g)



**Ba
Oii**

Distributed by:
RUGBY® LABORATORIES
Livonia, MI 48152
www.rugbylaboratories.com
Made in China

Rev. 07/21 R-157 Re-order No. 370804



Drug Facts		Drug Facts (continued)	
Active ingredients (in each gram)	Purpose	Stop use and ask a doctor if	
Bacitracin 500 units.....	First aid antibiotic	■ you need to use longer than 1 week	
Uses		■ condition persists or gets worse	
first aid to help prevent infection in:		■ rash or other allergic reaction develops	
■ minor cuts		Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.	
■ scrapes		Directions	
■ burns		■ clean the affected area	
Warnings For external use only.		■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily	
Do not use		■ may be covered with a sterile bandage	
■ in the eyes		Other information	
■ on large areas of the body		■ Store at 20° - 25°C (68° - 77°F)	
■ if you are allergic to any of the ingredients		Inactive ingredients light mineral oil, white petrolatum	
Ask a doctor before use if you have		Questions or comments? 1-800-645-2158	
■ deep or puncture wounds			
■ animal bites			
■ serious burns			



NDC 0536-1256-28

Bacitracin Ointment

Bacitracin, USP

Helps prevent infection in minor cuts, scrapes, and burns

NET WT 1.06 OZ (30 g)

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredients (in each gram)

Bacitracin 500 units

Purpose

First aid antibiotic

Uses ■ first aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns ■ animal bites ■ serious burns ■ **Stop use and ask a doctor if** ■ you need to use longer than 1 week ■ condition persists or gets worse ■ rash or other allergic reaction develops **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away. **Directions** ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage. **Other information** store at 20° to 25°C (68° to 77°F). **Inactive ingredients** light mineral oil, white petrolatum

Questions or comments?
1-800-645-2158

Distributed by:
RUGBY® LABORATORIES
Livonia, MI 48152
www.rugbylaboratories.com
Made in China



Rev. 07/21 R-157
Re-order No. 370804

BACITRACIN

bacitracin ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1256
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1256-28	30 g in 1 BOX; Type 0: Not a Combination Product	04/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	04/30/2020	

Labeler - RUGBY LABORATORIES (079246066)

Revised: 8/2021

RUGBY LABORATORIES