

ASPEN IODINE CONC- iodine solution

Aspen Veterinary Resources

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/attention if you feel unwell.

DIRECTIONS:

IODINE CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Iodine Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Iodine Concentrates by volume.

IMPORTANT: Do not mix Iodine Concentrate or diluted Iodine Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Iodine Concentrate. If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Iodine Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Iodine Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Iodine Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Iodine Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Iodine Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Iodine Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Iodine Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Iodine Concentrate. Do not turn cows out in freezing weather until diluted Iodine Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before

calving.

PRECAUTION: Iodine Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Iodine Concentrate within six (6) months of blended date.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Representative label and principal display panel

aspen DAIRY SOLUTIONS

IODINE CONCENTRATE

ACTIVE INGREDIENT

Titratable Iodine.....3.6%

INERT INGREDIENTS:.....96.4%

(contains glycerin, propylene glycol)

TOTAL:.....100.0%

Iodine Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis.

208 L (55 US GAL)

6302032

Manufactured for:

Aspen Veterinary Resources®, Ltd. 3155 Heartl1-and Drive, Liberty, MO 64068

1-800-203-5620

766884/5301/0217



IODINE CONCENTRATE



ACTIVE INGREDIENT:	
Titratable Iodine	3.6%
INERT INGREDIENTS:	96.4%
(contains glycerin, propylene glycol)	
TOTAL:	100.0%

Iodine Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis
FOR INDUSTRIAL USE ONLY

DIRECTIONS:

IODINE CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER
FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter: A dilute solution of a 0.5% iodine teat dip will consist of 87.5% potable water and 12.5% Iodine Concentrate by volume. A dilute solution of a 1% iodine teat dip will consist of 75% potable water and 25% Iodine Concentrate by volume.

IMPORTANT: Do not mix Iodine Concentrate or diluted Iodine Concentrate with any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Iodine Concentrate. If product in dip cup becomes visibly dirty, discard contents and replenish with diluted, ready-to-use product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Application of Diluted Iodine Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with diluted Iodine Concentrate. Before each cow is milked, dip each teat full-length into the teat dip cup containing diluted Iodine Concentrate. Wipe teats dry after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, dip each teat full-length into the teat dip cup containing diluted Iodine Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Iodine Concentrate. Do not turn cows out in freezing weather until teat dip is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with diluted Iodine Concentrate. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, spray entire teat with diluted Iodine Concentrate. Allow to air dry. Do not wipe. Always use fresh, diluted Iodine Concentrate. Do not turn cows out in freezing weather until diluted Iodine Concentrate is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Iodine Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

NOTE: Use blended Iodine Concentrate within six (6) months of blended date.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Attention

For External Use Only

Wash hands thoroughly after handling.

Get medical advice/attention if you feel unwell.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Baño antiséptico concentrado para pezones con yodo

Ayuda a evitar la proliferación de organismos que pueden causar mastitis
PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

IODINE CONCENTRATE DILUIR ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA
USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

Parámetro de dilución: Una solución diluida de baño antiséptico para pezones con yodo al 0.5% contendrá 87.5% de agua potable y 12.5% de Iodine Concentrate por volumen. Una solución diluida de baño antiséptico para pezones con yodo al 1% contendrá 75% de agua potable y 25% de Iodine Concentrate por volumen.

IMPORTANTE: No mezcle Iodine Concentrate o Iodine Concentrate diluido con otros productos a menos que se indique en las instrucciones de uso del producto. Si el producto fue transferido desde este envase a cualquier otro, asegúrese de que ese otro envase haya sido íntegramente prelavado y que contenga el etiquetamiento del envase de Iodine Concentrate. Si el producto en el recipiente para realizar el baño está visiblemente sucio, deséchelo el contenido y rellene el recipiente con producto diluido y listo para usar. No vuelva a utilizar el mismo producto, ni vuelva a colocar el producto sin usar dentro del envase original.

Antes de ordeñar: Lave los pezones completamente justo antes de ordeñar con una solución de lavado apropiada para ubres o baño antiséptico para pezones previo al ordeño, o rocíe el pezón para evitar la contaminación de la leche. Posteriormente, los pezones se deben secar con toallas de servicio único o descartables. Utilice el procedimiento adecuado para el lavado o el prebañado antiséptico de las ubres.

Aplicación de dilución Iodine Concentrate

Instrucciones para realizar el sellado del pezón

Sellado del pezón previo al ordeño: Llene el recipiente para el baño de pezones con Iodine Concentrate diluido. Antes de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene Iodine Concentrate diluido. Seque los pezones después de realizar el sellado, utilizando toallas desechables para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Inmediatamente después de ordeñar cada vaca, bañe toda la superficie del pezón en el recipiente que contiene Iodine Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Iodine Concentrate fresco y diluido. Hasta que Iodine Concentrate no se haya secado completamente, no saque las vacas al exterior en climas fríos.

Instrucciones para el Rociado de los Pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie del pezón con Iodine Concentrate diluido. Seque los pezones después de rociarlos utilizando toallas de un solo servicio para evitar la contaminación con la leche.

Rociado posterior al ordeño: Inmediatamente después de ordeñar cada vaca, rocíe toda la superficie del pezón con Iodine Concentrate diluido. Deje secar al aire. No utilice paños. Siempre utilice Iodine Concentrate fresco y diluido. No deje las vacas en un clima helado antes de que Iodine Concentrate diluido se haya secado por completo.

Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.

PRECAUCIÓN: Iodine Concentrate no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágaslas tratar con un veterinario.

AVISO: Utilice Iodine Concentrate mezclado dentro de los seis (6) meses a partir de la fecha de mercado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USA HUMANO

Atención

Solo de uso externo

Lavarse las manos cuidadosamente después de la manipulación.

Consultar a un médico si la persona se encuentra mal.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: Contacto local de veneno.

208 L (55 US GAL)
6302032



Manufactured for:
 Aspen Veterinary Resources*, Ltd.
 3155 Heartland Drive, Liberty, MO 64068
 1-800-203-5620
 766884/5301/0217

ASPEN IODINE CONC

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-412
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-412-21	208000 mL in 1 DRUM		
2	NDC:46066-412-17	56800 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/17/2016	

Labeler - Aspen Veterinary Resources (627265361)

Revised: 1/2019

Aspen Veterinary Resources