

**GAS RELIEF- simethicone capsule, liquid filled**  
**Publix Super Markets Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Publix Super Markets, Inc. Gas Relief Drug Facts**

**Active ingredient (in each softgel)**

Simethicone 180 mg

**Purpose**

Anti-gas

**Use**

- relieves bloating, pressure or fullness commonly referred to as gas

**Warnings**

**Stop use and ask a doctor if**

condition persists

**Keep out of reach of children.**

**Directions**

- swallow one or two softgels as needed after a meal
- do not exceed two softgels per day except under the advice and supervision of a physician

**Other information**

- each softgel contains: potassium 5 mg
- store at 68°-77°F (20°-25°C)

**Inactive ingredients**

FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin

**Principal Display Panel**

ULTRA STRENGTH

gas relief

SIMETHICONE 180mg

ANTI-GAS

Fast Relief of:

pressure

bloating

gas discomfort

Compare to the Active Ingredient in Phazyme® Ultra Strength

60 SOFTGELS

**Publix**

ULTRA STRENGTH  
**gasrelief**

SIMETHICONE 180mg

**Publix**

NDC 56062-657-72

ULTRA STRENGTH  
**gasrelief**

SIMETHICONE 180mg

**ANTI-GAS**

Fast relief of:

- pressure
- bloating
- gas discomfort



\*Compare to the Active  
Ingredient in Phazyme®  
Ultra Strength

**60** SOFTGELS



**Publix**

NDC 56062-657-72

ULTRA STRENGTH  
**gasrelief**

SIMETHICONE 180mg

**ANTI-GAS**

Fast relief of:

- pressure
- bloating
- gas discomfort



\*Compare to the Active  
Ingredient in Phazyme®  
Ultra Strength

**60** SOFTGELS



0 41415 21573 3

**LOT NO.**

**EXP.**

: 65772 63 C4



**Drug Facts**

**Active ingredient**      **Purpose**  
**(in each softgel)**

Simethicone 180 mg..... Anti-gas

**Use** ■ relieves bloating, pressure or fullness commonly referred to as gas

**Warnings**

Stop use and ask a doctor if condition persists

Keep out of reach of children.

**Directions**

- swallow one or two softgels as needed after a meal
- do not exceed two softgels per day except under the advice and supervision of a physician

**Other information**

- each softgel contains: potassium 5 mg
- store at 68°-77°F (20°-25°C)

**Inactive ingredients** FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin

**Do not use if printed seal under cap is broken or missing**

\*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare, L.P., distributor of Phazyme® Ultra Strength.

Made in Canada

DISTRIBUTED BY  
PUBLIX SUPER MARKETS, INC.  
3300 PUBLIX CORPORATE PARKWAY  
LAKELAND, FL 33811  
[www.publix.com](http://www.publix.com)

**PUBLIX GUARANTEE:**  
COMPLETE SATISFACTION  
OR YOUR MONEY BACK





## GAS RELIEF

simethicone capsule, liquid filled

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-657
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	180 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	

### Product Characteristics

Color	ORANGE	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	L657
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-657-72	1 in 1 CARTON	11/18/2003	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	11/18/2003	

