

NU SKIN AGELOC ME DAY T2 BROAD SPECTRUM SPF 20- titanium dioxide and zinc oxide lotion

NSE Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nu Skin® ageLOC Me™ Day T2 Broad Spectrum SPF 20

Drug Facts

Active Ingredient

Titanium Dioxide (3.40%),
Zinc Oxide (3.39%)

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin
- **Stop use and ask a doctor if** rash occurs
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.
- **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Children under 6 months: Ask a doctor

Inactive Ingredients

Water (Aqua), Dicaprylyl Carbonate, Butylene Glycol, Caprylic/Capric Triglyceride, Triethylhexanoin, Di-C12-13 Alkyl Tartrate, Cyclopentasiloxane, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Caprylyl Methicone, Oryza Sativa (Rice) Extract, Epilobium Angustifolium Flower/Leaf/Stem Extract, Camellia Sinensis Leaf Extract, Zea Mays (Corn) Oil, Sophora Angustifolia Root Extract, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Schizandra Chinensis Fruit Extract, PEG-15/Lauryl Dimethicone Crosspolymer, Narcissus Tazetta Bulb Extract, 7-Dehydrocholesterol, Dimethicone, Tocopherol, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Glycerin, Diphenyl Dimethicone/Vinyl Diphenyl Dimethicone/Silsesquioxane Crosspolymer, Methicone, Vinyl Dimethicone/Lauryl Dimethicone Crosspolymer, Hydroxypropyl Cyclodextrin, Zinc PCA, Stearalkonium Hectorite, Sodium Dehydroacetate, Silica, Propylene Carbonate, Sodium Citrate, Sodium Chloride, Fragrance (Parfum), Chlorphenesin, Phenoxyethanol

Other Information

- Protect this product from excessive heat and direct sun.

Questions?

1-888-742-7626

PRINCIPAL DISPLAY PANEL - 28 ml Cartridge Carton

NU SKIN®

ageLOC me™ DAY T2 BROAD SPECTRUM SPF 20

28 ml e (0.95 fl. oz.)

AGELOC ME™ DAY T2
BROAD SPECTRUM SPF 20

Drug Facts

Active Ingredient	Purpose
Titanium Dioxide (3.40%) Zinc Oxide (3.39%)	Sunscreen

Uses ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings ■ **For external use only.**
■ **Do not use** on damaged or broken skin.
■ **Stop use and ask a doctor** if rash occurs.
■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ After applying serum and allowing it to dry, apply moisturizer in an upward, outward motion to the face and neck. If layering additional products, allow each to dry completely before applying the next.
■ **Sunprotection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.–2p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.
■ Apply liberally 15 minutes before sun exposure. ■ Use a water resistant sunscreen if swimming or sweating. ■ Reapply at least every 2 hours. ■ Children under 6 months: Ask a doctor.

Inactive Ingredients Water (Aqua), Dicaprylyl Carbonate, Butylene Glycol, Caprylic/Capric Triglyceride, Triethylhexanoate, Di-C12-13 Alkyl Tartrate, Cyclopentasiloxane, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Caprylyl Methicone, Oriza Sativa (Rice) Extract, Epilobium Angustifolium Flower/Leaf/Stem Extract, Camellia Sinensis Leaf Extract, ▼

QUALITY
SOLD EXCLUSIVELY BY NU SKIN ENTERPRISES
AUTHORIZED DISTRIBUTORS
MADE IN THE U.S.A. NSE PRODUCTS, INC.,
75 W CENTER, PROVO, UT 84601
©2015 NSE PRODUCTS, INC.
01.00.1618 9.450522671



Drug Facts (continued)

Inactive Ingredients (continued)
Zea Mays (Corn) Oil, Sophora Angustifolia Root Extract, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Schizandra Chinensis Fruit Extract, PEG-15/Lauryl Dimethicone Crosspolymer, Narcissus Tazetta Bulb Extract, 7-Dehydrocholesterol, Dimethicone, Tocopherol, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Glycerin, Diphenyl Dimethicone/Vinyl Diphenyl Dimethicone/Silsesquioxane Crosspolymer, Methicone, Vinyl Dimethicone/Lauryl Dimethicone Crosspolymer, Hydroxypropyl Cyclodextrin, Zinc PCA, Stearalkonium Hectorite, Sodium Dehydroacetate, Silica, Propylene Carbamate, Sodium Citrate, Sodium Chloride, Fragrance (Parfum), Chlorphenesin, Phenoxethanol

Other Information
■ Protect this product from excessive heat and direct sun.

Questions?
1-888-742-7626

Safety-Allergy-Dermatologist-Tested



ageLoc me™ DAY T2 BROAD SPECTRUM SPF 20

28 ml e (0.95 fl. oz.)



NU SKIN AGELOC ME DAY T2 BROAD SPECTRUM SPF 20

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62839-1618
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	34 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	33.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Dicaprylyl Carbonate (UNII: 609A3V1SUA)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Triethylhexanoïn (UNII: 7K3W1BIU6K)	
Di-C12-13 Alkyl Tartrate (UNII: 603USX4K0G)	
Cyclomethicone 5 (UNII: 0THT5PC10R)	
Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone (UNII: 25G622K2RA)	
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Caprylyl Trisiloxane (UNII: Q95M2P1KJL)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Sodium Chloride (UNII: 451W47IQ8X)	
Glycerin (UNII: PDC6A3C0OX)	
Rice Germ (UNII: 7N2B70SFEZ)	
Stearalkonium Hectorite (UNII: O LX698AH5P)	
Chlorphenesin (UNII: I670DAL4SZ)	
Sodium Citrate, Unspecified Form (UNII: 1Q73Q2JULR)	
Zinc Pidolate (UNII: C32PQ86DH4)	
Dimethicone (UNII: 92RU3N3Y1O)	
Propylene Carbonate (UNII: 8D08K3S51E)	
Sodium Dehydroacetate (UNII: 8W46YN971G)	
Sophora Flavescens Root (UNII: IYR6K8KQ5K)	
Green Tea Leaf (UNII: W2ZU1RY8B0)	
Schisandra Chinensis Fruit (UNII: ABS794681C)	
Corn Oil (UNII: 8470G57WFM)	
Epilobium Angustifolium Flowering Top (UNII: 08H094218D)	
Narcissus Tazetta Bulb (UNII: K17762966S)	

7-Dehydrocholesterol (UNII: BK1IU07GKF)

Tocopherol (UNII: R0ZB2556P8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62839-1618-1	1 in 1 CARTON	05/01/2016	
1		28 mL in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	05/01/2016	

Labeler - NSE Products, Inc. (803486393)

Revised: 12/2019

NSE Products, Inc.