

# **ALLERGY CHILDRENS- diphenhydramine hydrochloride liquid**

## **H E B**

-----

### **Drug Facts**

#### **Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

#### **Purpose**

Antihistamine

#### **Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

#### **Warnings**

##### **Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

##### **Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

##### **Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

##### **When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

##### **Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on chart below

age (yrs)	dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

## Other information

- **each 5 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used

## Inactive ingredients

anhydrous citric acid, D&C red #33, RD&C red#40, flavors, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, and sucrose

## Questions or comments?

Call toll free **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

Compare to Children's Benadryl® Allergy active ingredient\*

Children's Allergy Relief

Diphenhydramine HCl, 12.5 mg / Antihistamine

Allergy

For Ages 6 to 11 Years

Alcohol-Free

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat

FL OZ (mL)

CHERRY FLAVOR

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.**

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

**Product Label**

Compare to **Children's Benadryl® Allergy**  
active ingredient\*

NDC 37808-012-08

**H-E-B®**  
**Children's**  
**Allergy**  
**Relief**

Diphenhydramine HCl 12.5 mg/5 mL  
Antihistamine  
Oral solution

**Allergy**

**For Ages 6 to 11 Years**  
**Alcohol-Free**

**Relief of:**

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Nose or Throat



Cherry Flavor

**8 FL OZ (237 mL)**

**Drug Facts**

**Active ingredient**  
**(in each 5 mL)**

Diphenhydramine HCl 12.5 mg.....Antihistamine

**Purpose**

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
  - sneezing
  - runny nose
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**  
taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose,  
get medical help or contact a Poison Control Center  
(1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

**Other information**

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.

**Drug Facts (continued)**

**Inactive ingredients:** citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

**Questions or comments?**

Call toll free: **1-877-753-3935** Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**MADE WITH PRIDE AND CARE FOR H-E-B®**  
**SAN ANTONIO, TX 78204**



**100%**  
**GUARANTEE**  
**promise**

If you aren't completely  
pleased with this  
product, we'll be happy  
to replace it or  
refund your money.  
You have our word on it.



PLD-1241D FC008275 8582-1801

Lot No.:

Exp. Date:

**H-E-B Children's Allergy Relief**

**ALLERGY CHILDRENS**

diphenhydramine hydrochloride liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-012	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SUCROSE (UNII: C151H8M554)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-012-08	1 in 1 BOX	02/29/2016	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		02/29/2016	

Labeler - H E B (007924756)

