

**HAWAIIAN TROPIC SILK HYDRATION CLEAR SUNSCREEN BROAD SPECTRUM
SPF50- avobenzone,homosalate,octisalate,octocrylene spray
Edgewell Personal Care Brands LLC**

ACTIVE INGREDIENTS

Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presense of a flame or spark. Keep away from sources of ignition - No smoking.

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin

When using this product

• Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Shake Well • Hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • **Do not spray directly into face.** Spray on hands then apply to face. • Do not apply in windy conditions • Use in well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, Isododecane, C12-15 Alkyl Benzoate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate, Mineral Oil, Water, Panthenol, Carica Papaya (Papaya) Fruit Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Plumeria Acutifolia Flower Extract, Psidium Guajava Fruit Extract, Aloe Barbadensis Leaf Extract

Other information

• protect this product from excessive heat and direct sun

Questions or Comments?

Call 1-800-NO-UVRAY, Mon-Fri

Primary Display Panel

HAWAIIAN

Tropic (R)

Silk

HYDRATION (R)

Clear Spray Sunscreen

WEIGHTLESS

Reef Friendly*

50

BROAD SPECTRUM

SPF 50

12 HOUR

Moisturization**

with UVA & UVB Protection

Fast absorbing

Water resistant

(80 minutes)

NET WT 6 OZ. (170g)

**HAWAIIAN
Tropic[®]**
Silk
HYDRATION[®]
Clear Spray Sunscreen

WEIGHTLESS
Reef Friendly[®]


50
BROAD SPECTRUM
SPF 50

 **12 HOUR** Moisturization**
with UVA & UVB Protection
Fast absorbing
Water resistant
(80 minutes)

NET WT 6 OZ. (170g)

*No Oxybenzone or Octinoxate

Drug Facts	
Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.6%, Octocrylene 7.0%	Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.	
Warnings For external use only Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition—No smoking. Do not use on damaged or broken skin. When using this product: • Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. May stain some fabrics.	
Directions • Shake well • Hold container 4 to 6 inches from the skin to apply • Spray liberally and spread evenly by hand 15 minutes before sun exposure • Do not spray directly into face. Spray on hands then apply to face. • Do not apply in windy conditions • Use in well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: Ask a doctor	
Inactive Ingredients: Alcohol Denat., Isobutane, Isododecane, C12-15 Alkyl Benzoate, N-Butyl Methacrylate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate, Mineral Oil, Water, Panthenol, Carica Papaya (Papaya) Fruit Extract, Mangifera Indica (Mango) Fruit Extract, Passiflora Incarnata Fruit Extract, Mumea Scoullonia Flower Extract, Padium Guajava Fruit Extract, Aloe Barbadosis Leaf Extract.	
Other Information • protect this product from excessive heat and direct sun	
Questions or Comments? Call 1-800-NOUVRAY Mon-Fri	

**For sun protection, use as directed
www.hawaiiantropic.com

Distributed by:
Edgewell Personal Care Brands, LLC
Shelton, CT 06484
© 2020 Edgewell.



90031446

DOT 20 1N555

HAWAIIAN TROPIC SILK HYDRATION CLEAR SUNSCREEN BROAD SPECTRUM SPF50

avobenzene,homosalate,octisalate,octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-523
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MINERAL OIL (UNII: T5L8T28FGP)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PLUMERIA RUBRA FLOWER (UNII: 8P7XXY759H)	
GUAVA (UNII: 74O70D6VG0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PANTHENOL (UNII: WW9CM0O67Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MANGO (UNII: I629I3NR86)	
WATER (UNII: 059QF0KOOR)	
PAPAYA (UNII: KU94FIY6JB)	
PASSIFLORA INCARNATA FRUIT (UNII: SF206I8G4P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-523-34	170 g in 1 CAN; Type 0: Not a Combination Product	07/28/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/28/2020	

Revised: 10/2023

Edgewell Personal Care Brands LLC