

**MEIJER LIDOCAINE PAIN RELIEF PATCH ASSORTMENT SMALL- lidocaine patch**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**MEIJER LIDOCAINE PAIN RELIEF PATCH- SMALL**

***Active Ingredients***

Lidocaine 4% ..... Topical Anesthetic

**Purpose**

Temporarily relieves minor pain.

**Dosage and Administration**

Directions Adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use one patch for up to 12 hours. Children under 12 years of age: consult a physician.

**Warnings**

For external use only.

**Indications and Usage**

Uses: Temporarily relieves minor pains.

**When using this product**

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

### **Stop use and consult a doctor**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

### **Do not Use**

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

### **Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Other Safety Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

### **Inactive Ingredients**

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

### **Questions**

TOLL-FREE

Customer Care Help Line

866-326-1313

Mon–Fri 8:30 am–4:30 pm CST

DIST. BY

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

Made in China

# Lidocaine Pain Relief Patch Small



|   |   |
|---|---|
| <b>Drug Facts</b>   |   |
| <b>Active ingredient</b>  | <b>Purpose</b>  |
| Lidocaine 4.7%  | Topical anesthetic  |
| <b>Use</b> Temporarily relieves minor pain.   |   |
| <b>Warnings</b><br>For external use only  |   |
| Do not use ■ More than one patch on your body at a time ■ Cut out, inhaled or swollen skin ■ Cut/puncture wounds ■ For more than one week, without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.   |   |
| When using this product ■ Learn as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical anesthetics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch. |   |
| Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops ■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.  |   |
| If pregnant or breastfeeding, ask a health professional before use.   |   |
| Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.  |   |
| <b>Directions</b> Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.  |   |
| <b>Other information</b><br>Store in a clean, dry place (outside or direct sunlight). Protect from excessive moisture.  |   |
| <b>Inactive ingredients</b><br>aluminum glycolate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water   |   |
| *This product is not manufactured or distributed by Helsinco Pharmaceutical Co., Inc., owner of the registered trademark Salonpas®  |   |
| DIST. BY MEIJER DISTRIBUTION, INC.<br>GRAND HAVEN, MI 48544<br>www.meijer.com<br>MADE IN CHINA<br>#92-14060 03/20<br>Model 74-911A6 YC51C046  |  <p>Child-resistant packaging</p> <p>LOT</p> <p>EXP</p> <p>www.meijer.com/askmeijer<br/>Questions? Comments?<br/>Call toll-free 1-888-388-1313</p> |

# MEIJER LIDOCAINE PAIN RELIEF PATCH ASSORTMENT SMALL

lidocaine patch

## Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:79481-0005 |
| Route of Administration | TOPICAL        |                    |                |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE         | 4 g in 100 g |

## Inactive Ingredients

| Ingredient Name                                    | Strength |
|--|----------|
| ALUMINUM (UNII: CPD4NFA903)                        |          |
| GLYCERIN (UNII: PDC6A3C0OX)                        |          |
| KAOLIN (UNII: 24H4NWX5CO)                          |          |
| METHYLPARABEN (UNII: A2I8C7H9T)                    |          |
| POLYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)    |          |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H)                  |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                |          |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                   |          |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)           |          |
| SODIUM POLYACRYLATE (250000 MW) (UNII: 05I15JN12J) |          |
| TARTARIC ACID (UNII: W4888119H)                    |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                |          |
| WATER (UNII: 059QF0KO0R)                           |          |

## Product Characteristics

|          |           |              |  |
|----------|-----------|--------------|--|
| Color    |           | Score        |  |
| Shape    | RECTANGLE | Size         |  |
| Flavor   |           | Imprint Code |  |
| Contains |           |              |  |

## Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:79481-0005-2 | 1 g in 1 PATCH; Type 0: Not a Combination Product | 01/01/2019           |                    |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part348                                  | 01/01/2019           |                    |

Revised: 7/2020

Meijer Distribution Inc