MILK OF MAGNESIA MINT- magnesium hydroxide suspension H E B

heb mom mint

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed

by a doctor

• follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed


Inactive ingredients

flavor, purified water, saccharin sodium, sodium hypochlorite

Questions or comments?

1-800-540-3765

package label



Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Purpose

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg Saline laxative

Ise • relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have • kidney disease

a magnesium-restricted diet

· stomach pain, nausea or vomiting

a sudden change in bowel habits that lasts more than 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product.
 These could be signs of a serious condition.
- you need to use a laxative for more than 1 week.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • shake well before use

- . do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- · avoid freezing · store at room temperature tightly closed

Inactive ingredients flavor, purified water, saccharin sodium, sodium hypochlorite.

Questions or comments? 1-800-540-3765

This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips® Milk of Magnesia.

MADEWITH PRIDE & CARE FOR H-E-B® SAN ANTONIO, TX 78204





16269-2010 982-19212-0 REV GC0720

MILK OF MAGNESIA MINT

magnesium hydroxide suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37808-889

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

ı	Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date		
	1	NDC:37808-889- 12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2020	

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	07/01/2020	

Labeler - H E B (007924756)

Registrant - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(37808-889)

Revised: 11/2023 H E B