

**OXYGEN- oxygen gas**  
**NexAir, LLC**

-----  
**Oxygen**

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID, USP

UN1073

CAS: 7782-44-7

LOT #

NET CONTENTS

Cylinder Style Liters (Gaseous)

180L 137,169

230L 167,909

RX only

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only be establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

**WARNING:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fitting free from grease and oil. Use and store only outdoors or in a well-ventilated place. Do not use or store near a heat or open flame. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

**DO NOT REMOVE THIS PRODUCT LABEL.**

Distributed by nexAir

nexAir, LLC [www.nexAir.com](http://www.nexAir.com)

1350 Concourse Ave., Suite 103 Memphis, TN 38104

888-639-2474

**REFRIGERATED LIQUID**

**OXYGEN, REFRIGERATED LIQUID, USP UN1073**  
CAS: 7782-44-7  
LOT #

**R Only**

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

**Produced by Air Liquefaction.**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Do not use or store near heat or open flame. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

NET CONTENTS	
Cylinder Size	Liters (Gaseous)
180L	<input type="checkbox"/> 137,169
230L	<input type="checkbox"/> 167,909

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed by **nexAir** LLC • [www.nexAir.com](http://www.nexAir.com)  
1350 Concourse Ave., Suite 103 • Memphis, TN 38104  
888-639-2474

OXYGEN, COMPRESSED USP

UN1072

DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN IS PRODUCED BY AIR LIQUEFACTION

RX only. **WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only. Uninterrupted use of high concentrations of oxygen for more than five hours may be harmful. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep Out Of Reach Of Children. Contents under high pressure and can vigorously accelerate combustion. Keep free from oil and grease. Do not use or store near heat or open flame and use only with equipment conditioned for oxygen service. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. Federal law requires that



<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:12213-720-59	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
2	NDC:12213-720-62	255 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
3	NDC:12213-720-13	408 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
4	NDC:12213-720-53	566 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
5	NDC:12213-720-58	663 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
6	NDC:12213-720-43	30 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
7	NDC:12213-720-44	31 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
8	NDC:12213-720-15	1133 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
9	NDC:12213-720-45	41 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
10	NDC:12213-720-46	43 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
11	NDC:12213-720-63	1699 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
12	NDC:12213-720-50	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
13	NDC:12213-720-37	3511 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
14	NDC:12213-720-17	4361 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
15	NDC:12213-720-12	7051 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
16	NDC:12213-720-16	2979 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
17	NDC:12213-720-10	9543 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
18	NDC:12213-720-67	127567 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
19	NDC:12213-720-47	137167 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
20	NDC:12213-720-48	153930 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
21	NDC:12213-720-68	662 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
22	NDC:12213-720-69	180 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	
23	NDC:12213-720-70	240 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	
24	NDC:12213-720-71	7815 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
25	NDC:12213-720-72	405 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
26	NDC:12213-720-73	3143.5 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
27	NDC:12213-720-74	3115 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
28	NDC:12213-	3172 L in 1 CYLINDER; Type 0: Not a Combination	06/01/1996	

28	720-75	Product	06/01/1996	
29	NDC:12213-720-76	3266 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
30	NDC:12213-720-77	3313 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
31	NDC:12213-720-78	3341.5 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
32	NDC:12213-720-79	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
33	NDC:12213-720-80	6371 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
34	NDC:12213-720-81	515 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
35	NDC:12213-720-82	7050 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
36	NDC:12213-720-83	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
37	NDC:12213-720-84	1144 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
38	NDC:12213-720-85	2350 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
39	NDC:12213-720-86	2095 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
40	NDC:12213-720-87	41 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	
41	NDC:12213-720-88	113 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
42	NDC:12213-720-89	1812 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
43	NDC:12213-720-90	198 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
44	NDC:12213-720-91	2548 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
45	NDC:12213-720-92	662 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1996	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	06/01/1996	

**Labeler** - NexAir, LLC (927024422)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		016300933	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		019551467	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		026921048	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		052598059	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		063018874	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		069239874	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		078692645	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		080024014	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		106017541	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		117712504	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		134971428	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		164139060	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

NEXAIR, LLC		181444840	manufacture(12213-720)
-------------	--	-----------	------------------------

## Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		192167567	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		805823411	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		844628334	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		927024422	manufacture(12213-720)

## Establishment

Name	Address	ID/FEI	Business Operations
NexAir, LLC		969017086	manufacture(12213-720)

Revised: 11/2023

NexAir, LLC