

PAIN RELIEF 8 HR- acetaminophen tablet, film coated, extended release
Kroger Company

Kroger Co. Pain Relief 8 HR Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- muscular aches
- backache
- headache
- minor pain of arthritis
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 8 hours with water• swallow whole – do not crush, chew, split or dissolve• do not take more than 6 caplets in 24 hours• do not use for more than 10 days unless directed by a doctor
children under 12 years	<ul style="list-style-type: none">• do not use

Other information

- store at 20°-25°C (68°-77°F). Avoid excessive heat 40°C (104°F).
- see end panel for lot number and expiration date

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-632-6900

Principal Display Panel

COMPARE TO active ingredient of TYLENOL® 8 HR

See end panel

For up to 8 Hour Relief of Minor Muscle Aches and Pain

Pain Relief 8 HR

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

Headache/Backache/Minor Pain of Arthritis

650 mg EACH

*Capsule-Shaped Tablets

SEAL WITH PRINTED FOIL UNDER CAP FOR YOUR PROTECTION. IF MISSING OR BROKEN RETURN TO STORE.

0 41260 33215 9

LOT NO.
EXP.
: 21778 45 C7

Kroger
QUALITY GUARANTEED

COMPARE TO active ingredient of
TYLENOL® 8 HR **See end panel

NDC 30142-217-78

For Up to 8 Hour Relief of Minor Muscle Aches and Pain

Pain Relief 8 HR

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

► Headache/Backache/Minor Pain of Arthritis

Our Pharmacists Recommend

100 CAPLETS* - 650 mg EACH
*Capsule-Shaped Tablets

For Up to 8 Hour Relief of Minor Muscle Aches and Pain

Pain Relief 8 HR

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

GLUTEN FREE

QUALITY GUARANTEED

If you are not completely satisfied with this product, return it for a refund or replacement.

Comments or questions?
www.Kroger.com

**Tylenol® is a registered trademark of The Tylenol Company, Raritan, NJ 08869. The Tylenol Company is not affiliated with The Kroger Co. or this product.

Distributed by The Kroger Co. Cincinnati, Ohio 45202

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- take 2 caplets every 8 hours with water
- swallow whole – do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor
- do not use

children under 12 years

Other information

- store at 20°-25°C (68°-77°F). Avoid excessive heat (30°-40°C (86°-104°F)).
- see end panel for lot number and expiration date

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments? 1-800-632-6900





QUALITY GUARANTEED

Pain Relief 8 HR

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

▶ Headache/Backache/Minor Pain of Arthritis

100 CAPLETS* - 650 mg EACH

*Capsule-Shaped Tablets

Our Pharmacists Recommend

NDC 30142-217-78

COMPARE TO active ingredient of
TYLENOL® 8 HR
**See end panel



Drug Facts

Active ingredient (in each caplet)

Purpose

Acetaminophen 650 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - headache
 - minor pain of arthritis
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product


Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. ▶





PAIN RELIEF 8 HR

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30 142-217
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONES (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	RED	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	L217
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30 142-217-71	1 in 1 CARTON		
1		50 in 1 BOTTLE		
2	NDC:30 142-217-78	1 in 1 CARTON		
2		100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	08/16/2005	

Labeler - Kroger Company (006999528)

Revised: 12/2012

Kroger Company