

CICATRICURE GOLD DAY WITH SPF- avobenzone, homosalate, octocrylene, octisalate and sulisobenzone cream

Genomma Lab USA

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cicatricure® Gold Day Cream With SPF

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Avobenzone 3%	Sunscreen
Homosalate 6%	Sunscreen
Octocrylene 10%	Sunscreen
Octisalate 5%	Sunscreen
Sulisobenzone 3%	Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use

- apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Other information

- protect from excessive heat and direct sun.
- may stain some fabrics.
- keep this carton for future reference.

Inactive ingredients

Aqua, Glycerin, Dicaprylyl Carbonate, Polymethylsilsesquioxane, Caprylic/Capric Triglyceride, Caprylyl Methicone, Phenoxyethanol, Glyceryl Stearate, Cetyl Alcohol, Potassium Cetyl Phosphate, Sodium Polyacrylate, Dimethicone, PEG-75 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Parfum, Ceteth-20, Cyclopentasiloxane, Disodium EDTA, Steareth-20, Ethylhexylglycerin, Sodium Hydroxide, Paeonia Albiflora Root Extract, PEG/PPG-18/18 Dimethicone, Trideceth-6, Hyaluronic Acid, Silanetriol, Iron Oxides (CI 77492, CI 77491), Calcium Chloride, N-Prolyl Palmitoyl Tripeptide-56 Acetate, Bis-Hydroxyethoxypropyl Dimethicone/PEG-2 Soyamine/IPDI Copolymer, Isopropyl Titanium Triisostearate, Colloidal Gold, Acetyl Heptapeptide-9, Alpha-Isomethyl Ionone, Citronellol, Limonene.

Questions?

Call toll free 1 877-994-3666 Monday to Friday, 8am to 6pm, Central time

Distributed by:
Genomma Lab USA Inc.
Houston, TX 77027

PRINCIPAL DISPLAY PANEL - 50 g Jar Carton

Cicatricure®

GOLD LIFT
WITH SUNSCREEN

DAY CREAM WITH SPF 30

REDUCES THE APPEARANCE
OF GRAVITATIONAL WRINKLES
IN 6 WEEKS*

LIFTING EFFECT + NOURISHMENT
LIFTS FACIAL CONTOUR

Net Wt. 1.7 OZ (50g)

* Based on consumer study. Results may vary.

PEPTIDES WITH GOLD,
CALCIUM AND SILICON

Datos del Medicamento

Principios activos	Propósito
Avobenzona 3%.....Filtro solar
Homosalato 6%.....Filtro solar
Octocrileno 10%.....Filtro solar
Octisalato 5%.....Filtro solar
Sulisobenzona 3%.....Filtro solar

Usos • ayuda a prevenir las quemaduras solares

Precauciones

Para uso externo únicamente

No aplicar sobre la piel dañada o herida

Al usar este producto evita el contacto con la zona de los ojos. Enjuagar con agua para retirar.

Suspender el uso y consultar al médico si aparecen sarpullidos

Mantener fuera del alcance de los niños. Si se traga, buscar ayuda médica o comunicarse con un centro de toxicología de inmediato.

Instrucciones Para usar como filtro solar: • aplicar de forma uniforme y abundante 15 minutos antes de exponerse al sol. Repetir la aplicación cada 2 horas • usar un filtro solar resistente al agua en caso de nadar o transpirar. **Medidas de protección contra el sol:** Pasar tiempo al sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro. Para disminuir este riesgo, use regularmente un filtro solar con valor FPS 15 de amplio espectro o mayor y otras medidas de protección de la piel, por ejemplo:

- limitar la exposición al sol, especialmente desde las 10:00 a. m. hasta las 2:00 p. m.
- usar camisas de manga larga, pantalones, sombrero y anteojos de sol
- bebés menores de 6 meses: consultar al médico

Otra información • proteger del calor excesivo y los rayos directos del sol. • puede manchar algunas telas. • guarde este cartón para referencia futura.

Questions? Call toll free 1-877-994-3666 Monday to Friday, 8am to 6pm, Central time
 ¿Preguntas? Llame sin costo al 1-877-994-3666 de lunes a viernes, de 8:00 a.m. a 6:00 p. m., horario central

GOLD LIFT WITH SUNSCREEN /
CON FILTRO SOLAR

DAY CREAM WITH SPF 30
CREMA DE DÍA CON FPS 30

REDUCES THE APPEARANCE
OF GRAVITATIONAL WRINKLES
IN 6 WEEKS*

REDUCE LA APARIENCIA DE
ARRUGAS GRAVITACIONALES
EN 6 SEMANAS*

LIFTING EFFECT + NOURISHMENT
LIFTS FACIAL CONTOUR

EFFECTO TENSOR + NUTRICIÓN
REALZA EL CONTOURNO FACIAL

Net Wt. 1.7 OZ (50g)



Cicatricure

* Based on consumer study. Results may vary. Basado en estudio de consumidor. Resultados pueden variar.

PÉPTIDOS CON ORO,
CALCIO Y SILICIO


GOLD LIFT



DERMATOLOGICALLY TESTED
DERMATOLÓGICAMENTE PRUBADO

GOLD LIFT
WITH SUNSCREEN /
CON FILTRO SOLAR

Cicatricure®



Cicatricure Gold Lift combines the power of Peptides with Gold, Calcium and Silicon. Its formula improves the appearance of gravitational wrinkles, lifting the facial contour.

Cicatricure Gold Lift combina el poder de los Péptidos con Oro, Calcio y Silicio. Su fórmula mejora la apariencia de las arrugas gravitacionales, realizando el contorno facial.

IMPROVES THE APPEARANCE OF/MEJORA LA APARIENCIA DE:

- Forehead wrinkles / Arrugas del entrecejo
- Crow's feet wrinkles/ Arrugas de patas de gallo
- Nasolabial folds/ Surcos nasogenianos
- Marionette Lines/ Líneas de marioneta
- Jowl/ Papada

Helps the skin recover its moisture improving density and elasticity, visibly emanating the areas most affected by signs of aging.

Ayuda a la piel a recuperar su humectación, mejorando la densidad y elasticidad, favoreciendo las áreas más afectadas por los signos de la edad.

Non-comedogenic/ Textura no grasa

Resulting from Cicatricure Gold Lift Day Cream and Night Cream.
Resultados con uso de Cicatricure Gold Lift Crema de Día Crema de Noche.

70

Drug Facts

Active ingredients

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 6%	Sunscreen
Octocrylene 10%	Sunscreen
Octisalate 6%	Sunscreen
Sulisobenzene 3%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For sunscreen use: • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating.

Sun Protection Measure: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other skin protection measures including: • limit time in the sun, especially from 10am to 2pm

• wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

Other information • protect from excessive heat and direct sun. • may stain some fabrics. • keep this carton for future reference.

Inactive ingredients / Ingredientes: Aqua, Glycerin, Dipropyl Carbonate, Polymethylsilsesquioxane, Caprylic/Capric Triglyceride, Caprylyl Methicone, Phenoxyethanol, Glyceryl Stearate, Cetyl Alcohol, Potassium Cetyl Phosphate, Sodium Polyacrylate, Dimethicone, PEG-75 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Parfum, Ceteth-20, Cyclopentasiloxane, Disodium EDTA, Steareth-20, Ethylhexylglycerin, Sodium Hydroxide, Paeonia Albiflora Root Extract, PEG/PPG-18/18 Dimethicone, Trideceth-6, Hyaluronic Acid, Stanetriol, Iron Oxides (CI 77492, CI 77491), Calcium Chloride, N-Propyl Palmitoyl Tripeptide-56 Acetate, Bis-Hydroxyethoxypropyl Dimethicone/PEG-2 Soyamine/PDI Copolymer, Isopropyl Titanium Trisostearate, Colloidal Gold, Acetyl Heptapeptide-9, Alpha-Isoemthyl Isonone, Citronellol, Limonene.



CICATRICURE GOLD DAY WITH SPF

avobenzone, homosalate, octocrylene, octisalate and sulisobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-706
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzone (UNII: G63QQF2NOX) (Avobenzone - UNII:G63QQF2NOX)	Avobenzone	30 mg in 1 g
Homosalate (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)	Homosalate	60 mg in 1 g
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	100 mg in 1 g
Octisalate (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)	Octisalate	50 mg in 1 g
Sulisobenzone (UNII: 1W6L629B4K) (Sulisobenzone - UNII:1W6L629B4K)	Sulisobenzone	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
glycerin (UNII: PDC6A3C0OX)	
Cetyl alcohol (UNII: 936JST6JCN)	
Potassium cetyl phosphate (UNII: 03KCY6P7UT)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
PEG-75 stearate (UNII: OT38R0N74H)	

Dimethicone (UNII: 92RU3N3Y1O)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-706-01	1 in 1 CARTON	04/22/2020	
1		50 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	04/22/2020	

Labeler - Genomma Lab USA (832323534)

Revised: 4/2020

Genomma Lab USA