

ADAPTASUN SEA AND TROPICS PROTECTIVE FACE CARE SPF 25- homosalate, octisalate, avobenzone cream
Naos USA, Inc.

Drug Facts

Active ingredients (w/w)

Homosalate 9%
Octisalate 4.5%
Avobenzone 2.7%

Purpose

Sunscreen

Use

Helps prevent sunburn.

Warnings

For external use only.

Do not use

on broken skin.

When using this product

avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, call a poison control centre or get medical help right away.

Directions

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad

Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m. ; and
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor.

Other information

- Keep the product between 15-30°C (59-86°F). • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Aqua/water, Ethylhexyl Methoxycrylene, Glycerin, Silica, Tribehenin Peg-20 Esters, C12-15 Alkyl Benzoate, Dimethicone, Butyloctyl Salicylate, Tocopheryl Acetate, Benzotriazolyl Dodecyl P-cresol, Cetearyl Alcohol, Vp/eicosene Copolymer, C20-22 Alkyl Phosphate, Creatine, Fragrance (Parfum), Glyceryl Stearate, Glycyrrhetic Acid, Mannitol, Methylpropanediol, Peg-100 Stearate, Pentylene Glycol, Soybean Glycerides, C20-22 Alcohols, Hydroxyethyl Acrylate/sodium Acryloyldimethyl Taurate Copolymer, Polysilicone-11, Caprylyl Glycol, 1,2-hexanediol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Xanthan Gum, Sodium Citrate, Sodium Dextran Sulfate, Sodium Hydroxide, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Butylene Glycol, Hydrolyzed Wheat Protein, Oleic Acid, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Glycol, Polysorbate 60, Sorbitan Isostearate, Aminoethanesulfinic Acid, Phenoxyethanol, Copper Gluconate, Carnosine, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Tocopherol, Acetyl Hexapeptide-1, Dextran, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Limonene, Benzyl Benzoate, Geraniol, Citronellol, Isoeugenol, Coumarin, Citral.

Questions?

Call 1-877-443-3762

Package Labeling:

INSTITUT
ESTHEDERM
PARIS

www.esthderm.ca
www.esthderm.us

E

INSTITUT
ESTHEDERM
PARIS

www.esthderm.ca
www.esthderm.us

**Drug Facts (continued) /
Info-médicament (suite)**

**Inactive ingredients /
Ingrédients inactifs**

Aqua/water/eau, Ethylhexyl Methoxycrylene, Glycerin, Silica, Tribehnenin Peg-20 Esters, C12-15 Alkyl Benzoate, Dimethicone, Butyloctyl Salicylate, Tocopheryl Acetate, Benzotriazolyl Dodecyl P-cresol, Cetearyl Alcohol, Vp/eicosene Copolymer, C20-22 Alkyl Phosphate, Creatine, Fragrance (Parfum), Glyceryl Stearate, Glycyrhretinic Acid, Mannitol, Methylpropanediol, Peg-100 Stearate, Pentylene Glycol, Soybean Glycerides, C20-22 Alcohols, Hydroxyethyl Acrylate/sodium Acryloyldimethyl Taurate Copolymer, Polysilicone-11, Caprylyl Glycol, 1,2-hexanediol, Acetyl Tyrosine, Aspartic Acid, Helianthus Annuus (Sunflower) Seed Oil, Xanthan Gum, Sodium Citrate, Sodium Dextran Sulfate, Sodium Hydroxide, Hydrolyzed Soy Protein, Oleoyl Tyrosine, Butylene Glycol, Hydrolyzed Wheat Protein, Oleic Acid, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Propylene Glycol, Polysorbate 60, Sorbitan Isostearate, Aminoethanesulfonic Acid, Phenoxyethanol, Copper Gluconate, Carnosine, Disodium Adenosine Triphosphate, Artemia Extract, Medicago Sativa (Alfalfa) Extract, Laminaria Digitata Extract, Tocopherol, Acetyl Hexapeptide-1, Dextran, Linalool, Hexyl Cinnamal, Hydroxycitronellal, Limonene, Benzyl Benzoate, Geraniol, Citronellol, Isoeugenol, Coumarin, Citral.


Questions?

Call / Composez le 1-877-443-3762

INSTITUT ESTHEDERM est une marque fondée sur l'écobiologie qui est au cœur de la démarche NAOS pour respecter l'écosystème de votre peau et préserver sa santé. Durablement. www.naos.com

INSTITUT ESTHEDERM is a brand built on ecobiology which is at the heart of NAOS approach to respect the skin ecosystem and preserve its health. Lastingly. www.naos.com

INSTITUT
ESTHEDERM
PARIS



ADAPTASUN

Sea And Tropics / Mer Et Tropiques

PROTECTIVE FACE CARE
SOIN PROTECTEUR VISAGE

SPF 25 / FPS 25



PROTECTION UVA-UVB PROTECTION

Broad Spectrum Sunscreen
Écran solaire à large spectre

Care first. ✖ N A O S

1.7 fl.oz.

50 mL

DIN : 02516411

**Drug Facts /
Info-médicament**

**Active ingredients (w/w)/
Ingrédients actifs (p/p) Purpose /
Utilité**

Homosalate 9% } Sunscreen /
Octisalate 4.5% } Ecran solaire
Avobenzone 2.7%

Use / Usage

Helps prevent sunburn. / Aide à prévenir
les coups de soleil.

Warnings / Mises en garde

For external use only.

Pour usage externe seulement.

Do not use on broken skin.

Ne pas utiliser sur une peau éraflée.

When using this product avoid contact
with eyes. If contact occurs, rinse
thoroughly with water.

Lorsque vous utilisez ce produit, éviter
tout contact avec les yeux. Le cas échéant,
bien rincer avec de l'eau.

Stop use and ask a doctor if rash occurs.

Cessez d'utiliser et consultez un
médecin si une éruption cutanée se
développe.

Keep out of reach of children. If
swallowed, call a poison control centre or
get medical help right away.

Garder hors de la portée des enfants. En
cas d'ingestion, appeler immédiatement un
centre antipoison ou obtenir une
assistance médicale.

Réf : 05V450303 CA



Importé et distribué par/
Imported and distributed by :
NAOS CANADA INC.
Montréal (QC) H2W 2R2 Canada
NAOS USA INC.
Wilmington, DE 19808-1609 USA

✖ N A O S

Ecobiology Company - France

NAOS 13290 Aix-en-Provence

Made in France



**Drug Facts (continued) /
Info-médicament (suite)**

Directions / Mode d'emploi

Adults 18 years and older:

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Sun protection measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. ; and
- Wear long-sleeve shirts, pants, hats and sunglasses.
- Children under 6 months of age: ask a doctor. / Adultes 18 ans et plus : • Appliquer généreusement et uniformément 15 minutes avant l'exposition au soleil.
- Appliquer de nouveau au moins toutes les 2 heures.
- Utiliser un écran solaire résistant à l'eau lors d'une activité aquatique ou s'il y a transpiration.
- Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématuré de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil telles que : • Limiter le temps passé au soleil, notamment entre 10h - 14h ; et
- Porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.
- Pour les enfants de moins de 6 mois : demander l'avis d'un médecin.

**Other information / Autres
renseignements**

- Keep the product between 15-30°C (59-86°F).
- Protect the product in this container from excessive heat and direct sun. / • Garder le produit entre 15-30°C (59-86°F).
- Tenir loin de la chaleur excessive ou des rayons du soleil.

N° 3461020012409
IMPRESSION PANT. 432
36 x 13 mm
GENCOD

Q1ET4503CAV10



ADAPTASUN SEA AND TROPICS PROTECTIVE FACE CARE SPF 25

homosalate, octisalate, avobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14324-025
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIBEHENIN PEG-20 ESTERS (UNII: 84K9EH29Y9)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZOTRIAZOLYL DODECYL P-CRESOL (UNII: 298PX4M11X)	
ALCOHOL (UNII: 3K9958V90M)	
C20-22 ALKYL PHOSPHATE (UNII: L4VKPOY7RP)	
CREATINE (UNII: MU72812GK0)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ENOXOLONE (UNII: P540XA09DR)	
MANNITOL (UNII: 3OWL53L36A)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
PEG-100 STEARATE (UNII: YD01N1999R)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
C20-22 ALCOHOLS (UNII: O4M0347C6A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
ACETYL L-TYROSINE (UNII: DA8G610ZO5)	
ASPARTIC ACID (UNII: 30KYC7MIAI)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
OLEOYL TYROSINE (UNII: 131P1BQX1U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OLEIC ACID (UNII: 2UMI9U37CP)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
HYPOTAURINE (UNII: 5L08GE4332)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COPPER GLUCONATE (UNII: RV823G6G67)	
CARNOSINE (UNII: 8HO6PVN24W)	
MEDICAGO SATIVA WHOLE (UNII: DJO934BRBD)	

LAMINARIA DIGITATA (UNII: 15E7C67EE8)
TOCOPHEROL (UNII: R0ZB2556P8)
ACETYL HEXAPEPTIDE-1 (UNII: 49ZWR266MZ)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
BENZYL BENZOATE (UNII: N863NB338G)
GERANIOL (UNII: L837108USY)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
ISOEUGENOL (UNII: 5M0MWW797U)
COUMARIN (UNII: A4VZ22K1WT)
CITRAL (UNII: T7EU009VPP)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14324-025-00	1 in 1 CARTON	04/01/2022	09/30/2024
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2022	09/30/2024

Labeler - Naos USA, Inc. (080727572)