## ACETAMINOPHEN- acetaminophen tablet BETTER LIVING BRANDS LLC.

-----

Extra Strength Pain Relief

Acetaminophen USP, 500mg

Pain Reliever/Fever Reducer FOR ADULTS

## Active ingredient (in each tablet)

Acetaminophen USP, 500 mg

### **Purpose**

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

## Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening

- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not Use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

## Ask a doctor before use if you have

liver disease

## Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

## Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

## If pregnant or breast-feeding

ask a health professional before use.

## Keep out of the reach of children

## Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# Directions do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not take more than 10 days unless directed by a doctor children under 12 years ask a doctor

#### Other Information

- store between 20-25°C (68-77°F). See USP controlled Room temperature
- avoid high humidity
- See end panel for lot number and expiration date

## **Inactive Ingredient**

hydroxypropyl methyl cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

### **Questions or Comments?**

call **1-800-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

## **Principal Display Panel**



### **ACETAMINOPHEN**

acetaminophen tablet

	 •	
Droa	ntorm	STIAN
FICO	nform	alkii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-353

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

ı	Ingredient Name	Basis of Strength	Strength
ı			

ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN 500 mg

#### **Inactive Ingredients**

**Ingredient Name** 

Strength

STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE K30 (UNII: U725QWY32X)	

Product Characteristics			
Color	white (White to off-white)	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	G;551
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:21130-353- 15	150 in 1 BOTTLE; Type 0: Not a Combination Product	12/12/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/12/2022	

## **Labeler - BETTER LIVING BRANDS LLC. (009137209)**

Revised: 12/2023 BETTER LIVING BRANDS LLC.