

**GENUINE FIRST AID EMERGENCY PREPAREDNESS CONTAINS 167 PIECES
HARDCASE - benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate,
water, isopropyl alcohol, benzocaine, alcohol, aspirin
Genuine First Aid LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GENUINE FIRST AID Emergency Preparedness Contains 167 PIECES HARDCASE

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings:

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions: Clean affected area, Apply small amount not more than 3 times daily.

May be covered with a sterile bandage.

Other Information:

Store at room temperature

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Reorder BC-001

Genuine First Aid Burn Cream

**Antiseptic Pain Relief
With Aloe**

ACTIVE INGREDIENTS:

Benzalkonium

Chloride 0.13%

Lidocaine HCL 0.5%

Net Wt 0.9g - (1/32 oz)



Manufactured in CHINA for
GENUINE FIRST AID

Drug Facts

Purpose: First aid antiseptic,
external analgesic

Uses: First aid to help prevent
infection and for the temporary
relief of pain and itching

associated with: • minor cuts
• scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large
quantities • over raw blistered
areas, or on deep puncture
wounds, animal bites or serious
burns • for more than one week

Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.

Directions: • clean affected area
• apply small amount not more
than 3 times daily • may be
covered with a sterile bandage

Other information:

Store at room temperature



600609



2015/01

Active Ingredient:

Purpose

Benzalkonium Chloride 0.40%..... First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredient: Purified water

LOT/EXP:

Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID



DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.40%..First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water.

TEAR HERE

Made in CHINA

Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Uses: To help prevent infection in:
minor cuts; scrapes; burns

Warnings:

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Reorder TAO-001

Genuine Triple Antibiotic

**First Aid Ointment
To Help Prevent Infection**

Each Gram Contains:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units
Net Wt 0.5g · (1/64 oz)



Manufactured in CHINA for
GENUINE FIRST AID®

Drug Facts

Uses: To help prevent infection
in • minor cuts • scrapes • burns

Warnings:

For external use only

Do not use • in eyes • over large
areas of the body • if allergic to
any of the ingredients • for more
than one week unless directed
by a physician

Stop use and consult a doctor

• if the condition persists or gets
worse • a rash or other allergic
reaction develops

Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.

Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the
area 1 to 3 times daily • may be
covered with a sterile bandage

Other information:

Store at room temperature

LOT

600609



2015/01

Active Ingredient:

Purified Water USP...q.s.

Inactive Ingredients:

Sodium Chloride USP 44mg

Monobasic Sodium Phosphate USP 18mg

Sodium Phosphate Dibasic USP 111mg

Edetate Disodium USP 10mg

Benzalkonium Chloride 0.5mg
NF (as preservative)

Store in a cool place. For irrigation only.

Discard unused portion of the solution.

Not for injection.

Warning:

If you experience eye pain, changes in vision, continued redness or irritation of the eye,

or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor.

Do not use if solution changes color or becomes cloudy.

Directions

Remove contacts before using.

Twist top to remove.

Flush the affected area as needed. Control

Rate of flow by pressure on the bottle. Do not touch

tip of the container to any surface. Do not reuse.

If necessary continue flushing with emergency eyewash or shower.

Discard bottle after use.

Uses:

For flushing or irrigating the eyes to

remove loose foreign material, air pollutants,

or chlorinated water.

Code No.: GUJ/DRUG/G/1080

Batch No.:

Mfg Date:

Exp: Date:

10ml

Sterile Isotonic Buffered Genuine

Eyewash

For single use only

10ml

Sterile Isotonic buffered
GENUINE Eyewash
For single use only

Directions: Remove contact lens before using. Twist top to remove. Flush the affected area as needed. Control rate of flow by pressure on the bottle. Do not touch tip of the container to any surface. Do not reuse. If necessary, continue flushing with emergency eyewash or shower. Discard bottle after use.

Uses: For flushing or irrigating the eyes to remove loose foreign material, air pollutants, or chlorinated water.

Each 10 ml contains:

Active Ingredient:
Purified Water ...q.s.

Inactive Ingredients:
Sodium Chloride
Monobasic Sodium Phosphate
Dibasic Sodium Phosphate
Edetate Disodium
Benzalkonium Chloride
NF (as preservative)

Store in a cool place. For irrigation only. Discard unused portion of the solution. Not for injection.

Mfg. Lic. No.: KTK/28/332/2002
Batch No.:
Mfg. date:
Exp. date:

 **Manufactured in INDIA for GENUINE FIRST AID**

 **Warning:**
If you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours, discontinue use and consult a doctor. Do not use if solution changes color or becomes cloudy.

REORDER EYEW-10S

FOR EXTERNAL USE ONLY

STERILE A

Active Ingredient:

Purpose

Isopropyl Alcohol, 70% v/v.....

Antiseptic

Use: For preparation of skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Wipe Injection site vigorously and discard.

Inactive Ingredient: Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

REORDER ACP-001

Alcohol Cleansing Pad
Toallitas Húmedas con Alcohol



Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient: Isopropyl Alcohol, 70% v/v **Purpose:** Antiseptic

Use: For preparation of the skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame.

Do not use: with electrocautery, in the eyes

Stop use if irritation and redness develop.

If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Wipe injection site vigorously and discard.

Other information: Store at room temperature 15°-30° C (59°-86° F)

Inactive ingredient: Purified water.

--- TEAR HERE ---

LOT/EXP: 20140301 Made in CHINA

Active Ingredient: Purpose:

Benzocaine, 6% w/v..... Topical Anesthetic

SD alcohol, 60% w/v..... Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Flammable - keep away from fire or flame.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

Made in CHINA

LOT/EXP:

Insect Sting Relief Pad

Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID



DRUG FACTS - Insect Sting Relief Pad

Active Ingredient: Benzocaine, 6% w/v Topical Anesthetic

Purpose: SD alcohol, 60% w/v Antiseptic

Use: For the temporary relief of pain and itching associated with minor burns, scrapes and insect bites.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Flammable - keep away from fire or flame. Avoid contact with eyes. If this happens, rinse thoroughly with water.

Do not use: In eyes, on broken skin, deep puncture wounds. If unusual redness, swelling, irritation or other symptoms occur, consult a physician immediately.

--- TEAR HERE ---

Made in CHINA

Active ingredient (in each tablet) Purpose

Aspirin 81 mg (NSAID*). Analgesic/Antipyretic

*nonsteroidal anti-inflammatory drug

Uses

temporary relief of minor aches, pains and headaches

to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user; has had stomach ulcers or bleeding problems takes a blood thinning (anticoagulant) or steroid drug takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) takes more or for a longer time than directed is age 60 or older has 3 or more alcoholic drinks every while using this product.

Do not use

if you are allergic to aspirin or any other pain relievers/fever reducers

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

for at least 7 days after a tonsillectomy or oral surgery

Ask a doctor before use if you have;

asthma

stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems

a child experiencing arthritis pain

if you are;

allergic to aspirin

taking prescription drug for anticoagulation (thinning of blood), diabetes, gout or arthritis

Stop use and ask a doctor if;

an allergic reaction occurs, Seek medical help right away

pain or fever persists

new or unexpected symptoms occur

redness or swelling is present

ringing in ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours, Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 years: Consult a doctor.

Store at room temperature

tamper evident sealed packets

do not use any opened or torn packets

Inactive ingredients flavor, FD and C yellow No. 6, saccharin, sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by GENUINE FIRST AID

600 Cleveland Str Suite 400, Clearwater, FL 33755

2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg



2 Tablets

GENUINE FIRST AID.

Chewable Aspirin 81mg

Active ingredient (in each tablet) Purpose
Aspirin 81 mg (NSAID*)Analgesic/Antipyretic
**nonsteroidal anti-inflammatory drug*

Uses

- temporary relief of minor aches, pains and headaches
- to reduce fever associated with colds, sore throats, teething

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Stomach bleeding warning: This product contains a non-steroidal anti-inflammatory drug (NSAID), which may cause stomach bleeding. The chance is higher if the user ■ has had stomach ulcers or bleeding problems ■ takes a blood thinning (anticoagulant) or steroid drug ■ takes other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ takes more or for a longer time than directed ■ is age 60 or older ■ has 3 or more alcoholic drinks every day while using this product

Do not use ■ if you are allergic to aspirin or any other pain relievers/fever reducers ■ for more than 10 days for pain unless directed by a doctor ■ for more than 3 days for fever unless directed by a doctor ■ for at least 7 days after a tonsillectomy or oral surgery

Warnings (continued)

Ask a doctor before use if you have ■ asthma ■ stomach problems (such as heartburn, upset stomach, or stomach pain) that persist or recur, ulcers or bleeding problems ■ a child experiencing arthritis pain

if you are ■ allergic to aspirin ■ taking a prescription drug for anticoagulation (thinning of the blood), diabetes, gout or arthritis

Stop use and ask a doctor if ■ an allergic reaction occurs. Seek medical help right away ■ pain or fever persists ■ new or unexpected symptoms occur ■ redness or swelling is present ■ ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions Do not use more than directed

Adults and Children (12 years and older): Chew 4 to 8 tablets with water every 4 hours. Do not exceed 48 tablets in 24 hours unless directed by a doctor.

Children Under 12 Years: Consult a doctor.

Other information

- store at room temperature ■ tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients flavor, FD&C yellow #6, saccharin sodium, silicon dioxide, starch, stearic acid, sucrose

MADE IN USA

Distributed by GENUINE FIRST AID
600 Cleveland Str Suite 400, Clearwater, FL 33755

Active Ingredient:

Ethyl Alcohol 62 percent

Uses: For hand washing to decrease bacteria on the skin

Warnings:

For external use only

Flammable, keep away from fire or flame

Do not use in the eyes. In case of contact, rinse eyes thoroughly with water.

Stop use and consult a doctor if irritation and redness develop

and persist for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Empty contents into palm. Rub hands until gel dissipates. Recommended for repeated use.

Other Information: Store at 15 to 25 degree Celsius (59 to 77 degree Fahrenheit)

Genuine Hand Sanitizer

Instant Gel

Antiseptic Handwash

with Vitamin E and Aloe

Kills 99.9 percent of germs

Without Water

Active Ingredient:

Ethyl Alcohol 62 percent

Net Wt 0.9g (1/32 oz)

Manufactured in China For

Genuine First Aid.

Reorder HS-001

Genuine Hand Sanitizer

**Instant Gel
Antiseptic Handwash
with Vitamin E & Aloe**

**Kills 99.9% of Germs
Without Water
Active Ingredient:
Ethyl alcohol 62%
Net Wt 0.9g - (1/32 oz)**



Manufactured in CHINA for
GENUINE FIRST AID.

Drug Facts

Uses: For hand washing to decrease bacteria on the skin

Warnings:

For external use only

Flammable, keep away from fire or flame

Do not use in the eyes. In case of contact, rinse eyes thoroughly with water

Stop use and consult a doctor if irritation and redness develop and persist for more than 72 hours

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Empty contents into palm. Rub hands until gel dissipates. Recommended for repeated use

Other information: Store at 15° to 25° C (59° to 77° F)



600600



2015/01

Carrying Case

- 1 Hard Case
- 1 Easy Access Pocket System

Emergency Preparedness (1)

- 1 Emergency Poncho 50"x80"
- 1 Emergency Blanket 38"x60"

Emergency Preparedness (2)

- 1 Procedural Mask, 3 ply
- 1 Whistle
- 1 Light Stick
- 1 Radio w/Headphones and Flashlight
- 2 Batteries

Small Cuts and Burns

- 4 Adhesive Plastic Bandages 3/4"x3"
- 100 Junior Plastic Bandages 3/8"x1-1/2"
- 2 Adhesive Plastic Bandages 1"x3"
- 1 Knuckle Fabric Bandage
- 4 Adhesive Spot Bandages 7/8"x7/8"
- 1 Fingertip Fabric Bandage
- 1 Elbow/Knee Adhesive Bandage
- 2 Antiseptic Towelettes
- 10 Cotton Tipped Applicators

Medium Cuts, Burns and Severe Bleeding

- 1 First Aid Tape Roll 1/2"x2.5 yds.
- 1 Combine Pad 5"x9"
- 1 Roller Gauge Bandage 3"x4.1yds
- 1 Antiseptic Towelette
- 1 Triple Antibiotic Ointment 0.9gr
- 1 Sterile Gauge Pad 2"x2"
- 1 Sterile Eye Pad
- 1 Sterile Eye Wash 10ml
- 1 Burn Cream

Protection and CPR

- 2 Medical Grade Vinyl Gloves
- 1 Instant Cold Compress
- 2 Alcohol Cleansing Pads
- 1 Insect Sting Relief Pad
- 2 Chewable Aspirin Tablets
- 1 Triangular Bandage 42"x42"x59"
- 1 CPR Breathing Barrier
- 1 Hand Sanitizer 0.9gr

Instruments

- 1 Emergency First Aid Guide
- 1 Emergency Preparedness Refill Guide
- 1 Plastic Tweezers
- 1 Thermometer Strip
- 1 Scissors
- 6 Assorted Safety Pins
- 1 Wooden Finger Splint

Manufactured in China for:

Genuine First Aid LLC.
600 Cleveland Street
Suite 400
Clearwater FL 33755

www.GenuineFirstAid.com

GENUINE FIRST AID

Copyright c 2009 Genuine First Aid LLC.
All rights reserved.



GENUINE FIRST AID EMERGENCY PREPAREDNESS CONTAINS 167 PIECES HARDCASE

benzalkonium chloride, bacitracin zinc, neomycin sulfate, polymyxin b sulfate, water, isopropyl alcohol, benzocaine, alcohol, aspirin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52124-0110
---------------------	----------------	---------------------------	----------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0110-1	1 in 1 KIT		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKAGE	0.9 g
Part 2	3 PACKAGE	2.4 mL
Part 3	1 BOTTLE	10 mL
Part 4	2 PACKAGE	1 mL
Part 5	1 PACKAGE	0.5 mL
Part 6	1 PACKAGE	2
Part 7	1 TUBE	0.5 g
Part 8	1 PACKAGE	0.9 g

Part 1 of 8

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information

Item Code (Source) NDC:52124-0004

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	04/28/2010	

Part 2 of 8

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source) NDC:52124-0001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.4 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/28/2010	

Part 3 of 8**STERILE ISOTONIC BUFFERED GENUINE EYEWASH**

water liquid

Product Information

Item Code (Source)	NDC:52124-0005
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.16 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0005-1	10 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	04/28/2010	

Part 4 of 8

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information

Item Code (Source)	NDC:52124-0002
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0002-1	0.5 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/28/2010	

Part 5 of 8

INSECT STING RELIEF PAD

benzocaine, alcohol liquid

Product Information

Item Code (Source)	NDC:52124-0008
--------------------	----------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mL in 100 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 mL in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0008-1	0.5 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	04/28/2010	

Part 6 of 8

CHEWABLE ASPIRIN

aspirin tablet, chewable

Product Information

Item Code (Source)	NDC:52124-0012
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	81 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SACCHARIN (UNII: FST467XS7D)	
SODIUM CATION (UNII: LYR4M0NH37)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	orange (ORANGE)	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	ASPIRIN
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0012-1	2 in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	04/28/2010	

Part 7 of 8

GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-1	0.5 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/28/2010	

Part 8 of 8

GENUINE HAND SANITIZER

alcohol gel

Product Information

Item Code (Source) NDC:52124-0006

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	62 g in 100 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0006-1	0.9 g in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333	04/28/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part345	04/28/2010	

Labeler - Genuine First Aid LLC (619609857)

Establishment

Name	Address	ID/FEI	Business Operations
GFA Production (Xiamen) Co., Ltd		421256261	manufacture

Revised: 6/2010

Genuine First Aid LLC