MAXFE- magnesium ascorbate, I-5 methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, ferrous bisglycinate chelate, zinc bisglycinate chelate tablet Pronova Corporation

MaxFe

Supplement Facts Serving Size: 1 Tablet / Servings Per Container: 120			
	Amount	%	
	Per	Daily	
	Serving	Value	
Vitamin C (as Magnesium Ascorbate)	100 mg	111%	
Folate (as L-5 Methyltetrahydrofolate	1.7 mg	425%	
Calcium)	DFE		
Vitamin B12 (as Cyanocobalamin)	60 mcg	2500%	
Biotin	150 mcg	500%	
Iron (as Carbonyl Iron and Ferrous	160 mg	889%	
Bisglycinate			
Chelate (Ferrochel®))			
Zinc (as Zinc bis-glycinate chelate -	12 mg	109%	
TRAACS®)#	12 1119	10970	
* Daily Value not established			

OTHER INGREDIENTS: Microcrystalline Cellulose, Dicalcium Phosphate, Citric Acid, Stearic Acid, Croscarmellose Sodium, Silicon Dioxide, Magnesium Stearate, Pharmaceutical Glaze, Crospovidone, Sodium Benzoate, Sodium Lauryl Sulfate, Soy Polysaccharide, Polyvinylpyrrolidone, Maltodextrin, Sucrose, Hypromellose, Polyethylene Glycol, FD&C Yellow #6 Lake, Artificial French Vanilla Flavor, Propylene Glycol, Starch, Tricalcium Phosphate and Talc.

Contains: Soy

DESCRIPTION: MaxFeTM is a multivitamin / multimineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency.†

†This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

WARNING: Accidental overdose of iron-containing products is leading a cause of fatal poisoning in children under 6 years of age. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN.** In case of accidental overdose, call a doctor or poison control center immediately.

DO NOT USE MAXFeTM for individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis. The product is not for

use in children under 12 years of age.

CAUTION:

This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B-12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Pregnant women, nursing mothers or women prior to conception who take **MAXFeTM** should take this supplement only after their medical condition and other drugs, herbs and/or supplements consumption are considered. Use for elderly individuals should be cautious due to the greater frequency of decreased hepatic, renal, or cardiac function.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE:

One caplet daily with or without food or as recommended by your healthcare provider.

OTHER INFORMATION:

MAXFeTM is supplied in child-resistant trade bottles of 120 and 30 caplets and physician samples in child-resistant bottles of 4 caplets. Store at controlled room temperature 59°-86°F. See USP Controlled Room Temperature.

To report a serious advent event or to obtain product information, contact (866) 703-3508.

Distributed by:

Pronova Corporation Miami, Florida 33155

Fe With FERROCHEL®

Vitamin & Mineral Supplement with Iron

Bilayered Hematinic Caplets

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

EP2008/052034

#Ferrochel® TRAACS® are registered trademark of Albion Laboratories, Inc., covered by U.S.

Patents 6,716,814
and 7,838,042.

Packaging



DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.	EAL UNDE	R CAP
Supplement Facts Serving Size: 1 Tablet / Servings Per Container: 120	Facts r Container: 1.	92
	Amount Per Serving	% Dailly Value
Vitamin C (as Magnesium Ascorbate)	100 mg	111%
Folate (as L-5 Methyltetrahydrofolate Calcium)	1.7 mg DFE	425%
Vitamin B12 (as Cyanocobalamin)	60 mcg	2500%
Biotin	150 mcg	200%
Iron (as Carbonyl Iron and Ferrous Bisglycinate Chelate (Ferrochel®))	160 mg	889%
Zinc (as Zinc bis-glycinate chelate -TRAACS®)#	12 mg	109%
* Daily Value not established		

OTHER INREDIENTS: Microcystaline Cellulose, Dicalcium Phosphate, Citic Acid, Stearic Acid, Crossarmelose Sodium, Silcon Dioxde, Magnesium, Stearate, Pharmaceutical Gaze, Crospovidone, Sodium Benzoate, Sodium Laury Sulfate, Soy Polysaccharide, Polyvinybyrrolidone, Mathoderin, Sucrose, Hypromelose, Polyethylene Glycol, FD&C, Yellow, #6 Lake, Artificial French Vanilla Ravor, Proylene Glycol, Starch, Tricalcium Phosphate and Talc.

DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Supplement Facts

Serving Size: 1 Tablet / Servings Per Container: 120

	Amount Per Serving	% Daily Value
Vitamin C (as Magnesium Ascorbate)	100 mg	111%
Foliate (as L-5 Methyltetrahydrofoliate	1.7 mg DFE	425%
Calcium)		
Vitamin B12 (as Cyanocobalamin)	60 mcg	2500%
Biotin	150 mcg	500%
Iron (as Carbonyl Iron and Ferrous Bisglycinate Chelate (Ferrochel®))	160 mg	889%
Zinc (as Zinc bis-glycinate chellate -TRAACS®)##	12 mg	109%
* Daily Value not established		

OTHER INGREDIENTS: Microcystalline Cellulose, Dicalcium Phosphate, Citric Acid, Stearic Acid, Croscarmellose Sodium, Silicon Dioxide, Magnesium Stearate, Pharmaceutical Glaze, Crospovidone, Sodium Benzoate, Sodium Lauryl Sulfate, Soy Polysaccharide, Polyvinylpyrrolidone, Maltodextrin, Sucrose, Hypromellose, Polyethylene Glycol, FD&C Yellow #6 Lake, Artificial French Vanilla Flavor, Proylene Glycol, Starch, Tricalcium Phosphate and Talc.

Contains: Soy

EP2008/052034 #Ferrochel® TRAACS® are registered trademark of Albion Laboratories, Inc.,

covered by U.S. Patents 6,716,814 and 7,838,042.



PEEL HERE FOR MORE INFORMATION

DESCRIPTION: MaxFe[™] is a multivitamin / multimineral dietary supplement indicated for use in improving the nutritional status of patients with iron deficiency.†

[†]This statement has not been evaluated by the FDA. This product is not intended to diagnose, treat, cure, or prevent any disease.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6 years of age. KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

DO NOT USE MaxFe™ for individuals with a known hypersensitivity to any of the ingredients. Patients with hemochromatosis and hemosiderosis. The product is not for use in children under 12 years of age.

CAUTION: This product contains 1 mg folic acid, the maximum safe Reference Daily Intake (RDI) amount for this nutrient. Folic Acid alone should not be used for individuals with pernicious anemia and other megaloblastic anemias where Vitamin B-12 is deficient. Folic acid in amounts above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Pregnant women, nursing mothers or women prior to conception who take MaxFe™ should take this supplement only after their medical condition and other drugs, herbs and/or supplements consumption are considered. Use for elderly individuals should be cautious due to the greater frequency of decreased hepatic, renal, or cardiac function.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DIRECTIONS FOR USE: One caplet daily with or without food or as recommended by your healthcare provider.

OTHER INFORMATION: MaxFe™ is supplied in child-resistant trade bottles of 120 and 30 caplets and physician samples in child-resistant bottles of 4 caplets. Store at controlled room temperature 59°-86°F. See USP Controlled Room Temperature.

To report a serious adverse event or to obtain product information, contact (866) 703-3508.

Distributed by:



Pronova Corporation
Miami Florida 33155 Co

Miami, Florida 33155 Code# PR0141-120L Rev. 05/23

MAXFE

magnesium ascorbate, l-5 methyltetrahydrofolate calcium, cyanocobalamin, biotin, carbonyl iron, ferrous bisglycinate chelate, zinc bis-glycinate chelate tablet

Product Information			
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:67555-141
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM ASCORBATE (UNII: 0N1G678593) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	MAGNESIUM ASCORBATE	100 mg	
LEVOMEFOLATE CALCIUM (UNII: A9R10K3F2F) (LEVOMEFOLIC ACID - UNII:8S95DH25XC)	LEVOMEFOLATE CALCIUM	1 mg	
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	60 ug	
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	150 ug	
FERROUS BISGLYCINATE (UNII: SFW1D987QV) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	160 mg	
ZINC GLYCINATE (UNII: 681VJX72FE) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLYCINATE	12 mg	

Inactive Ingredients	
Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SHELLAC (UNII: 46N107B710)	
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SOYBEAN COTYLEDON CELL WALL POLYSACCHARIDES (UNII: 4UL6DF56YQ)	
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SUCROSE (UNII: C151H8M554)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STARCH, RICE (UNII: 4DGK8B7I3S)	
TRICALCIUM PHOSPHATE (UNII: K4C08XP666)	

TALC (UNII: 7SEV7J4R1U) **Packaging Marketing End Date** Item Code Package Description **Marketing Start Date 1** NHRIC:67555-141-12 120 in 1 BOTTLE **Marketing Information** Marketing **Application Number or Monograph Marketing Start Marketing End** Category Citation Date Date dietary supplement 03/29/2023

Supplement Facts
Serving Size:

Serving per Container:

Amount Per Serving % Daily Value

color
shape
size (solid drugs) 21 mm
scoring 3
imprint
flavor

Labeler - Pronova Corporation (111421496)

Revised: 5/2023 Pronova Corporation