

CLEARCANAL EAR WAX SOFTENER DROPS- carbamide peroxide solution/drops

A-S Medication Solutions

CLEARCANAL EAR WAX SOFTENER DROPS

Drug Facts:

Active ingredient: CARBAMIDE PEROXIDE

Ear Wax Removal Drops Directions

Step 1 Ear Wax Removal Drops Directions:

- FOR USE IN THE EAR ONLY.
- Adults and children over 12 years of age: tilt head sideways and place 5 to 10 drops into ear.
- Tip of applicator should not enter ear canal.
- Keep drops in ear for several minutes by keeping head tilted or placing enclosed ear plugs in ear.
- Use twice daily for upto 4 days if needed or as directed by a doctor.
- Any wax remaining after treatment may be removed by gently flushing the ear with NeilMed ClearCanal rinsing system with special ear rinse adapter.
- Children under 12 years of age: consult a doctor.

Avoid exposing bottle to excessive heat and direct sunlight. Keep cap on bottle when not in use.

Inactive Ingredients: Glycerin, Oxyquinoline, Aloe Barbadensis, Chamomile

Softens ear wax. Ear wax removal drops

Children under 12 years of age: consult a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If accidental contact with eyes occurs, flush eyes with water and consult a doctor.

Do not use:

- * If you have had an allergic reaction to Carbamide Peroxide.
- * If you have ear drainage or discharge, ear pain, irritation or rash in the ear, or are dizzy; consult a doctor
- * If you have an injury or perforation (hole) of the eardrum or after ear surgery, unless directed by a doctor
- * For more than four consecutive days

Stop use and ask a doctor if excessive ear wax remains after use of this product for four consecutive days

When using this product:

* Avoid contact with the eyes

Ear Wax Removal Complete System

Ear wax is an important part of your body's system for keeping dirt, bacteria and other things from causing hearing problems. When rinsing is necessary, this cleaning system helps to soften, loosen and remove the excessive ear wax.

The system consists of kit with 1 bottle carbamide peroxide solution 15mL and 1 can sterile saline spray 177mL (or 125mL).

Place 5 to 10 drops of 6.5% carbamide peroxide solution into e

Warnings:

Do not use:

If you have had an allergic reaction to carbamide peroxide.

If you have ear drainage or discharge, ear pain, irritation or rash in the ear, or are dizzy; consult a doctor

If you have an injury or perforation (hole) of the eardrum or after ear surgery, unless directed by a doctor

For more than four consecutive days

When using this product:

void contact with the eyes

Stop use ad ask a doctor if excessive ear wax remains after use of this product for four consecutive days.

HOW SUPPLIED

Product: 50090-7426

NDC: 50090-7426-0 15 mL in a BOTTLE, DROPPER / 1 in a BOX

Carbamide Peroxide



CLEARCANAL EAR WAX SOFTENER DROPS

carbamide peroxide solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-7426(NDC:13709-230)
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
OXYQUINOLINE (UNII: 5UTX5635HP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-7426-0	1 in 1 BOX	10/29/2024	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	08/24/2011	

Labeler - A-S Medication Solutions (830016429)

Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-7426)

Revised: 11/2024

A-S Medication Solutions